



**MTG**

No limits innovation

# **2025 DEALER PRICE LIST**

Effective: July 3rd, 2025



## GENERAL TERMS OF SALES

### 1. VALIDITY OF APPLICATION

The following conditions are valid for any commercial contract of products commercialized by Metalogenia North America Corporation (MTG).

### 2. PRICES, DISCOUNTS, AND FREIGHT

The suggested list prices for products commercialized by MTG are those found in the Price List and serve as the base price from which the dealer net price is calculated after applying the dealer discount. Please note that there are three discount codes: "C" for MTG Systems Construction products; "M" for MTG Systems Heavy-Construction/Mining products; "P" for MTG Plus (DRP – Direct replacement) products.

| Dealer Classification | Product Lines                                                                                                                      |
|-----------------------|------------------------------------------------------------------------------------------------------------------------------------|
| Construction Dealer   | Access to MTG proprietary Construction Systems (not all Dealers have access to every system).<br>Access to MTG Plus product lines. |
| Mining Dealer         | Access to MTG proprietary Mining Systems (not all Dealers have access to every system).<br>Access to MTG Plus product lines.       |
| MTG Plus Dealer       | Access to MTG Plus product lines.                                                                                                  |

MTG reserves the right to modify any price without any previous notice. All prices are in US dollars and incoterm Ex-Works Houston, Texas.

There are special freight allowance programs based on the size of the order and location of delivery. Orders of less than \$500 will be assessed a fee of \$20 to cover the cost of handling and packaging. MTG offers additional discounts for direct orders shipped directly from our factory to our customers. Please contact our Customer Service Department for additional information.

Items classified as "non-stock" are items that will not be stocked in MTG's Houston warehouse. However, these items are available for purchase, but these items will have a longer lead time for delivery.

### 3. PAYMENTS

Payment can be made by the customer by:

Sending a check to: Metalogenia North America Corporation  
4740 Consulate Plaza Dr.  
Houston, TX 77032  
  
Please, make check payable to "Metalogenia North America Corporation"

or through a bank transfer to: Wells Fargo  
Account Number 7091185012 routing 111900659  
Domestic Wire Number 121000248  
SWIFT Code: WFBUS6S

Payment due date: Shall always be within 30 days of invoicing unless otherwise noted.

### 4. CARRIAGE, DELIVERY & PACKAGING

All orders will be delivered incoterm Ex-Works from our warehouse in Houston, Texas. MTG's responsibility is limited to the delivery of goods to the transporter appointed by the customer at our warehouse in Houston, Texas. MTG will provide the packaging for transportation and it is the responsibility of the customer to dispose of or recycle it. Any damage occurring to the items while in transport is not the responsibility of MTG.



## 5. RETURN OF PRODUCTS

A "Product Return Application Form" needs to be filled out for the return of any product. This form has to be emailed to MTG's Customer Service department for return authorization. MTG will study product returns if requested within 15 days of the invoice date of the products to be returned. MTG reserves the right to deny any devolution. Any product accepted for return will be charged a 20% restocking fee and this cost will be subtracted from the credit note. All transportation costs for any return will be paid by the customer. All returns must be handled in the following manner:

- All returns must be shipped prepaid to MTG (Houston, TX). Any material shipped collect will be refused.
- All returns must have an Authorized Product Return application form provided by MTG.
- To accelerate the return process, please include the Product Return application form on your returned package.

### 5.1 Annual Dealer Return Policy / Purification Stock

Any dealer may return 3% of the current year net purchases, except products "not-stock", in an annual stock purification return if a new order is placed for the same amount returned (in USD). MTG must be contacted to request an Authorized Product Return application form before November 30th. Customer may only return items once per year. Returns of products bought during previous years will not be accepted. Credits issued are material (products) credits and will be balanced with a new purchase order submitted by the customer at the same time of the product return request – no checks will be issued on credit balances. Prices of the returned products are based on the price paid by customer and are subject to a 20% handling charge. All items must be shipped prepaid to MTG's warehouse in Houston, TX and have a return authorization number.

Returns will not be accepted on material that: a) has been welded or altered in any manner; b) has been subjected to misuse, misapplication, or used on excessively worn adapters or lips; c) has not been invoiced to the company making the return; d) has been factory modified or specialized.

### 5.2 Return of items ordered in error or refused by customer

The return authorization of these items must be requested within 15 days of the date of invoicing. Products must be shipped prepaid to MTG and have an authorized Product Return Authorization form. Products returned are subject to a 20% handling charge. MTG must be supplied with original invoice numbers and dates.

### 5.3 Unauthorized Returns

Unauthorized returns will be treated as an annual dealer return; items are subject to the same restrictions outlined in section 5.1, but are subject to an 80% restocking charge.

## 6. WARRANTIES

All MTG products have been subjected to very strict quality control measures during the manufacturing process in order to offer the highest quality product. Nevertheless, if any manufacturing defect is detected, please fill out the "ISC-046 Product Warranty Application Form" (located in the back of the price list) including a photograph of the part. The complete form can be sent to MTG by fax or mail. E-mails with complete information (including pictures) are encouraged. Customer should keep all warranty-replaced parts until the Regional Manager in charge has inspected them.

- The warranty is null and void in cases of misuse, negligence, accident, overload, welding and incorrect installation.
- The warranty refers only and exclusively to the replacement of a product in case of manufacturing defects.
- The warranty is valid for six months after the receipt of the goods.
- All warranty-replaced parts will stay property of MTG and in every case MTG will be able to ask for the return of any broken part. If an analysis should be necessary, MTG will pay for the transportation costs.

## 7. CREDIT LINE

Customers are required to fill out the "ISC-311 Credit Application Form" located in the back of this price list to apply for a credit line. Additional financial information might be needed to set up or to increase a credit line.



# Price List 2025

|                          |                               | In Stock<br>(Yes/No) | Min.<br>Batch | Weight<br>(Lb) | Disc.<br>Code | Price<br>List USD |
|--------------------------|-------------------------------|----------------------|---------------|----------------|---------------|-------------------|
| <b>MTG Systems CoMet</b> |                               |                      |               |                |               |                   |
| <b>Size</b>              | <b>5</b>                      |                      |               |                |               |                   |
| 1MO5FC                   | Adapt CoMet Weld Flush        | Yes                  | 1             | 2.2            | C             | 31.60             |
| 1MO5UC                   | Adapt CoMet Weld-UC           | Yes                  | 1             | 1.9            | C             | 26.65             |
| MO5L                     | Tooth CoMet Long Size 5       | Yes                  | 1             | 1.6            | C             | 13.13             |
| MO5U                     | Tooth CoMet Universal Size 5  | Yes                  | 1             | 1.6            | C             | 14.70             |
| MO5V                     | Tooth CoMet Vector Size 5     | Yes                  | 1             | 1.6            | P             | 17.63             |
| 2MO5P                    | Pin Comet Size 5              | Yes                  | 0             | 0.1            | C             | 8.97              |
| <b>Size</b>              | <b>8</b>                      |                      |               |                |               |                   |
| 1MO8FC                   | Adapt CoMet Weld Flush        | Yes                  | 1             | 4.0            | C             | 50.57             |
| 1MO8UC                   | Adapt CoMet Weld-UC           | Yes                  | 1             | 3.5            | C             | 39.52             |
| 1MO8WC                   | Adapt CoMet Weld-Center       | Yes                  | 1             | 3.7            | C             | 45.35             |
| MO8F                     | Tooth CoMet Flared Size 8     | Yes                  | 1             | 2.4            | C             | 37.58             |
| MO8L                     | Tooth CoMet Long Size 8       | Yes                  | 1             | 2.0            | C             | 25.04             |
| MO8U                     | Tooth CoMet Universal Size 8  | Yes                  | 1             | 2.1            | C             | 25.07             |
| MO8V                     | Tooth CoMet Vector Size 8     | Yes                  | 1             | 2.0            | C             | 27.84             |
| MO8W                     | Tooth CoMet D. Vector Size 8  | Yes                  | 1             | 2.3            | C             | 33.37             |
| 2MO8P                    | Pin Comet Size 8              | Yes                  | 0             | 0.1            | C             | 10.06             |
| <b>Size</b>              | <b>10</b>                     |                      |               |                |               |                   |
| 1MO10FC                  | Adapt CoMet Weld Flush        | Yes                  | 1             | 8.9            | C             | 105.64            |
| 1MO10UC                  | Adapt CoMet Weld-UC           | Yes                  | 1             | 5.3            | C             | 65.89             |
| 1MO10WC                  | Adapt CoMet Weld-Center       | Yes                  | 1             | 6.0            | C             | 92.43             |
| MO10F                    | Tooth CoMet Flared Size 10    | Yes                  | 1             | 4.1            | C             | 77.02             |
| MO10L                    | Tooth CoMet Long Size 10      | Yes                  | 1             | 4.9            | C             | 52.03             |
| MO10U                    | Tooth CoMet Universal Size 10 | Yes                  | 1             | 4.9            | C             | 55.82             |
| MO10V                    | Tooth CoMet Vector Size 10    | Yes                  | 1             | 3.6            | C             | 47.46             |
| MO10W                    | Tooth CoMet D. Vector Size 10 | Yes                  | 1             | 3.8            | C             | 59.05             |
| 2MO10P                   | Pin Comet Size 10             | Yes                  | 0             | 0.1            | C             | 12.35             |
| <b>Size</b>              | <b>15</b>                     |                      |               |                |               |                   |
| 1MO15FC                  | Adapt CoMet Weld Flush        | Yes                  | 1             | 13.3           | C             | 143.12            |
| 1MO15UC                  | Adapt CoMet Weld-UC           | Yes                  | 1             | 9.2            | C             | 93.09             |
| 1MO15WC                  | Adapt CoMet Weld-Center       | Yes                  | 1             | 11.3           | C             | 130.61            |
| MO15F                    | Tooth CoMet Flared Size 15    | Yes                  | 1             | 8.7            | C             | 111.25            |
| MO15L                    | Tooth CoMet Long Size 15      | Yes                  | 1             | 6.2            | C             | 79.48             |
| MO15U                    | Tooth CoMet Universal Size 15 | Yes                  | 1             | 6.0            | C             | 78.44             |
| MO15V                    | Tooth CoMet Vector Size 15    | Yes                  | 1             | 5.7            | C             | 69.25             |
| MO15W                    | Tooth CoMet D. Vector Size 15 | Yes                  | 1             | 7.2            | C             | 93.74             |
| 2MO15P                   | Pin Comet Size 15             | Yes                  | 0             | 0.1            | C             | 16.68             |

(\*) Certain names, trade marks or commercial names mentioned may correspond to companies other than Metalogenia, and are quoted by way of reference.

**MTG**

# Price List 2025

|                           |                                 | In Stock<br>(Yes/No) | Min.<br>Batch | Weight<br>(Lb) | Disc.<br>Code | Price<br>List USD |
|---------------------------|---------------------------------|----------------------|---------------|----------------|---------------|-------------------|
| <b>MTG Systems VeeMet</b> |                                 |                      |               |                |               |                   |
| <b>Size</b>               | <b>20</b>                       |                      |               |                |               |                   |
| 1MV20FC                   | Adapt VeeMet Flush              | Yes                  | 1             | 19.8           | C             | 230.21            |
| 1MV20UC                   | Adapt VeeMet Weld-UC            | Yes                  | 1             | 12.9           | C             | 176.68            |
| 1MV20WC32                 | Adapt VeeMet Weld-Center        | Yes                  | 1             | 18.6           | C             | 204.16            |
| 1MV20WC35                 | Adapt VeeMet Weld-Center        | Yes                  | 1             | 18.3           | C             | 204.16            |
| 1MV20WC40                 | Adapt VeeMet Weld-Center        | Yes                  | 1             | 18.2           | C             | 204.16            |
| MV20A                     | Tooth VeeMet Abrasion Size 20   | Yes                  | 1             | 18.2           | C             | 159.11            |
| MV20E                     | Tooth VeeMet Extra Size 20      | Yes                  | 1             | 11.2           | C             | 114.80            |
| MV20F                     | Tooth VeeMet Flared 20          | Yes                  | 1             | 13.2           | C             | 162.62            |
| MV20L                     | Tooth VeeMet Long Size 20       | Yes                  | 1             | 11.1           | C             | 103.83            |
| MV20U                     | Tooth VeeMet Universal Size 20  | Yes                  | 1             | 11.1           | C             | 102.72            |
| MV20V                     | Tooth VeeMet Vector Size 20     | Yes                  | 1             | 8.1            | C             | 102.30            |
| MV20W                     | Tooth VeeMet D. Vector Size 20  | Yes                  | 1             | 11.3           | C             | 135.09            |
| 2MV20P1                   | Pin VeeMet Size 20              | Yes                  | 1             | 0.2            | C             | 30.37             |
| 2MV20R                    | Retainer VeeMet Size 20         | Yes                  | 1             | 0.0            | C             | 12.18             |
| 3MT38-12                  | Removal Tool 3/8" - 1/2"        | Yes                  | 1             | 5.4            | P             | 71.13             |
| <b>Size</b>               | <b>30</b>                       |                      |               |                |               |                   |
| 1MV30FC                   | Adapt VeeMet Flush              | Yes                  | 1             | 26.0           | C             | 272.21            |
| 1MV30WC40                 | Adapt VeeMet Weld-Center        | Yes                  | 1             | 24.1           | C             | 265.77            |
| 1MV30WC45                 | Adapt VeeMet Weld-Center        | Yes                  | 1             | 24.3           | C             | 265.77            |
| 1MV30WN                   | Adapt VeeMet Weld-on Nose       | Yes                  | 1             | 10.9           | C             | 165.09            |
| MV30A                     | Tooth VeeMet Abrasion Size 30   | Yes                  | 1             | 25.4           | C             | 192.31            |
| MV30E                     | Tooth VeeMet Extra Size 30      | Yes                  | 1             | 15.0           | C             | 137.53            |
| MV30F                     | Tooth VeeMet Flared 30          | Yes                  | 1             | 20.2           | C             | 205.27            |
| MV30L                     | Tooth VeeMet Long Size 30       | Yes                  | 1             | 15.8           | C             | 129.57            |
| MV30U                     | Tooth VeeMet Universal Size 30  | Yes                  | 1             | 14.8           | C             | 127.04            |
| MV30V                     | Tooth VeeMet Vector Size 30     | Yes                  | 1             | 12.5           | C             | 122.75            |
| MV30W                     | Tooth VeeMet D. Vector Size 30  | Yes                  | 1             | 16.3           | C             | 158.45            |
| 2MV30P1                   | Pin VeeMet Size 30              | Yes                  | 1             | 0.3            | C             | 33.85             |
| 2MV30R                    | Retainer VeeMet Size 30         | Yes                  | 1             | 0.0            | C             | 14.65             |
| 3MT38-12                  | Removal Tool 3/8" - 1/2"        | Yes                  | 1             | 5.4            | P             | 71.13             |
| <b>Size</b>               | <b>40</b>                       |                      |               |                |               |                   |
| 1MV40FC                   | Adapt VeeMet Flush              | Yes                  | 1             | 37.1           | C             | 404.73            |
| 1MV40WC40                 | Adapt VeeMet Weld-Center        | Yes                  | 1             | 34.6           | C             | 356.95            |
| 1MV40WC45                 | Adapt VeeMet Weld-Center        | Yes                  | 1             | 35.9           | C             | 356.95            |
| 1MV40WC50                 | Adapt VeeMet Weld-Center        | Yes                  | 1             | 33.0           | C             | 356.95            |
| MV40A                     | Tooth VeeMet Abrasion Size 40   | Yes                  | 1             | 35.1           | C             | 258.71            |
| MV40AV                    | Tooth VeeMet Abrasion Vector 40 | Yes                  | 1             | 26.9           | C             | 201.95            |
| MV40E                     | Tooth VeeMet Extra Size 40      | Yes                  | 1             | 23.5           | C             | 193.23            |
| MV40F                     | Tooth VeeMet Flared 40          | Yes                  | 1             | 27.6           | C             | 240.49            |
| MV40L                     | Tooth VeeMet Long Size 40       | Yes                  | 1             | 20.5           | C             | 180.22            |
| MV40U                     | Tooth VeeMet Universal Size 40  | Yes                  | 1             | 20.5           | C             | 172.04            |
| MV40V                     | Tooth VeeMet Vector Size 40     | Yes                  | 1             | 16.7           | C             | 174.18            |
| MV40W                     | Tooth VeeMet D. Vector Size 40  | Yes                  | 1             | 22.3           | C             | 227.71            |

**MTG**

# Price List 2025

|                |                                    | In Stock<br>(Yes/No) | Min.<br>Batch | Weight<br>(Lb) | Disc.<br>Code | Price<br>List USD |
|----------------|------------------------------------|----------------------|---------------|----------------|---------------|-------------------|
| 4MV40M         | Mechanical Wear Cap VeeMet 40      | Yes                  | 1             | 4.9            | C             | 43.33             |
| 2MV40P1        | Pin VeeMet Size 40                 | Yes                  | 1             | 0.3            | C             | 41.10             |
| 2MV40R         | Retainer VeeMet Size 40            | Yes                  | 1             | 0.0            | C             | 16.52             |
| 3MT38-12       | Removal Tool 3/8" - 1/2"           | Yes                  | 1             | 5.4            | P             | 71.13             |
| <b>Size 50</b> |                                    |                      |               |                |               |                   |
| 1MV50FC        | Adapt VeeMet Flush                 | Yes                  | 1             | 54.6           | C             | 474.11            |
| 1MV50WC50      | Adapt VeeMet Weld-Center           | Yes                  | 1             | 48.0           | C             | 474.11            |
| 1MV50WC60      | Adapt VeeMet Weld-Center           | Yes                  | 1             | 48.0           | C             | 474.11            |
| 1MV50WLD50     | Adapt VeeMet Weld-Left             | Yes                  | 1             | 50.0           | C             | 474.11            |
| 1MV50WRD50     | Adapt VeeMet Weld-Right            | Yes                  | 1             | 50.0           | C             | 474.11            |
| 1MV50WLD60     | Adapt VeeMet Weld-Left             | Yes                  | 1             | 49.5           | C             | 474.11            |
| 1MV50WRD60     | Adapt VeeMet Weld-Right            | Yes                  | 1             | 49.5           | C             | 474.11            |
| 1MV50WN        | Adapt VeeMet Weld-on Nose          | Yes                  | 1             | 21.5           | C             | 303.33            |
| MV50A          | Tooth VeeMet Abrasion Size 50      | Yes                  | 1             | 49.5           | C             | 398.01            |
| MV50AV         | Tooth VeeMet Abrasion Vector 50    | Yes                  | 1             | 38.5           | C             | 305.90            |
| MV50AX         | Tooth VeeMet Abrasion HD Size 50   | Yes                  | 1             | 61.8           | C             | 467.83            |
| MV50E          | Tooth VeeMet Extra Size 50         | Yes                  | 1             | 30.9           | C             | 229.61            |
| MV50EX         | Tooth VeeMet Extra HD Size 50      | Yes                  | 1             | 38.4           | C             | 310.98            |
| MV50F          | Tooth VeeMet Flared 50             | Yes                  | 1             | 37.1           | C             | 389.11            |
| MV50L          | Tooth VeeMet Long Size 50          | Yes                  | 1             | 28.0           | C             | 220.85            |
| MV50U          | Tooth VeeMet Universal Size 50     | Yes                  | 1             | 28.9           | C             | 215.24            |
| MV50V          | Tooth VeeMet Vector Size 50        | Yes                  | 1             | 24.2           | C             | 234.63            |
| MV50W          | Tooth VeeMet D. Vector Size 50     | Yes                  | 1             | 31.5           | C             | 317.30            |
| 4MV50HD        | Bottom Leg VeeMet Size 50          | Yes                  | 1             | 8.8            | C             | 71.70             |
| 4MV50M         | Mechanical Wear Cap VeeMet Size 50 | Yes                  | 1             | 5.5            | C             | 54.15             |
| 2MV50P1        | Pin VeeMet Size 50                 | Yes                  | 1             | 1.5            | C             | 48.68             |
| 2MV50R         | Retainer VeeMet Size 50            | Yes                  | 1             | 0.0            | C             | 20.62             |
| 3MT38-12       | Removal Tool 3/8" - 1/2"           | Yes                  | 1             | 5.4            | P             | 71.13             |
| <b>Size 60</b> |                                    |                      |               |                |               |                   |
| 1MV60WC50      | Adapt VeeMet Weld-Center           | Yes                  | 1             | 74.8           | C             | 635.09            |
| 1MV60WC60      | Adapt VeeMet Weld-Center           | Yes                  | 1             | 71.5           | C             | 635.09            |
| 1MV60WC65      | Adapt VeeMet Weld-Center           | Yes                  | 1             | 74.6           | C             | 635.09            |
| 1MV60WC70      | Adapt VeeMet Weld-Center           | Yes                  | 1             | 73.5           | C             | 635.09            |
| 1MV60WLD65     | Adapt VeeMet Weld-Left             | Yes                  | 1             | 74.6           | C             | 635.09            |
| 1MV60WRD65     | Adapt VeeMet Weld-Right            | Yes                  | 1             | 74.6           | C             | 635.09            |

**MTG**

# Price List 2025

|                 |                                       | In Stock<br>(Yes/No) | Min.<br>Batch | Weight<br>(Lb) | Disc.<br>Code | Price<br>List USD |
|-----------------|---------------------------------------|----------------------|---------------|----------------|---------------|-------------------|
| MV60A           | Tooth VeeMet Abrasion Size 60         | Yes                  | 1             | 71.3           | C             | 491.40            |
| MV60AV          | Tooth VeeMet Abrasion Vector 60       | Yes                  | 1             | 54.6           | C             | 394.35            |
| MV60AX          | Tooth VeeMet Abrasion HD Size 60      | Yes                  | 1             | 83.0           | C             | 601.98            |
| MV60E           | Tooth VeeMet Extra Size 60            | Yes                  | 1             | 45.8           | C             | 343.50            |
| MV60EV          | Tooth VeeMet Extra Vector Size 60     | Yes                  | 1             | 36.5           | C             | 341.36            |
| MV60EX          | Tooth VeeMet Extra HD Size 60         | Yes                  | 1             | 54.8           | C             | 421.70            |
| MV60F           | Tooth VeeMet Flared 60                | Yes                  | 1             | 57.1           | C             | 534.79            |
| MV60PR          | Tooth VMet Penetration Rock Size 60   | Yes                  | 1             | 27.5           | C             | 336.16            |
| MV60U           | Tooth VeeMet Universal Size 60        | Yes                  | 1             | 40.2           | C             | 294.03            |
| MV60V           | Tooth VeeMet Vector Size 60           | Yes                  | 1             | 34.5           | C             | 338.56            |
| MV60W           | Tooth VeeMet D. Vector Size 60        | Yes                  | 1             | 46.0           | C             | 422.66            |
| 4MV60HD         | Bottom Leg VeeMet Size 60             | Yes                  | 1             | 11.3           | C             | 71.70             |
| 4MV60M          | Mechanical Wear Cap VeeMet Size 60    | Yes                  | 1             | 6.1            | C             | 100.62            |
| 2MV60P1         | Pin VeeMet Size 60                    | Yes                  | 1             | 1.7            | C             | 68.36             |
| 2MV60R          | Retainer VeeMet Size 60               | Yes                  | 1             | 0.0            | C             | 23.25             |
| 3MT38-12        | Removal Tool 3/8" - 1/2"              | Yes                  | 1             | 5.4            | P             | 71.13             |
| <b>Size 80</b>  |                                       |                      |               |                |               |                   |
| 1MV80WC65       | Adapt VeeMet Weld-Center              | Yes                  | 1             | 92.0           | C             | 1117.66           |
| 1MV80WC70       | Adapt VeeMet Weld-Center              | Yes                  | 1             | 92.0           | C             | 1117.66           |
| 1MV80WC80       | Adapt VeeMet Weld-Center              | Yes                  | 1             | 90.0           | C             | 1117.66           |
| 1MV80WLD70      | Adapt VeeMet Weld-Left                | Yes                  | 1             | 93.3           | C             | 1117.66           |
| 1MV80WRD70      | Adapt VeeMet Weld-Right               | Yes                  | 1             | 93.3           | C             | 1117.66           |
| 1MV80WLD80      | Adapt VeeMet Weld-Left                | Yes                  | 1             | 91.5           | C             | 1117.66           |
| 1MV80WRD80      | Adapt VeeMet Weld-Right               | Yes                  | 1             | 91.5           | C             | 1117.66           |
| MV80A           | Tooth VeeMet Abrasion Size 80         | Yes                  | 1             | 89.7           | C             | 552.19            |
| MV80AV          | Tooth VeeMet Abrasion Vector 80       | Yes                  | 1             | 70.9           | C             | 520.12            |
| MV80AX          | Tooth VeeMet Abrasion HD Size 80      | Yes                  | 1             | 110.3          | C             | 662.63            |
| MV80E           | Tooth VeeMet Extra Size 80            | Yes                  | 1             | 59.2           | C             | 438.36            |
| MV80EV          | Tooth VeeMet Extra Vector Size 80     | Yes                  | 1             | 48.0           | C             | 416.41            |
| MV80EX          | Tooth VeeMet Extra HD Size 80         | Yes                  | 1             | 65.8           | C             | 471.38            |
| MV80PR          | Tooth VeeMet Penetration Rock Size 80 | Yes                  | 1             | 37.1           | C             | 328.19            |
| MV80V           | Tooth VeeMet Vector Size 80           | Yes                  | 1             | 43.7           | C             | 394.03            |
| MV80W           | Tooth VeeMet D. Vector Size 80        | Yes                  | 1             | 60.5           | C             | 483.27            |
| 4MV80HD         | Bottom Leg VeeMet Size 80             | Yes                  | 1             | 14.4           | C             | 104.68            |
| 4MV80M          | Mechanical Wear Cap VeeMet Size 80    | Yes                  | 1             | 10.8           | C             | 111.53            |
| 2MV80P1         | Pin VeeMet Size 80                    | Yes                  | 1             | 1.9            | C             | 93.16             |
| 2MV80R          | Retainer VeeMet Size 80               | Yes                  | 1             | 0.0            | C             | 28.49             |
| 3MT12-34        | Removal Tool 1/2" - 3/4"              | Yes                  | 1             | 6.0            | P             | 70.97             |
| <b>Size 130</b> |                                       |                      |               |                |               |                   |
| 1MV130WC70      | Adapt VeeMet Weld-Center              | Yes                  | 1             | 127.9          | M             | 1573.95           |
| 1MV130WC80      | Adapt VeeMet Weld-Center              | Yes                  | 1             | 123.0          | M             | 1573.95           |
| 1MV130WC90      | Adapt VeeMet Weld-Center              | Yes                  | 1             | 122.7          | M             | 1573.95           |
| 1MV130WLD80     | Adapt VeeMet Weld-Left                | Yes                  | 1             | 125.0          | M             | 1573.95           |
| 1MV130WRD80     | Adapt VeeMet Weld-Right               | Yes                  | 1             | 125.0          | M             | 1573.95           |
| 1MV130WN        | Adapt VeeMet Weld-on Nose             | Yes                  | 1             | 49.5           | M             | 768.98            |

**MTG**

# Price List 2025

|                 |                                        | In Stock<br>(Yes/No) | Min.<br>Batch | Weight<br>(Lb) | Disc.<br>Code | Price<br>List USD |
|-----------------|----------------------------------------|----------------------|---------------|----------------|---------------|-------------------|
| MV130A          | Tooth VeeMet Abrasion Size 130         | Yes                  | 1             | 132.0          | M             | 737.83            |
| MV130AV         | Tooth VeeMet Abrasion Vector 130       | Yes                  | 1             | 94.7           | M             | 598.65            |
| MV130AX         | Tooth VeeMet Abrasion HD Size 130      | Yes                  | 1             | 151.6          | M             | 903.98            |
| MV130E          | Tooth VeeMet Extra Size 130            | Yes                  | 1             | 72.8           | M             | 467.95            |
| MV130EV         | Tooth VeeMet Extra Vector Size 130     | Yes                  | 1             | 65.5           | M             | 470.42            |
| MV130EX         | Tooth VeeMet Extra HD Size 130         | Yes                  | 1             | 86.3           | M             | 561.81            |
| MV130PR         | Tooth VeeMet Penetration Rock Size 130 | Yes                  | 1             | 46.0           | M             | 361.80            |
| MV130V          | Tooth VeeMet Vector Size 130           | Yes                  | 1             | 58.5           | M             | 489.52            |
| MV130W          | Tooth VeeMet D. Vector Size 130        | Yes                  | 1             | 79.3           | M             | 547.22            |
| 4MV130HD        | Bottom Leg VeeMet Size 130             | Yes                  | 1             | 18.6           | M             | 133.94            |
| 4MV130M         | Mechanical Wear Cap VeeMet Size 130    | Yes                  | 1             | 14.5           | M             | 138.49            |
| 2MV130P1        | Pin VeeMet Size 130                    | Yes                  | 1             | 2.2            | M             | 115.29            |
| 2MV130R         | Retainer VeeMet Size 130               | Yes                  | 1             | 0.0            | M             | 37.67             |
| 3MT12-34        | Removal Tool 1/2" - 3/4"               | Yes                  | 1             | 6.0            | P             | 70.97             |
| <b>Size 190</b> |                                        |                      |               |                |               |                   |
| 1MV190WC90      | Adapt VeeMet Weld-Center               | Yes                  | 1             | 173.5          | M             | 2278.96           |
| 1MV190WC100     | Adapt VeeMet Weld-Center               | Yes                  | 1             | 169.0          | M             | 2278.96           |
| 1MV190WL90      | Adapt VeeMet Left Corner               | Yes                  | 1             | 385.0          | M             | 3146.94           |
| 1MV190WR90      | Adapt VeeMet Right Corner              | Yes                  | 1             | 385.0          | M             | 3146.94           |
| 1MV190WLD90     | Adapt VeeMet Weld-Left                 | Yes                  | 1             | 176.3          | M             | 2278.96           |
| 1MV190WRD90     | Adapt VeeMet Weld-Right                | Yes                  | 1             | 176.3          | M             | 2278.96           |
| 1MV190WS90      | Adapt Veemet Weld Straddle             | Yes                  | 1             | 177.5          | M             | 2278.96           |
| 1MV190WS100     | Adapt Veemet Weld Straddle             | Yes                  | 1             | 174.0          | M             | 2278.96           |
| 1MV190WN        | Adapt VeeMet Weld-on Nose              | Yes                  | 1             | 65.7           | M             | 1030.44           |
| MV190A          | Tooth VeeMet Abrasion Size 190         | Yes                  | 1             | 174.3          | M             | 972.65            |
| MV190AV         | Tooth VeeMet Abrasion Vector 190       | Yes                  | 1             | 127.7          | M             | 742.09            |
| MV190E          | Tooth VeeMet Extra Size 190            | Yes                  | 1             | 106.3          | M             | 596.11            |
| MV190EV         | Tooth VeeMet Extra Vector Size 190     | Yes                  | 1             | 87.5           | M             | 576.59            |
| MV190EX         | Tooth VeeMet Extra HD Size 190         | Yes                  | 1             | 117.3          | M             | 621.96            |
| MV190PR         | Tooth VeeMet Penetration Rock Size 190 | Yes                  | 1             | 70.8           | M             | 465.79            |
| MV190V          | Tooth VeeMet Vector Size 190           | Yes                  | 1             | 82.2           | M             | 534.65            |
| MV190W          | Tooth VeeMet D. Vector Size 190        | Yes                  | 1             | 108.2          | M             | 856.48            |
| 4MV190HD        | Bottom Leg VeeMet Size 190             | Yes                  | 1             | 27.5           | M             | 181.50            |
| 4MV190M         | Mechanical Wear Cap VeeMet             | Yes                  | 1             | 18.5           | M             | 234.28            |
| 4MV190ML        | Mechanical Corner Wear Cap VeeMet      | Yes                  | 1             | 57.0           | M             | 579.69            |
| 4MV190MS        | Mechanical Straddle Wear Cap VeeMet    | Yes                  | 1             | 15.3           | M             | 234.28            |
| 4MV190CCHD-B    | Bottom shroud Cast Corner VeeMet       | Yes                  | 1             | 28.0           | M             | 289.83            |
| 4MV190CCHD-L    | Lateral shroud Cast Corner VeeMet      | Yes                  | 1             | 22.0           | M             | 187.10            |
| 1MV190/500WB    | Weldable Stopper Lower VeeMet 190/500  | Yes                  | 1             | 1.7            | M             | 51.87             |
| 2MV190P1        | Pin VeeMet Size 190                    | Yes                  | 1             | 4.9            | M             | 122.09            |
| 2MV190R         | Retainer VeeMet Size 190               | Yes                  | 1             | 0.0            | M             | 46.21             |
| 3MT12-34        | Removal Tool 1/2" - 3/4"               | Yes                  | 1             | 6.0            | P             | 70.97             |

**MTG**

# Price List 2025

|                  |                                        | In Stock<br>(Yes/No) | Min.<br>Batch | Weight<br>(Lb) | Disc.<br>Code | Price<br>List USD |
|------------------|----------------------------------------|----------------------|---------------|----------------|---------------|-------------------|
| <b>Size</b>      | <b>250</b>                             |                      |               |                |               |                   |
| 1MV250WC100      | Adapt VeeMet Weld-Center               | Yes                  | 1             | 248.5          | M             | 2805.79           |
| 1MV250WC120      | Adapt VeeMet Weld-Center               | Yes                  | 1             | 241.5          | M             | 2805.79           |
| 1MV250WL120      | Adapt VeeMet Left Corner               | Yes                  | 1             | 553.0          | M             | 4564.97           |
| 1MV250WR120      | Adapt VeeMet Right Corner              | Yes                  | 1             | 553.0          | M             | 4564.97           |
| 1MV250WLD100     | Adapt VeeMet Weld-Left                 | Yes                  | 1             | 248.5          | M             | 2805.79           |
| 1MV250WRD100     | Adapt VeeMet Weld-Right                | Yes                  | 1             | 248.5          | M             | 2805.79           |
| 1MV250WS100      | Adapt VeeMet Straddle                  | Yes                  | 1             | 257.0          | M             | 2805.79           |
| 1MV250WN         | Adapt VeeMet Weld-on Nose              | Yes                  | 1             | 89.4           | M             | 1497.36           |
| MV250A           | Tooth VeeMet Abrasion Size 250         | Yes                  | 1             | 230.5          | M             | 1127.80           |
| MV250AV          | Tooth VeeMet Abrasion Vector 250       | Yes                  | 1             | 161.3          | M             | 777.58            |
| MV250E           | Tooth VeeMet Extra Size 250            | Yes                  | 1             | 125.0          | M             | 660.34            |
| MV250EV          | Tooth VeeMet Extra Vector Size 250     | Yes                  | 1             | 120.5          | M             | 639.85            |
| MV250EX          | Tooth VeeMet Extra HD Size 250         | Yes                  | 1             | 171.0          | M             | 798.85            |
| MV250PR          | Tooth VeeMet Penetration Rock Size 250 | Yes                  | 1             | 93.3           | M             | 562.25            |
| MV250V           | Tooth VeeMet Vector Size 250           | Yes                  | 1             | 108.0          | M             | 593.31            |
| 4MV250HD         | Bottom Leg VeeMet Size 250             | Yes                  | 1             | 40.5           | M             | 241.50            |
| 4MV250M          | Mechanical Wear Cap VeeMet             | Yes                  | 1             | 27.5           | M             | 285.94            |
| 4MV250ML         | Mechanical Corner Wear Cap VeeMet      | Yes                  | 1             | 75.3           | M             | 766.66            |
| 4MV250MS         | Mechanical Straddle Wear Cap VeeMet    | Yes                  | 1             | 25.6           | M             | 285.94            |
| 4MV250/500CCHD-B | Bottom shroud Cast Corner VeeMet       | Yes                  | 1             | 55.0           | M             | 492.71            |
| 4MV250/500CCHD-L | Lateral shroud Cast Corner VeeMet      | Yes                  | 1             | 38.5           | M             | 272.63            |
| 1MV190/500WB     | Weldable Stopper Lower VeeMet 190/500  | Yes                  | 1             | 1.7            | M             | 51.87             |
| 2MV250P1         | Pin VeeMet Size 250                    | Yes                  | 1             | 5.4            | M             | 128.39            |
| 2MV250R          | Retainer VeeMet Size 250               | Yes                  | 1             | 0.0            | M             | 52.09             |
| 3MV250           | Gauge adapter Nose Size 250            | No                   | 1             | 7.4            | M             | 1601.31           |
| 3MT12-34         | Removal Tool 1/2" - 3/4"               | Yes                  | 1             | 6.0            | P             | 70.97             |
| <b>Size</b>      | <b>500</b>                             |                      |               |                |               |                   |
| 1MV500WC100      | Adapt VeeMet Weld-Center               | No                   | 8             | 353.3          | M             | 3648.27           |
| 1MV500WC120      | Adapt VeeMet Weld-Center               | Yes                  | 1             | 348.0          | M             | 3648.27           |
| 1MV500WC140      | Adapt VeeMet Weld-Center               | Yes                  | 1             | 337.0          | M             | 3648.27           |
| 1MV500WL140      | Adapt VeeMet Left Corner               | Yes                  | 1             | 815.0          | M             | 5274.54           |
| 1MV500WR140      | Adapt VeeMet Right Corner              | Yes                  | 1             | 815.0          | M             | 5274.54           |
| 1MV500WS120      | Adapt Veemet Weld Straddle             | Yes                  | 1             | 362.3          | M             | 3721.21           |
| 1MV500WS140      | Adapt Veemet Weld Straddle             | Yes                  | 1             | 337.2          | M             | 3721.21           |
| 1MV500WN         | Adapt VeeMet Weld-on Nose              | Yes                  | 1             | 122.5          | M             | 1984.64           |
| MV500AV          | Tooth VeeMet Vector Size 500           | No                   | 16            | 214.4          | M             | 1075.59           |
| MV500E           | Tooth VeeMet Extra Size 500            | Yes                  | 1             | 159.5          | M             | 1035.26           |
| MV500EV          | Tooth VeeMet Extra Vector Size 500     | Yes                  | 1             | 162.5          | M             | 1009.43           |
| MV500EX          | Tooth VeeMet Extra HD Size 500         | Yes                  | 1             | 203.4          | M             | 1219.79           |
| MV500PR          | Tooth VeeMet Penetration Rock Size 500 | Yes                  | 1             | 131.5          | M             | 993.48            |
| MV500V           | Tooth VeeMet Vector Size 500           | Yes                  | 1             | 156.0          | M             | 999.63            |



## Price List 2025

|                  |                                       | In Stock<br>(Yes/No) | Min.<br>Batch | Weight<br>(Lb) | Disc.<br>Code | Price<br>List USD |
|------------------|---------------------------------------|----------------------|---------------|----------------|---------------|-------------------|
| 4MV500HD         | Bottom Leg VeeMet Size 500            | Yes                  | 1             | 57.0           | M             | 437.65            |
| 4MV500M          | Mechanical Wear Cap VeeMet            | Yes                  | 1             | 36.5           | M             | 410.39            |
| 4MV500ML         | Mechanical Corner Wear Cap VeeMet     | Yes                  | 1             | 123.0          | M             | 914.13            |
| 4MV500MS         | Mechanical Straddle Wear Cap VeeMet   | Yes                  | 1             | 35.0           | M             | 410.39            |
| 4MV250/500CCHD-B | Bottom shroud Cast Corner VeeMet      | Yes                  | 1             | 55.0           | M             | 492.71            |
| 4MV250/500CCHD-L | Lateral shroud Cast Corner VeeMet     | Yes                  | 1             | 38.5           | M             | 272.63            |
| 1MV190/500WB     | Weldable Stopper Lower VeeMet 190/500 | Yes                  | 1             | 1.7            | M             | 51.87             |
| 2MV500P1         | Pin VeeMet Size 500                   | Yes                  | 1             | 6.9            | M             | 144.10            |
| 2MV500P2         | Pin VeeMet Size 500                   | Yes                  | 1             | 3.5            | M             | 86.46             |
| 2MV500R          | Retainer VeeMet Size 500              | Yes                  | 1             | 0.1            | M             | 54.74             |
| 3MT12-34         | Removal Tool 1/2" - 3/4"              | Yes                  | 1             | 6.0            | P             | 70.97             |

**MTG**

# Price List 2025

|                            |                                         | In Stock<br>(Yes/No) | Min.<br>Batch | Weight<br>(Lb) | Disc.<br>Code | Price<br>List USD |
|----------------------------|-----------------------------------------|----------------------|---------------|----------------|---------------|-------------------|
| <b>MTG Systems StarMet</b> |                                         |                      |               |                |               |                   |
| <b>Size</b>                | <b>15</b>                               |                      |               |                |               |                   |
| 1MA15FC                    | Adapt StarMet Weld Flush 1.00-1.30" Lip | No                   | 200           | 11.1           | C             | 159.56            |
| 1MA15UC                    | Adapt StarMet Weld-UC                   | No                   | 224           | 8.0            | C             | 99.43             |
| 1MA15WC32                  | Adapt StarMet Weld-Center 1.25" Lip     | Yes                  | 1             | 10.8           | C             | 126.88            |
| 1MA15WN                    | Adapt StarMet Weld-on Nose              | No                   | 224           | 4.9            | C             | 67.42             |
| MA15E                      | Tooth StarMet Extra Size 15             | Yes                  | 1             | 7.3            | C             | 88.40             |
| MA15F                      | Tooth StarMet Flared Size15             | No                   | 336           | 7.6            | C             | 109.45            |
| MA15L                      | Tooth StarMet Long Size 15              | No                   | 1             | 6.1            | C             | 79.48             |
| MA15U                      | Tooth StarMet Universal Size 15         | Yes                  | 1             | 6.9            | C             | 78.44             |
| MA15V                      | Tooth StarMet Vector Size 15            | No                   | 336           | 5.4            | C             | 69.25             |
| MA15W                      | Tooth StarMet D. Vector Size 15         | No                   | 192           | 6.1            | C             | 93.74             |
| 2MA15/20R                  | Retainer StarMet Size 15/20             | No                   | 1             | 0.0            | C             | 8.04              |
| 2MA15PR                    | Pin & Retainer StarMet Size 15          | Yes                  | 0             | 0.1            | C             | 13.61             |
| 3MT38-12                   | Removal Tool 3/8" - 1/2"                | Yes                  | 1             | 5.4            | P             | 71.13             |
| <b>Size</b>                | <b>20</b>                               |                      |               |                |               |                   |
| 1MA20FC                    | Adapt StarMet Weld Flush 1.40-1.50" Lip | No                   | 125           | 17.2           | C             | 225.71            |
| 1MA20UC                    | Adapt StarMet Weld-UC                   | No                   | 96            | 15.9           | C             | 173.21            |
| 1MA20WC32                  | Adapt StarMet Weld-Center 1.25" Lip     | No                   | 128           | 17.0           | C             | 200.16            |
| 1MA20WC35                  | Adapt StarMet Weld-Center 1.40" Lip     | Yes                  | 1             | 17.9           | C             | 203.57            |
| 1MA20WC40                  | Adapt StarMet Weld-Center 1.50" Lip     | Yes                  | 1             | 17.8           | C             | 195.10            |
| 1MA20WN                    | Adapt StarMet Weld-on Nose              | No                   | 192           | 6.1            | C             | 108.25            |
| MA20A                      | Tooth StarMet Abrasion Size 20          | No                   | 144           | 17.0           | C             | 156.00            |
| MA20E                      | Tooth StarMet Extra Size 20             | Yes                  | 1             | 11.2           | C             | 112.56            |
| MA20F                      | Tooth StarMet Flared Size 20            | No                   | 160           | 13.2           | C             | 159.44            |
| MA20L                      | Tooth StarMet Long Size 20              | Yes                  | 1             | 10.9           | C             | 101.80            |
| MA20U                      | Tooth StarMet Universal Size 20         | Yes                  | 1             | 10.7           | C             | 100.71            |
| MA20V                      | Tooth StarMet Vector Size 20            | No                   | 192           | 8.9            | C             | 100.29            |
| MA20W                      | Tooth StarMet D. Vector Size 20         | No                   | 144           | 11.2           | C             | 132.42            |
| 2MA15/20R                  | Retainer StarMet Size 15/20             | No                   | 1             | 0.0            | C             | 8.04              |
| 2MA20PR                    | Pin & Retainer StarMet Size 20          | Yes                  | 0             | 0.2            | C             | 29.78             |
| 3MT38-12                   | Removal Tool 3/8" - 1/2"                | Yes                  | 1             | 5.4            | P             | 71.13             |
| <b>Size</b>                | <b>30</b>                               |                      |               |                |               |                   |
| 1MA30FC                    | Adapt StarMet Weld Flush 1.50-1.75"Lip  | Yes                  | 1             | 23.6           | C             | 266.88            |
| 1MA30UC                    | Adapt StarMet Weld-UC                   | No                   | 60            | 21.8           | C             | 247.00            |
| 1MA30WC40                  | Adapt StarMet Weld-Center 1.50" Lip     | Yes                  | 1             | 22.4           | C             | 260.56            |
| 1MA30WC45                  | Adapt StarMet Weld-Center 1.75" Lip     | No                   | 100           | 22.4           | C             | 260.56            |
| 1MA30WN                    | Adapt StarMet Weld-on Nose              | No                   | 192           | 9.1            | C             | 161.86            |
| MA30A                      | Tooth StarMet Abrasion Size 30          | Yes                  | 1             | 23.6           | C             | 188.54            |
| MA30E                      | Tooth StarMet Extra Size 30             | Yes                  | 1             | 15.1           | C             | 134.84            |
| MA30F                      | Tooth StarMet Flared Size 30            | No                   | 96            | 19.0           | C             | 201.25            |
| MA30L                      | Tooth StarMet Long Size 30              | Yes                  | 1             | 14.7           | C             | 127.04            |
| MA30U                      | Tooth StarMet Universal Size 30         | Yes                  | 1             | 14.5           | C             | 124.55            |
| MA30V                      | Tooth StarMet Vector Size 30            | Yes                  | 1             | 11.4           | C             | 120.34            |
| MA30W                      | Tooth StarMet D. Vector Size 30         | No                   | 1             | 15.0           | C             | 155.35            |



# Price List 2025

|              |                                | In Stock<br>(Yes/No) | Min.<br>Batch | Weight<br>(Lb) | Disc.<br>Code | Price<br>List USD |
|--------------|--------------------------------|----------------------|---------------|----------------|---------------|-------------------|
| 2MA30/40R    | Retainer StarMet Size 30/40    | No                   | 1             | 0.0            | C             | 14.36             |
| 2MA30/40R-HS | Retainer StarMet HS Size 30/40 | No                   | 1             | 0.0            | C             | 21.79             |
| 2MA30P-HS    | Pin StarMet HS Size 30         | No                   | 1             | 0.2            | C             | 41.21             |
| 2MA30PR      | Pin & Retainer StarMet Size 30 | Yes                  | 0             | 0.3            | C             | 33.18             |
| 3MT38-12     | Removal Tool 3/8" - 1/2"       | Yes                  | 1             | 5.4            | P             | 71.13             |

## Size 40

|              |                                        |     |     |      |   |        |
|--------------|----------------------------------------|-----|-----|------|---|--------|
| 1MA40FC      | Adapt StarMet Weld Flush 1.75-2.00"Lip | Yes | 1   | 34.8 | C | 396.80 |
| 1MA40WC40    | Adapt StarMet Weld-Center 1.50" Lip    | Yes | 1   | 31.2 | C | 356.51 |
| 1MA40WC45    | Adapt StarMet Weld-Center 1.75" Lip    | Yes | 1   | 30.9 | C | 349.96 |
| 1MA40WC50    | Adapt StarMet Weld-Center 2.00" Lip    | Yes | 1   | 30.6 | C | 343.15 |
| 1MA40WN      | Adapt StarMet Weld-on Nose             | No  | 160 | 12.5 | C | 202.84 |
| MA40A        | Tooth StarMet Abrasion Size 40         | Yes | 1   | 33.4 | C | 253.64 |
| MA40D        | Tooth StarMet Delta Size 40            | No  | 80  | 25.6 | C | 197.99 |
| MA40E        | Tooth StarMet Extra Size 40            | Yes | 1   | 22.4 | C | 189.44 |
| MA40ES       | Tooth StarMet Extra Short Size 40      | No  | 240 | 14.8 | C | 112.63 |
| MA40F        | Tooth StarMet Flared Size 40           | No  | 64  | 26.8 | C | 235.77 |
| MA40L        | Tooth StarMet Long Size 40             | Yes | 1   | 21.7 | C | 176.69 |
| MA40S        | Tooth StarMet Standard Size 40         | No  | 80  | 18.3 | C | 150.68 |
| MA40U        | Tooth StarMet Universal Size 40        | Yes | 1   | 20.3 | C | 168.67 |
| MA40V        | Tooth StarMet Vector Size 40           | Yes | 1   | 17.1 | C | 170.75 |
| MA40W        | Tooth StarMet D. Vector Size 40        | No  | 80  | 23.6 | C | 223.23 |
| 4MA40M       | Mechanical Wear Cap StarMet            | Yes | 1   | 4.1  | C | 42.49  |
| 2MA30/40R    | Retainer StarMet Size 30/40            | No  | 1   | 0.0  | C | 14.36  |
| 2MA30/40R-HS | Retainer StarMet HS Size 30/40         | No  | 1   | 0.0  | C | 21.79  |
| 2MA40P-HS    | Pin StarMet HS Size 40                 | No  | 1   | 0.4  | C | 49.43  |
| 2MA40PR      | Pin & Retainer StarMet Size 40         | Yes | 1   | 0.4  | C | 40.30  |
| 3MT38-12     | Removal Tool 3/8" - 1/2"               | Yes | 1   | 5.4  | P | 71.13  |

## Size 50

|            |                                        |     |     |      |   |        |
|------------|----------------------------------------|-----|-----|------|---|--------|
| 1MA50FC    | Adapt StarMet Weld Flush 1.75-2.00"Lip | No  | 48  | 45.6 | C | 464.82 |
| 1MA50WC45  | Adapt StarMet Weld-Center 1.75" Lip    | No  | 48  | 41.8 | C | 464.82 |
| 1MA50WC50  | Adapt StarMet Weld-Center 2.00" Lip    | Yes | 1   | 40.6 | C | 464.82 |
| 1MA50WC60  | Adapt StarMet Weld-Center 2.25" Lip    | Yes | 1   | 40.3 | C | 464.82 |
| 1MA50WC65  | Adapt StarMet Weld-Center 2.50" Lip    | No  | 55  | 40.3 | C | 464.82 |
| 1MA50WLD50 | Adapt StarMet Weld-Left 2.00" Lip      | No  | 48  | 41.8 | C | 464.82 |
| 1MA50WRD50 | Adapt StarMet Weld-Right 2.00" Lip     | No  | 48  | 41.8 | C | 464.82 |
| 1MA50WN    | Adapt StarMet Weld-on Nose             | No  | 160 | 17.1 | C | 297.39 |

**MTG**

# Price List 2025

|              |                                        | In Stock<br>(Yes/No) | Min.<br>Batch | Weight<br>(Lb) | Disc.<br>Code | Price<br>List USD |
|--------------|----------------------------------------|----------------------|---------------|----------------|---------------|-------------------|
| MA50A        | Tooth StarMet Abrasion Size 50         | Yes                  | 1             | 52.7           | C             | 390.20            |
| MA50AX       | Tooth StarMet Abrasion HD Size 50      | No                   | 1             | 61.9           | C             | 458.65            |
| MA50D        | Tooth StarMet Delta Size 50            | No                   | 64            | 38.6           | C             | 299.90            |
| MA50E        | Tooth StarMet Extra Size 50            | Yes                  | 1             | 27.5           | C             | 225.11            |
| MA50EX       | Tooth StarMet Extra HD Size 50         | Yes                  | 1             | 37.9           | C             | 304.89            |
| MA50F        | Tooth StarMet Flared Size 50           | No                   | 1             | 37.8           | C             | 381.48            |
| MA50I        | Tooth StarMet Impact Size 50           | Yes                  | 1             | 24.1           | C             | 252.05            |
| MA50L        | Tooth StarMet Long Size 50             | No                   | 64            | 27.6           | C             | 216.52            |
| MA50S        | Tooth StarMet Standard Size 50         | No                   | 64            | 25.6           | C             | 194.59            |
| MA50U        | Tooth StarMet Universal Size 50        | Yes                  | 1             | 27.3           | C             | 211.02            |
| MA50V        | Tooth StarMet Vector Size 50           | Yes                  | 1             | 22.1           | C             | 230.04            |
| MA50VC       | Tooth StarMet Vector Coal Size 50      | No                   | 80            | 21.8           | C             | 222.54            |
| MA50W        | Tooth StarMet D. Vector Size 50        | Yes                  | 1             | 30.7           | C             | 311.09            |
|              |                                        |                      |               |                |               |                   |
| 4MA50/60HD   | Bottom Leg StarMet Size 50/60          | Yes                  | 1             | 9.1            | C             | 70.29             |
| 4MA50M       | Mechanical Wear Cap StarMet            | Yes                  | 1             | 4.3            | C             | 53.10             |
|              |                                        |                      |               |                |               |                   |
| 2MA50/60R    | Retainer StarMet Size 50/60            | Yes                  | 1             | 0.0            | C             | 20.21             |
| 2MA50/60R-HS | Retainer StarMet HS Size 50/60         | No                   | 1             | 0.0            | C             | 25.91             |
| 2MA50P-HS    | Pin StarMet HS Size 50                 | No                   | 1             | 1.5            | C             | 57.69             |
| 2MA50PR      | Pin & Retainer StarMet Size 50         | Yes                  | 0             | 1.5            | C             | 47.71             |
| 3MT38-12     | Removal Tool 3/8" - 1/2"               | Yes                  | 1             | 5.4            | P             | 71.13             |
|              |                                        |                      |               |                |               |                   |
| Size         | 60                                     |                      |               |                |               |                   |
|              |                                        |                      |               |                |               |                   |
| 1MA60FC      | Adapt StarMet Weld Flush 2.25-2.50"Lip | No                   | 24            | 66.0           | C             | 622.63            |
| 1MA60WC50    | Adapt StarMet Weld-Center 2.00" Lip    | No                   | 36            | 65.5           | C             | 622.63            |
| 1MA60WC60    | Adapt StarMet Weld-Center 2.25" Lip    | Yes                  | 1             | 63.6           | C             | 622.63            |
| 1MA60WC65    | Adapt StarMet Weld-Center 2.50" Lip    | No                   | 35            | 62.4           | C             | 622.63            |
| 1MA60WC70    | Adapt StarMet Weld-Center 2.75" Lip    | Yes                  | 1             | 61.8           | C             | 622.63            |
| 1MA60WLD65   | Adapt StarMet Weld-Left 2.50" Lip      | No                   | 24            | 63.7           | C             | 622.63            |
| 1MA60WRD65   | Adapt StarMet Weld-Right 2.50" Lip     | No                   | 24            | 63.7           | C             | 622.63            |
| 1MA60WLD70   | Adapt StarMet Weld-Left 2.75" Lip      | No                   | 24            | 64.2           | C             | 622.63            |
| 1MA60WRD70   | Adapt StarMet Weld-Right 2.75" Lip     | No                   | 24            | 64.2           | C             | 622.63            |
| 1MA60WN      | Adapt StarMet Weld-on Nose             | No                   | 64            | 27.3           | C             | 367.44            |
|              |                                        |                      |               |                |               |                   |
| MA60A        | Tooth StarMet Abrasion Size 60         | Yes                  | 1             | 64.3           | C             | 481.77            |
| MA60AX       | Tooth StarMet Abrasion HD Size 60      | Yes                  | 1             | 79.9           | C             | 590.17            |
| MA60E        | Tooth StarMet Extra Size 60            | Yes                  | 1             | 43.6           | C             | 336.77            |
| MA60EX       | Tooth StarMet Extra HD Size 60         | Yes                  | 1             | 52.0           | C             | 413.42            |
| MA60F        | Tooth StarMet Flared Size 60           | No                   | 1             | 54.8           | C             | 524.30            |
| MA60H        | Tooth StarMet Heavy Size 60            | No                   | 64            | 66.0           | C             | 500.16            |
| MA60I        | Tooth StarMet Impact Size 60           | Yes                  | 1             | 35.9           | C             | 336.16            |
| MA60L        | Tooth StarMet Long Size 60             | No                   | 48            | 42.5           | C             | 319.83            |
| MA60U        | Tooth StarMet Universal Size 60        | No                   | 60            | 38.5           | C             | 288.26            |
| MA60V        | Tooth StarMet Vector Size 60           | Yes                  | 1             | 34.7           | C             | 331.92            |
| MA60W        | Tooth StarMet D. Vector Size 60        | No                   | 1             | 43.6           | C             | 414.37            |
|              |                                        |                      |               |                |               |                   |
| 4MA50/60HD   | Bottom Leg StarMet Size 50/60          | Yes                  | 1             | 9.1            | C             | 70.29             |
| 4MA60M       | Mechanical Wear Cap StarMet            | Yes                  | 1             | 9.2            | C             | 98.65             |

**MTG**

# Price List 2025

|              |                                        | In Stock<br>(Yes/No) | Min.<br>Batch | Weight<br>(Lb) | Disc.<br>Code | Price<br>List USD |
|--------------|----------------------------------------|----------------------|---------------|----------------|---------------|-------------------|
| 2MA50/60R    | Retainer StarMet Size 50/60            | Yes                  | 1             | 0.0            | C             | 20.21             |
| 2MA50/60R-HS | Retainer StarMet HS Size 50/60         | No                   | 1             | 0.0            | C             | 25.91             |
| 2MA60P-HS    | Pin StarMet HS Size 60                 | No                   | 1             | 1.7            | C             | 82.12             |
| 2MA60PR      | Pin & Retainer StarMet Size 60         | Yes                  | 0             | 1.8            | C             | 67.02             |
| 3MT38-12     | Removal Tool 3/8" - 1/2"               | Yes                  | 1             | 5.4            | P             | 71.13             |
|              |                                        |                      |               |                |               |                   |
| Size         | 120                                    |                      |               |                |               |                   |
|              |                                        |                      |               |                |               |                   |
| 1MA120WC65   | Adapt StarMet Weld-Center 2.50" Lip    | No                   | 24            | 128.5          | M             | 1543.09           |
| 1MA120WC70   | Adapt StarMet Weld-Center 2.75" Lip    | No                   | 20            | 127.0          | M             | 1543.09           |
| 1MA120WC80   | Adapt StarMet Weld-Center 3.00" Lip    | Yes                  | 1             | 126.5          | M             | 1543.09           |
| 1MA120WC90   | Adapt StarMet Weld-Center 3.50" Lip    | Yes                  | 1             | 124.5          | M             | 1543.09           |
| 1MA120WL90   | Adapt StarMet Left Corner 3.50" Lip    | No                   | 8             | 260.0          | M             | 2898.13           |
| 1MA120WR90   | Adapt StarMet Right Corner 3.50" Lip   | No                   | 8             | 260.0          | M             | 2898.13           |
| 1MA120WLD70  | Adapt StarMet Weld-Left 2.75" Lip      | No                   | 1             | 123.8          | M             | 1543.09           |
| 1MA120WRD70  | Adapt StarMet Weld-Right 2.75" Lip     | No                   | 1             | 123.8          | M             | 1543.09           |
| 1MA120WLD80  | Adapt StarMet Weld-Left 3.00" Lip      | No                   | 24            | 127.7          | M             | 1543.09           |
| 1MA120WRD80  | Adapt StarMet Weld-Right 3.00" Lip     | No                   | 24            | 127.7          | M             | 1543.09           |
| 1MA120WN     | Adapt StarMet Weld-on Nose             | No                   | 48            | 52.9           | M             | 753.91            |
|              |                                        |                      |               |                |               |                   |
| MA120A       | Tooth StarMet Abrasion Size 120        | Yes                  | 1             | 106.4          | M             | 723.35            |
| MA120AX1     | Tooth StarMet Abrasion HD Size 120     | No                   | 36            | 142.5          | M             | 886.26            |
| MA120D       | Tooth StarMet Delta Size 120           | Yes                  | 1             | 80.7           | M             | 586.92            |
| MA120E1      | Tooth StarMet Extra Size 120           | Yes                  | 1             | 63.0           | M             | 458.77            |
| MA120EX      | Tooth StarMet Extra HD Size 120        | Yes                  | 1             | 74.8           | M             | 550.79            |
| MA120H1      | Tooth StarMet Heavy Size 120           | No                   | 24            | 106.3          | M             | 765.70            |
| MA120I       | Tooth StarMet Impact Size 120          | Yes                  | 1             | 52.0           | M             | 386.21            |
| MA120P       | Tooth StarMet Penetration Size 120     | Yes                  | 1             | 49.4           | M             | 354.70            |
| MA120U       | Tooth StarMet Universal Size 120       | Yes                  | 1             | 54.5           | M             | 405.22            |
| MA120V       | Tooth StarMet Vector Size 120          | Yes                  | 1             | 51.5           | M             | 479.92            |
| MA120W       | Tooth StarMet D. Vector Size 120       | Yes                  | 1             | 69.3           | M             | 536.50            |
|              |                                        |                      |               |                |               |                   |
| 4MA120HD-A   | Bottom Leg StarMet Size 120 HD         | Yes                  | 1             | 20.2           | M             | 131.31            |
| 4MA120M      | Mechanical Wear Cap StarMet            | Yes                  | 1             | 12.7           | M             | 135.77            |
| 4MA120M-A    | Mechanical Reinforced Wear Cap StarMet | No                   | 120           | 18.5           | M             | 195.22            |
| 4MA120MS     | Mechanical Wear Cap StarMet            | No                   | 96            | 13.1           | M             | 135.77            |
|              |                                        |                      |               |                |               |                   |
| 2MA120P-HS   | Pin StarMet HS Size 120                | No                   | 50            | 1.8            | M             | 117.94            |
| 2MA120PR     | Pin & Retainer StarMet Size 120        | Yes                  | 0             | 1.9            | M             | 113.03            |
| 2MA120R      | Retainer StarMet Size 120              | No                   | 1             | 0.0            | M             | 36.94             |
| 2MA120R-HS   | Retainer StarMet HS Size 120           | No                   | 1             | 0.0            | M             | 28.71             |
| 3MA120       | Gauge adapter Size 120                 | No                   | 1             | 4.9            | M             | 1535.46           |
| 3MT12-34     | Removal Tool 1/2" - 3/4"               | Yes                  | 1             | 6.0            | P             | 70.97             |

**MTG**

# Price List 2025

|                |                                        | In Stock<br>(Yes/No) | Min.<br>Batch | Weight<br>(Lb) | Disc.<br>Code | Price<br>List USD |
|----------------|----------------------------------------|----------------------|---------------|----------------|---------------|-------------------|
| <b>Size</b>    | <b>180</b>                             |                      |               |                |               |                   |
| 1MA180WC80     | Adapt StarMet Weld-Center 3.00" Lip    | No                   | 15            | 173.5          | M             | 2234.28           |
| 1MA180WC90     | Adapt StarMet Weld-Center 3.50" Lip    | Yes                  | 1             | 170.5          | M             | 2234.28           |
| 1MA180WC100    | Adapt StarMet Weld-Center 4.00" Lip    | No                   | 64            | 166.5          | M             | 2234.28           |
| 1MA180WL90     | Adapt StarMet Left Corner 3.5" plate   | No                   | 8             | 341.0          | M             | 3085.24           |
| 1MA180WR90     | Adapt StarMet Right Corner 3.5" plate  | No                   | 8             | 341.0          | M             | 3085.24           |
| 1MA180WLD80    | Adapt StarMet Weld-Left 3.00" Lip      | No                   | 8             | 175.6          | M             | 2234.28           |
| 1MA180WRD80    | Adapt StarMet Weld-Right 3.00" Lip     | No                   | 8             | 175.6          | M             | 2234.28           |
| 1MA180WLD90    | Adapt StarMet Weld-Left 3.50" Lip      | No                   | 8             | 174.1          | M             | 2234.28           |
| 1MA180WRD90    | Adapt StarMet Weld-Right 3.50" Lip     | No                   | 8             | 174.1          | M             | 2234.28           |
| 1MA180WN       | Adapt StarMet Weld-on Nose             | No                   | 48            | 70.0           | M             | 1010.24           |
| 1MA180WS90     | Adapt StarMet Weld Straddle 3.50" Lip  | No                   | 15            | 166.5          | M             | 2234.28           |
| 1MA180WS100    | Adapt StarMet Weld Straddle 3.95" Lip  | No                   | 8             | 172.4          | M             | 2234.28           |
| MA180A         | Tooth StarMet Abrasion Size 180        | Yes                  | 1             | 153.5          | M             | 953.58            |
| MA180C         | Tooth StarMet Coal Size 180            | No                   | 24            | 63.6           | M             | 529.74            |
| MA180D         | Tooth StarMet Delta Size 180           | Yes                  | 1             | 110.3          | M             | 727.53            |
| MA180E1        | Tooth StarMet Extra Size 180           | Yes                  | 1             | 94.0           | M             | 584.42            |
| MA180EX        | Tooth StarMet Extra HD Size 180        | Yes                  | 1             | 110.3          | M             | 609.76            |
| MA180I         | Tooth StarMet Impact Size 180          | No                   | 24            | 79.9           | M             | 482.45            |
| MA180P         | Tooth StarMet Penetration Size 180     | No                   | 35            | 72.8           | M             | 456.67            |
| MA180U         | Tooth StarMet Universal Size 180       | No                   | 32            | 75.1           | M             | 458.67            |
| MA180V         | Tooth StarMet Vector Size 180          | Yes                  | 1             | 75.2           | M             | 524.17            |
| MA180W         | Tooth StarMet D. Vector Size 180       | No                   | 1             | 89.8           | M             | 839.69            |
| 4MA180HD-A     | Bottom Leg StarMet Size 180 HD         | Yes                  | 1             | 27.4           | M             | 177.94            |
| 4MA180M        | Mechanical Wear Cap StarMet            | Yes                  | 1             | 18.5           | M             | 229.69            |
| 4MA180M-A      | Mechanical Reinforced Wear Cap StarMet | No                   | 80            | 28.8           | M             | 321.44            |
| 4MA180MS       | Mechanical Wear Cap StarMet Straddle   | No                   | 96            | 17.0           | M             | 229.69            |
| 2MA180/240R    | Retainer StarMet Size 180/240          | No                   | 1             | 0.0            | M             | 45.31             |
| 2MA180/240R-HS | Retainer StarMet HS Size 180/240       | No                   | 1             | 0.0            | M             | 35.73             |
| 2MA180P-HS     | Pin StarMet HS Size 180                | No                   | 1             | 2.1            | M             | 127.72            |
| 2MA180PR       | Pin & Retainer StarMet Size 180        | Yes                  | 0             | 2.2            | M             | 119.70            |
| 3MA180         | Gauge adapter Size 180                 | No                   | 1             | 5.5            | M             | 1552.66           |
| 3MT12-34       | Removal Tool 1/2" - 3/4"               | Yes                  | 1             | 6.0            | P             | 70.97             |
| <b>Size</b>    | <b>240</b>                             |                      |               |                |               |                   |
| 1MA240WC100    | Adapt StarMet Weld-Center 4.00" Lip    | Yes                  | 1             | 270.5          | M             | 2750.78           |
| 1MA240WC120    | Adapt StarMet Weld-Center 4.75" Lip    | Yes                  | 1             | 259.5          | M             | 2750.78           |
| 1MA240WL100    | Adapt StarMet Left Corner 4.00" plate  | No                   | 4             | 531.9          | M             | 4475.46           |
| 1MA240WR100    | Adapt StarMet Right Corner 4.00" plate | No                   | 4             | 531.9          | M             | 4475.46           |
| 1MA240WL120    | Adapt StarMet Left Corner 4.75" plate  | No                   | 10            | 541.7          | M             | 4475.46           |
| 1MA240WR120    | Adapt StarMet Right Corner 4.75" plate | No                   | 10            | 541.7          | M             | 4475.46           |
| 1MA240WLD100   | Adapt StarMet Weld-Left 4.00" Lip      | No                   | 8             | 270.5          | M             | 2750.78           |
| 1MA240WRD100   | Adapt StarMet Weld-Right 4.00" Lip     | No                   | 8             | 270.5          | M             | 2750.78           |
| 1MA240WN       | Adapt StarMet Weld-on Nose             | No                   | 32            | 102.5          | M             | 1467.99           |
| 1MA240WS100    | Adapt StarMet Weld Straddle 4.00" Lip  | No                   | 32            | 275.0          | M             | 2750.78           |
| 1MA240WS120    | Adapt StarMet Weld Straddle 4 3/4" Lip | No                   | 8             | 275.0          | M             | 2750.78           |

**MTG**

# Price List 2025

|                    |                                        | In Stock<br>(Yes/No) | Min.<br>Batch | Weight<br>(Lb) | Disc.<br>Code | Price<br>List USD |
|--------------------|----------------------------------------|----------------------|---------------|----------------|---------------|-------------------|
| MA240A             | Tooth StarMet Abrasion Size 240        | Yes                  | 1             | 206.6          | M             | 1105.69           |
| MA240D             | Tooth StarMet Delta Size 240           | Yes                  | 1             | 128.3          | M             | 762.31            |
| MA240E1            | Tooth StarMet Extra Size 240           | Yes                  | 1             | 112.3          | M             | 647.39            |
| MA240EX            | Tooth StarMet Extra HD Size 240        | Yes                  | 1             | 136.0          | M             | 783.18            |
| MA240H1            | Tooth StarMet Heavy Size 240           | No                   | 16            | 211.0          | M             | 1189.36           |
| MA240P             | Tooth StarMet Penetration Size 240     | Yes                  | 1             | 89.7           | M             | 551.22            |
| MA240V             | Tooth StarMet Vector Size 240          | Yes                  | 1             | 99.0           | M             | 581.68            |
|                    |                                        |                      |               |                |               |                   |
| 4MA240/500CC HD-L  | Cast Corner Lateral shroud StarMet     | Yes                  | 1             | 40.2           | M             | 267.29            |
| 4MA240/500CCHD-B-A | Cast Corner bottom shroud StarMet      | Yes                  | 1             | 65.5           | M             | 483.04            |
| 4MA240HD           | Bottom Leg StarMet Size 240            | No                   | 65            | 36.6           | M             | 236.76            |
| 4MA240M            | Mechanical Wear Cap StarMet            | Yes                  | 1             | 24.3           | M             | 280.34            |
| 4MA240M70L         | Mechanical Wear Cap StarMet            | No                   | 0             | 75.1           | M             | 751.61            |
| 4MA240M-A          | Mechanical Reinforced Wear Cap StarMet | No                   | 48            | 35.0           | M             | 341.04            |
|                    |                                        |                      |               |                |               |                   |
| 2MA180/240R        | Retainer StarMet Size 180/240          | No                   | 1             | 0.0            | M             | 45.31             |
| 2MA180/240R-HS     | Retainer StarMet HS Size 180/240       | No                   | 1             | 0.0            | M             | 35.73             |
| 2MA240P-HS         | Pin StarMet HS Size 240                | No                   | 25            | 3.4            | M             | 142.78            |
| 2MA240PR           | Pin & Retainer StarMet Size 240        | Yes                  | 0             | 3.5            | M             | 125.87            |
| 1MA240/500LWB-B    | Weldable Base StarMet 240/500 F        | No                   | 1             | 8.8            | M             | 103.71            |
| 3MA240             | Gauge adapter Size 240                 | No                   | 1             | 5.4            | M             | 1569.90           |
| 3MT12-34           | Removal Tool 1/2" - 3/4"               | Yes                  | 1             | 6.0            | P             | 70.97             |
|                    |                                        |                      |               |                |               |                   |
| Size               | 500                                    |                      |               |                |               |                   |
|                    |                                        |                      |               |                |               |                   |
| 1MA500WC100        | Adapt StarMet Weld-Center 4.00" Lip    | No                   | 8             | 401.0          | M             | 3576.73           |
| 1MA500WC120        | Adapt StarMet Weld-Center 4.75" Lip    | No                   | 8             | 391.5          | M             | 3576.73           |
| 1MA500WC130        | Adapt StarMet Weld-Center 5.00" Lip    | No                   | 8             | 384.5          | M             | 3576.73           |
| 1MA500WC140        | Adapt StarMet Weld-Center 5.50" Lip    | Yes                  | 1             | 362.5          | M             | 3576.73           |
| 1MA500WL140        | Adapt StarMet Left Corner 5.50" plate  | No                   | 4             | 739.5          | M             | 5171.11           |
| 1MA500WR140        | Adapt StarMet Right Corner 5.50" plate | No                   | 4             | 739.5          | M             | 5171.11           |
| 1MA500WN           | Adapt StarMet Weld-on Nose             | No                   | 32            | 144.7          | M             | 1945.72           |
| 1MA500WS120        | Adapt StarMet Weld Straddle 4.75" Lip  | No                   | 8             | 358.8          | M             | 3648.24           |
| 1MA500WS140        | Adapt StarMet Weld Straddle 5.50" Lip  | No                   | 1             | 363.0          | M             | 3648.24           |
|                    |                                        |                      |               |                |               |                   |
| MA500E1            | Tooth StarMet Extra Size 500           | Yes                  | 1             | 172.2          | M             | 1014.96           |
| MA500EX            | Tooth StarMet Extra HD Size 500        | Yes                  | 1             | 203.1          | M             | 1195.88           |
| MA500EXX           | Tooth StarMet Extra X HD Size 500      | No                   | 8             | 289.3          | M             | 1704.87           |
| MA500P             | Tooth StarMet Penetration Size 500     | Yes                  | 1             | 152.0          | M             | 974.01            |
| MA500RS            | Tooth StarMet RS Size 500              | Yes                  | 1             | 202.0          | M             | 1269.01           |
| MA500RSP           | Tooth StarMet P Size 500               | No                   | 8             | 208.6          | M             | 1432.16           |
| MA500RSS           | Tooth StarMet S Size 500               | No                   | 1             | 195.5          | M             | 1220.72           |
| MA500RSX           | Tooth StarMet RSX Size 500             | Yes                  | 1             | 264.0          | M             | 1709.55           |
| MA500V             | Tooth StarMet Vector Size 500          | Yes                  | 1             | 144.6          | M             | 980.02            |
|                    |                                        |                      |               |                |               |                   |
| 4MA240/500CC HD-L  | Cast Corner Lateral shroud StarMet     | Yes                  | 1             | 40.2           | M             | 267.29            |
| 4MA240/500CCHD-B-A | Cast Corner bottom shroud StarMet      | Yes                  | 1             | 65.5           | M             | 483.04            |
| 4MA500HD-A         | Bottom Leg StarMet Size 500 HD         | Yes                  | 1             | 64.2           | M             | 429.08            |
| 4MA500M            | Mechanical Wear Cap StarMet            | Yes                  | 1             | 40.3           | M             | 402.34            |
| 4MA500M90L         | Mechanical Wear Cap StarMet            | Yes                  | 1             | 89.7           | M             | 896.21            |
| 4MA500M-A          | Mechanical Reinforced Wear Cap StarMet | Yes                  | 1             | 64.2           | M             | 703.03            |
| 4MA500MS-A         | Mechanical Wear Cap StarMet Straddle   | Yes                  | 1             | 36.5           | M             | 402.34            |



## Price List 2025

|                 |                                 | In Stock<br>(Yes/No) | Min.<br>Batch | Weight<br>(Lb) | Disc.<br>Code | Price<br>List USD |
|-----------------|---------------------------------|----------------------|---------------|----------------|---------------|-------------------|
| 2MA500PR        | Pin & Retainer StarMet Size 500 | Yes                  | 1             | 4.1            | M             | 141.28            |
| 2MA500R         | Retainer StarMet Size 500       | No                   | 1             | 0.1            | M             | 47.60             |
| 1MA240/500LWB-B | Weldable Base StarMet 240/500 F | No                   | 1             | 8.8            | M             | 103.71            |
| 3MA500          | Gauge adapter Size 500          | No                   | 1             | 7.3            | M             | 1581.37           |
| 3MT12-34        | Removal Tool 1/2" - 3/4"        | Yes                  | 1             | 6.0            | P             | 70.97             |

**MTG**

# Price List 2025

|                              |                                           | In Stock<br>(Yes/No) | Min.<br>Batch | Weight<br>(Lb) | Disc.<br>Code | Price<br>List USD |
|------------------------------|-------------------------------------------|----------------------|---------------|----------------|---------------|-------------------|
| <b>MTG Systems VeeMet RS</b> |                                           |                      |               |                |               |                   |
| <b>Size</b>                  | <b>600</b>                                |                      |               |                |               |                   |
| 1MV600BK600P-0               | Adapt VeeMet Berkeley 6.00" P             | Yes                  | 1             | 943.0          | M             | 9407.41           |
| 1MV600BK600P-0-2             | Adapt VeeMet Berkeley 6.00" P             | Yes                  | 1             | 943.0          | M             | 8677.52           |
| 1MV600BK600X-0               | Adapt VeeMet Berkeley 600 HD              | Yes                  | 1             | 988.5          | M             | 9140.48           |
| 1MV600WH10P-0                | Adapt VeeMet Whisler 600 P                | Yes                  | 1             | 759.5          | M             | 7783.72           |
| 1MV600WH10P-0-2              | Adapt VeeMet Whisler 600 P                | Yes                  | 1             | 793.0          | M             | 6984.53           |
| 1MV600WH10X-0                | Adapt VeeMet Whisler 600 P                | Yes                  | 1             | 839.0          | M             | 7886.29           |
| 1MV600WH12P-0                | Adapt VeeMet Whisler 600 P                | Yes                  | 1             | 864.0          | M             | 8308.66           |
| 1MV600WH12P-0-2              | Adapt VeeMet Whisler 600 P                | Yes                  | 1             | 864.0          | M             | 7664.02           |
| 1MV600WH12X-0                | Adapt VeeMet Whisler 600 P                | Yes                  | 1             | 919.0          | M             | 8507.74           |
| MV600RS                      | Tooth VeeMet Rope Shovel Size 600         | Yes                  | 1             | 223.2          | M             | 1421.29           |
| MV600RSS                     | Tooth VeeMet Rope Shovel Short Size 600   | No                   | 16            | 211.0          | M             | 1464.87           |
| MV600RSX                     | Tooth VeeMet Rope Shovel HD Size 600      | Yes                  | 1             | 278.5          | M             | 1880.50           |
| 4MV600WH12M360X              | Mechanical Wear Cap VeeMet Whisler M360X  | Yes                  | 1             | 163.3          | M             | 1607.77           |
| 4MV600WH12MP                 | Mechanical Wear Cap VeeMet HP Whisler     | Yes                  | 1             | 79.0           | M             | 690.24            |
| 4MV600WH12MX                 | Mechanical Wear Cap VeeMet Whisler X      | Yes                  | 1             | 100.7          | M             | 970.06            |
| C2 AD W12/WR6                | Conventional adapter 2p. WH12/WR6         | No                   | 1             | 140.9          | M             | 904.04            |
| CR AD W10                    | Conventional Ratchet Adapter 3P WH10      | No                   | 1             | 186.4          | M             | 920.43            |
| CR AD W12/WR6                | Conventional Ratchet Adapter 3P WH12      | No                   | 1             | 193.0          | M             | 822.03            |
| MNT-RH-NUT10                 | Mounting Bolt RH WH10                     | Yes                  | 1             | 4.2            | M             | 539.65            |
| MNT-RH-NUT12                 | Mounting Bolt RH WH12                     | Yes                  | 1             | 3.5            | M             | 539.65            |
| RHAD BK6                     | Hammerless Ratchet Adapter 3p BK6         | No                   | 1             | 117.2          | M             | 1822.21           |
| RHAD BK6-2                   | Hammerless Ratchet Adapter 2 3p BK6       | No                   | 1             | 117.2          | M             | 1884.03           |
| RHAD WH10                    | Hammerless Ratchet Adapter 3p WH10        | No                   | 1             | 77.3           | M             | 1807.12           |
| RHAD WH10-2                  | Hammerless Ratchet Adapter 2 3p WH10      | No                   | 1             | 82.2           | M             | 1871.38           |
| RHAD WH12                    | Hammerless Ratchet Adapter 3p WH12        | No                   | 1             | 117.2          | M             | 1822.21           |
| RHAD WH12-2                  | Hammerless Ratchet Adapter 2 3p WH12      | No                   | 1             | 117.2          | M             | 1884.03           |
| RHAD10W2                     | Wedge Oversized Ratchet Ham. Adapter WH10 | No                   | 1             | 24.2           | M             | 541.22            |
| RHAD12W2                     | Wedge Oversized Ratchet Ham. Adapter WH12 | Yes                  | 1             | 28.8           | M             | 587.25            |
| 2MV500P2                     | Pin VeeMet Size 500                       | Yes                  | 1             | 3.5            | M             | 86.46             |
| 2MV500R                      | Retainer VeeMet Size 500                  | Yes                  | 1             | 0.1            | M             | 54.74             |
| 1MV600BR                     | Adapt VeeMet RS ST Base                   | Yes                  | 1             | 28.1           | M             | 436.99            |
| 2MV600P1                     | Pin VeeMet Size 600                       | Yes                  | 1             | 6.0            | M             | 155.40            |
| 3MA500BK600                  | Gauge Cage lip adapter BK6.00             | Yes                  | 1             | 28.0           | M             | 2532.76           |
| 3MA500WH10                   | Gauge Cage lip adapter WH10               | No                   | 1             | 30.7           | M             | 2532.76           |
| 3MA500WH12                   | Gauge Cage lip adapter WH12               | No                   | 1             | 27.6           | M             | 2634.08           |
| 3MA500WH12X                  | Gauge Cage lip adapter WH12 HD            | No                   | 1             | 38.5           | M             | 2719.31           |
| 3MT12-34                     | Removal Tool 1/2" - 3/4"                  | Yes                  | 1             | 6.0            | P             | 70.97             |

**MTG**

# Price List 2025

|                                 |                                           | In Stock<br>(Yes/No) | Min.<br>Batch | Weight<br>(Lb) | Disc.<br>Code | Price<br>List USD |
|---------------------------------|-------------------------------------------|----------------------|---------------|----------------|---------------|-------------------|
| <b>MTG Systems Rope Shovels</b> |                                           |                      |               |                |               |                   |
| <b>Size</b>                     | <b>500HM</b>                              |                      |               |                |               |                   |
| 1MA500BK600-0A                  | Adapt StarMet Berkeley 6.00 A             | No                   | 8             | 826.0          | M             | 8109.83           |
| 1MA500BK600X-0A                 | Adapt StarMet Berkeley 6.00 HD A          | Yes                  | 1             | 977.5          | M             | 8961.26           |
| 1MA500WH10-0                    | Adapt StarMet Whisler 10                  | No                   | 4             | 679.0          | M             | 6526.36           |
| 1MA500WH10X-0                   | Adapt StarMet Whisler 10 HD               | No                   | 8             | 839.0          | M             | 7654.26           |
| 1MA500WH12-0                    | Adapt StarMet Whisler 12                  | Yes                  | 1             | 781.5          | M             | 7162.64           |
| 1MA500WH12-5                    | Adapt StarMet Whisler 12                  | No                   | 4             | 781.5          | M             | 7162.64           |
| 1MA500WH12X-0                   | Adapt StarMet Whisler 12 HD               | Yes                  | 1             | 912.0          | M             | 8340.92           |
| 1MA500WH12X-5                   | Adapt StarMet Whisler 12 HD               | No                   | 4             | 915.2          | M             | 8340.92           |
| MA500RS                         | Tooth StarMet RS Size 500                 | Yes                  | 1             | 202.0          | M             | 1269.01           |
| MA500RSP                        | Tooth StarMet P Size 500                  | No                   | 8             | 208.6          | M             | 1432.16           |
| MA500RSS                        | Tooth StarMet S Size 500                  | No                   | 1             | 195.5          | M             | 1220.72           |
| MA500RSX                        | Tooth StarMet RSX Size 500                | Yes                  | 1             | 264.0          | M             | 1709.55           |
| 4MA500WH12M                     | Mechanical Wear Cap StarMet Whisler       | No                   | 24            | 81.0           | M             | 690.24            |
| 4MA500WH12MX                    | Mechanical Wear Cap StarMet Whisler HD    | Yes                  | 1             | 114.0          | M             | 970.06            |
| C2 AD W12/WR6                   | Conventional adapter 2p. WH12/WR6         | No                   | 1             | 140.9          | M             | 904.04            |
| CR AD W10                       | Conventional Ratchet Adapter 3P WH10      | No                   | 1             | 186.4          | M             | 920.43            |
| CR AD W12/WR6                   | Conventional Ratchet Adapter 3P WH12      | No                   | 1             | 193.0          | M             | 822.03            |
| MNT-RH-NUT10                    | Mounting Bolt RH WH10                     | Yes                  | 1             | 4.2            | M             | 539.65            |
| MNT-RH-NUT12                    | Mounting Bolt RH WH12                     | Yes                  | 1             | 3.5            | M             | 539.65            |
| RHAD BK6                        | Hammerless Ratchet Adapter 3p BK6         | No                   | 1             | 117.2          | M             | 1822.21           |
| RHAD BK6-2                      | Hammerless Ratchet Adapter 2 3p BK6       | No                   | 1             | 117.2          | M             | 1884.03           |
| RHAD WH10                       | Hammerless Ratchet Adapter 3p WH10        | No                   | 1             | 77.3           | M             | 1807.12           |
| RHAD WH10-2                     | Hammerless Ratchet Adapter 2 3p WH10      | No                   | 1             | 82.2           | M             | 1871.38           |
| RHAD WH12                       | Hammerless Ratchet Adapter 3p WH12        | No                   | 1             | 117.2          | M             | 1822.21           |
| RHAD WH12-2                     | Hammerless Ratchet Adapter 2 3p WH12      | No                   | 1             | 117.2          | M             | 1884.03           |
| RHAD10W2                        | Wedge Oversized Ratchet Ham. Adapter WH10 | No                   | 1             | 24.2           | M             | 541.22            |
| RHAD12W2                        | Wedge Oversized Ratchet Ham. Adapter WH12 | Yes                  | 1             | 28.8           | M             | 587.25            |
| 1MA500BST                       | RS Adapter ST Base                        | Yes                  | 1             | 31.5           | M             | 422.62            |
| 3MA500BK600                     | Gauge Cage lip adapter BK6.00             | Yes                  | 1             | 28.0           | M             | 2532.76           |
| 3MA500WH10                      | Gauge Cage lip adapter WH10               | No                   | 1             | 30.7           | M             | 2532.76           |
| 3MA500WH12                      | Gauge Cage lip adapter WH12               | No                   | 1             | 27.6           | M             | 2634.08           |
| 3MA500WH12X                     | Gauge Cage lip adapter WH12 HD            | No                   | 1             | 38.5           | M             | 2719.31           |
| 3MA500WH10X                     | Gauge Cage lip adapter WH10 HD            | No                   | 1             | 37.0           | M             | 2923.22           |
| 3MT12-34                        | Removal Tool 1/2" - 3/4"                  | Yes                  | 1             | 6.0            | P             | 70.97             |



# Price List 2025

|                                     |                              | In Stock<br>(Yes/No) | Min.<br>Batch | Weight<br>(Lb) | Disc.<br>Code | Price<br>List USD |
|-------------------------------------|------------------------------|----------------------|---------------|----------------|---------------|-------------------|
| <b>MTG Systems TwinMet Cast Lip</b> |                              |                      |               |                |               |                   |
| <b>Size</b>                         | <b>1</b>                     |                      |               |                |               |                   |
| 1MT1CL116                           | Cast Lip TwinMet 116" 5 Pos. | No                   | 1             | 7498.1         | M             | 95869.06          |
| 1MT1CL122                           | Cast Lip TwinMet 122" 5 Pos. | No                   | 1             | 7788.7         | M             | 102060.12         |
| 1MT1CL136                           | Cast Lip TwinMet 136" 5 Pos. | No                   | 1             | 8253.7         | M             | 100662.50         |
| 1MT1CL140                           | Cast Lip TwinMet 140" 6 Pos. | No                   | 1             | 9045.0         | M             | 115609.02         |
| 1MT1CL144                           | Cast Lip TwinMet 144" 6 Pos. | No                   | 1             | 8983.0         | M             | 127559.48         |
| <b>Size</b>                         | <b>5</b>                     |                      |               |                |               |                   |
| 1MT5CL148                           | Cast Lip TwinMet 148" 5 Pos. | No                   | 1             | 13568.6        | M             | 181364.91         |
| 1MT5CL163                           | Cast Lip TwinMet 163" 5 Pos. | No                   | 1             | 14919.6        | M             | 188901.66         |
| 1MT5CL169                           | Cast Lip TwinMet 169" 6 Pos. | No                   | 1             | 15860.4        | M             | 203749.75         |
| 1MT5CL185                           | Cast Lip TwinMet 185" 6 Pos. | No                   | 1             | 16922.0        | M             | 212535.89         |
| 1MT5CL201                           | Cast Lip TwinMet 201" 6 Pos. | No                   | 1             | 18022.0        | M             | 229710.36         |
| <b>Size</b>                         | <b>7</b>                     |                      |               |                |               |                   |
| 1MT7CL169                           | Cast Lip TwinMet 169" 5 Pos. | No                   | 1             | 19456.6        | M             | 227190.43         |
| 1MT7CL201                           | Cast Lip TwinMet 201" 6 Pos. | No                   | 1             | 23605.4        | M             | 263083.02         |

**MTG**

# Price List 2025

|                            |                                          | In Stock<br>(Yes/No) | Min.<br>Batch | Weight<br>(Lb) | Disc.<br>Code | Price<br>List USD |
|----------------------------|------------------------------------------|----------------------|---------------|----------------|---------------|-------------------|
| <b>MTG Systems TwinMet</b> |                                          |                      |               |                |               |                   |
| <b>Size</b>                | <b>1</b>                                 |                      |               |                |               |                   |
| 1MT1WC140                  | Adapt TwinMet Weld-Center                | Yes                  | 1             | 364.5          | M             | 5244.57           |
| 1MT1WL140                  | Adapt TwinMet Left Corner                | No                   | 4             | 837.0          | M             | 11738.94          |
| 1MT1WR140                  | Adapt TwinMet Right Corner               | No                   | 4             | 837.0          | M             | 11738.94          |
| 1MT1WN                     | TwinMet weld-on nose 1                   | Yes                  | 1             | 179.5          | M             | 1961.76           |
| MT1E                       | Tooth TwinMet Extra Size 1               | Yes                  | 1             | 209.0          | M             | 1546.59           |
| MT1EX                      | Tooth TwinMet Extra HD Size 1            | Yes                  | 1             | 254.5          | M             | 1789.78           |
| MT1V                       | Tooth TwinMet Vector Size 1              | No                   | 16            | 186.5          | M             | 1304.21           |
| MT1PR                      | Tooth TwinMet Pentratio Rock Size 1      | No                   | 1             | 174.0          | M             | 1266.09           |
| 4MT1-3CCHD-B               | Bottom Weldable Shroud TwinMet CC 1-3    | No                   | 24            | 99.0           | M             | 671.32            |
| 4MT1-3CCHD-L               | Lateral Weldable Shroud TwinMet CC 1-3   | No                   | 40            | 61.0           | M             | 376.79            |
| 4MT1HD                     | Bottom Weldable Shroud TwinMet Adapt 3   | No                   | 32            | 66.3           | M             | 432.52            |
| 4MT1M                      | Mechanical Wear Cap TwinMet              | Yes                  | 1             | 41.9           | M             | 423.23            |
| 4MT1ML                     | Mechanical Lower Wear Cap TwinMet Size 1 | Yes                  | 1             | 102.3          | M             | 815.95            |
| 1MT1-3ML-WB                | TwinMet Weldable Base Corner Wearcap     | Yes                  | 1             | 0.3            | M             | 137.99            |
| 2MT1-3ML                   | TwinMet Locking Corner Wearcap           | Yes                  | 1             | 0.3            | M             | 384.75            |
| 2MJ1 STR                   | Retainer TwinMet                         | Yes                  | 1             | 0.0            | M             | 99.50             |
| 2MT1P                      | Pin tooth TwinMet                        | Yes                  | 1             | 2.2            | M             | 196.37            |
| 2MT1PSE                    | Pin tooth TwinMet                        | Yes                  | 1             | 2.2            | M             | 180.63            |
| 3MT1WN                     | TwinMet nose 1 gauge                     | Yes                  | 1             | 15.2           | M             | 4294.08           |
| <b>Size</b>                | <b>2</b>                                 |                      |               |                |               |                   |
| MT2EX                      | Tooth TwinMet Extra HD Size 2            | Yes                  | 1             | 157.5          | M             | 1502.61           |
| MT2U                       | Tooth TwinMet Universal Size 2           | No                   | 16            | 121.0          | M             | 1008.99           |
| MT2W                       | Tooth TwinMet Doble Vector Size 2        | No                   | 12            | 119.0          | M             | 1009.09           |
| 2MJ2 STR                   | Retainer TwinMet                         | Yes                  | 1             | 0.0            | M             | 102.85            |
| 2MT2P                      | Pin tooth TwinMet                        | Yes                  | 1             | 3.4            | M             | 143.28            |
| 2MT2PSE                    | Pin tooth TwinMet Self Extracting        | Yes                  | 1             | 3.4            | M             | 182.47            |
| <b>Size</b>                | <b>3</b>                                 |                      |               |                |               |                   |
| 1MT3WC140                  | Adapt TwinMet Weld-Center                | No                   | 8             | 554.5          | M             | 9000.46           |
| 1MT3WC160                  | Adapt TwinMet Weld-Center                | Yes                  | 1             | 554.5          | M             | 9123.25           |
| 1MT3WL160                  | Adapt TwinMet Left Corner                | No                   | 4             | 1266.5         | M             | 14974.86          |
| 1MT3WR160                  | Adapt TwinMet Right Corner               | No                   | 4             | 1266.5         | M             | 14974.86          |
| 1MT3WN                     | TwinMet weld-on nose 3                   | Yes                  | 1             | 254.6          | M             | 3431.57           |
| 5MT32                      | TwinMet Intermediate Adapter 3/2         | Yes                  | 1             | 298.5          | M             | 3235.53           |
| 5MT32FS                    | TwinMet Intermediate Adapter 3/2         | Yes                  | 1             | 347.8          | M             | 3773.15           |
| 4MT1-3CCHD-B               | Bottom Weldable Shroud TwinMet CC 1-3    | No                   | 24            | 99.0           | M             | 671.32            |
| 4MT1-3CCHD-L               | Lateral Weldable Shroud TwinMet CC 1-3   | No                   | 40            | 61.0           | M             | 376.79            |
| 4MT3HD                     | Bottom Weldable Shroud TwinMet Adapt 3   | No                   | 24            | 85.0           | M             | 565.19            |
| 4MT3M                      | Mechanical Wear Cap TwinMet              | Yes                  | 1             | 72.0           | M             | 547.80            |
| 4MT3ML                     | Mechanical Lower Wear Cap TwinMet        | Yes                  | 1             | 148.5          | M             | 1005.66           |

**MTG**

# Price List 2025

|               |                                      | In Stock<br>(Yes/No) | Min.<br>Batch | Weight<br>(Lb) | Disc.<br>Code | Price<br>List USD |
|---------------|--------------------------------------|----------------------|---------------|----------------|---------------|-------------------|
| 1MT1-3ML-WB   | TwinMet Weldable Base Corner Wearcap | Yes                  | 1             | 0.3            | M             | 137.99            |
| 2MT1-3ML      | TwinMet Locking Corner Wearcap       | Yes                  | 1             | 0.3            | M             | 384.75            |
| 2MJ3 STR      | Retainer TwinMet                     | Yes                  | 1             | 0.0            | M             | 112.77            |
| 2MT3P         | Pin tooth TwinMet                    | Yes                  | 1             | 4.0            | M             | 226.86            |
| 2MT3PSE       | Pin tooth TwinMet                    | Yes                  | 1             | 4.0            | M             | 226.55            |
| 3MT3WN        | TwinMet nose 3 gauge                 | No                   | 1             | 21.6           | M             | 4299.96           |
| <b>Size 4</b> |                                      |                      |               |                |               |                   |
| MT4EX         | Tooth TwinMet Extra HD Size 4        | Yes                  | 1             | 227.0          | M             | 1564.69           |
| MT4I          | Tooth TwinMet Impact Size 4          | No                   | 16            | 152.2          | M             | 1164.98           |
| MT4P          | Tooth TwinMet Penetration Size 4     | No                   | 12            | 174.0          | M             | 1302.20           |
| MT4U          | Tooth TwinMet Universal Size 4       | Yes                  | 1             | 175.6          | M             | 1302.20           |
| MT4W          | Tooth TwinMet Vector Size 4          | Yes                  | 1             | 173.5          | M             | 1302.20           |
| MT4WD         | Tooth TwinMet D. Vector Size 4       | No                   | 12            | 172.1          | M             | 1068.36           |
| 2MJ4 STR      | Retainer TwinMet                     | Yes                  | 1             | 0.0            | M             | 97.60             |
| 2MT4P         | Pin tooth TwinMet                    | Yes                  | 1             | 3.7            | M             | 166.40            |
| 2MT4PSE       | Pin tooth TwinMet                    | Yes                  | 1             | 3.7            | M             | 182.47            |
| 3MJ           | Tool (1")                            | Yes                  | 1             | 5.6            | M             | 165.65            |
| <b>Size 5</b> |                                      |                      |               |                |               |                   |
| 1MT5WN        | TwinMet weld-on nose 5               | Yes                  | 1             | 318.3          | M             | 3156.28           |
| 5MT54         | TwinMet Intermediate Adapter 5/4     | Yes                  | 1             | 432.3          | M             | 4613.50           |
| 5MT54X        | TwinMet Intermediate Adapter HD 5/4  | No                   | 16            | 528.6          | M             | 6006.62           |
| 5MT56         | TwinMet Intermediate Adapter 5/6     | Yes                  | 1             | 568.0          | M             | 6301.14           |
| 5MT56FS       | TwinMet Front Shovel Int Adapter 5/6 | No                   | 4             | 622.3          | M             | 6982.35           |
| MT5U          | Tooth TwinMet Universal Size 5       | No                   | 8             | 593.0          | M             | 3616.20           |
| 2MJ5 STR      | Retainer TwinMet                     | Yes                  | 1             | 0.0            | M             | 149.35            |
| 2MT5P         | Pin tooth TwinMet                    | Yes                  | 1             | 7.2            | M             | 358.01            |
| 2MT5PSE       | Pin tooth TwinMet                    | Yes                  | 1             | 6.2            | M             | 387.41            |
| 3MT5WN        | TwinMet nose 5 gauge                 | Yes                  | 1             | 32.0           | M             | 4522.84           |
| 3MJ           | Tool (1")                            | Yes                  | 1             | 5.6            | M             | 165.65            |
| <b>Size 6</b> |                                      |                      |               |                |               |                   |
| MT6EX         | Tooth TwinMet Extra HD Size 6 Diap   | Yes                  | 1             | 289.3          | M             | 2001.32           |
| MT6P          | Tooth TwinMet Penetration Size 6     | No                   | 8             | 222.9          | M             | 1526.88           |
| MT6U          | Tooth TwinMet Universal Size 6       | No                   | 8             | 217.8          | M             | 1512.53           |
| MT6W          | Tooth TwinMet Vector Size 6          | No                   | 12            | 203.1          | M             | 1388.77           |
| 2MJ4 STR      | Retainer TwinMet                     | Yes                  | 1             | 0.0            | M             | 97.60             |
| 2MT4P         | Pin tooth TwinMet                    | Yes                  | 1             | 3.7            | M             | 166.40            |
| 2MT4PSE       | Pin tooth TwinMet                    | Yes                  | 1             | 3.7            | M             | 182.47            |
| 3MJ           | Tool (1")                            | Yes                  | 1             | 5.6            | M             | 165.65            |

**MTG**

# Price List 2025

|                |                                           | In Stock<br>(Yes/No) | Min.<br>Batch | Weight<br>(Lb) | Disc.<br>Code | Price<br>List USD |
|----------------|-------------------------------------------|----------------------|---------------|----------------|---------------|-------------------|
| <b>Size 7</b>  |                                           |                      |               |                |               |                   |
| 1MT7WN         | TwinMet weld-on nose 7                    | Yes                  | 1             | 429.0          | M             | 4016.57           |
| 5MT74          | TwinMet Intermediate Adapter 7/4          | Yes                  | 1             | 491.0          | M             | 5466.54           |
| 5MT76          | TwinMet Intermediate Adapter 7/6 Oct      | Yes                  | 1             | 584.0          | M             | 5737.13           |
| 2MJ5 STR       | Retainer TwinMet                          | Yes                  | 1             | 0.0            | M             | 149.35            |
| 2MT5P          | Pin tooth TwinMet                         | Yes                  | 1             | 7.2            | M             | 358.01            |
| 2MT5PSE        | Pin tooth TwinMet                         | Yes                  | 1             | 6.2            | M             | 387.41            |
| 3MT7WN         | TwinMet nose 7 gauge                      | Yes                  | 1             | 33.1           | M             | 4448.38           |
| 3MJ            | Tool (1")                                 | Yes                  | 1             | 5.6            | M             | 165.65            |
| <b>Size 10</b> |                                           |                      |               |                |               |                   |
| 5MJ10-2        | Retrofit intermediate adapter Square      | Yes                  | 1             | 287.4          | M             | 3114.11           |
| 2MJ3 STR       | Retainer TwinMet                          | Yes                  | 1             | 0.0            | M             | 112.77            |
| 2MT3P          | Pin tooth TwinMet                         | Yes                  | 1             | 4.0            | M             | 226.86            |
| 2MT10P-S       | Sleeve Retrofit Pin TwinMet Size 10       | Yes                  | 1             | 5.6            | M             | 260.03            |
| 3MJ10WN        | Retrofit nose gauge Size 10               | Yes                  | 1             | 10.9           | M             | 4476.39           |
| <b>Size 30</b> |                                           |                      |               |                |               |                   |
| 5MJ30-4        | Retrofit intermediate adapter Square      | Yes                  | 1             | 412.0          | M             | 4462.84           |
| 5MT30-4        | Retrofit intermediate adapter Oct.        | Yes                  | 1             | 413.8          | M             | 4462.84           |
| 5MT30-4X       | Retrofit intermediate adapter HD Oct.     | No                   | 16            | 500.0          | M             | 5903.85           |
| 5MT30-6        | Retrofit intermediate adapter Oct.        | No                   | 16            | 541.5          | M             | 5827.51           |
| 5MT30-4-NT     | Retrofit intermediate adapter Oct.        | No                   | 16            | 413.8          | M             | 4462.84           |
| MJ30U          | Retrofit Solid tooth TwinMet Size 30 Sq.  | No                   | 8             | 577.8          | M             | 4374.25           |
| MT30U          | Retrofit Solid tooth TwinMet Size Oct. 30 | No                   | 8             | 567.5          | M             | 4374.25           |
| 2MJ30 STR      | Retainer TwinMet PR Locking Size 30       | Yes                  | 1             | 0.0            | M             | 149.35            |
| 2MT30P HD      | Locking Cardan Size 30                    | Yes                  | 1             | 18.5           | M             | 2893.02           |
| 2MT30P1        | Retrofit Pin TwinMet Size 30              | Yes                  | 1             | 5.5            | M             | 270.24            |
| 2MT30P-S       | Sleeve Retrofit Pin TwinMet Size 30       | Yes                  | 1             | 10.7           | M             | 420.19            |
| R30DPN         | Locking Retrofit Size 30                  | Yes                  | 1             | 18.4           | M             | 1657.10           |
| 3MJ30WN        | Retrofit square nose gauge Size 30        | Yes                  | 1             | 13.2           | M             | 4749.34           |
| 3MT30WN        | TwinMet nose 30 gauge                     | No                   | 1             | 31.3           | M             | 5064.78           |
| 3MJ            | Tool (1")                                 | Yes                  | 1             | 5.6            | M             | 165.65            |
| <b>Size 45</b> |                                           |                      |               |                |               |                   |
| 5MJ45-6        | Retrofit intermediate adapter Square      | No                   | 8             | 528.8          | M             | 6031.85           |
| 5MT45-6        | Retrofit intermediate adapter Oct.        | No                   | 8             | 536.5          | M             | 6031.85           |
| 5MT45-6X       | Retrofit intermediate adapter HD Oct.     | No                   | 4             | 724.5          | M             | 6542.12           |
| 2MJ5 STR       | Retainer TwinMet                          | Yes                  | 1             | 0.0            | M             | 149.35            |
| 2MT5P          | Pin tooth TwinMet                         | Yes                  | 1             | 7.2            | M             | 358.01            |
| 2MT5PSE        | Pin tooth TwinMet                         | Yes                  | 1             | 6.2            | M             | 387.41            |
| 2MT45P-S       | Pin sleeve                                | Yes                  | 1             | 15.2           | M             | 420.19            |
| R45DPN         | Locking Retrofit Size 45                  | No                   | 1             | 26.9           | M             | 1996.72           |
| 3MJ            | Tool (1")                                 | Yes                  | 1             | 5.6            | M             | 165.65            |

**MTG**

# Price List 2025

|                               |                                                | In Stock<br>(Yes/No) | Min.<br>Batch | Weight<br>(Lb) | Disc.<br>Code | Price<br>List USD |
|-------------------------------|------------------------------------------------|----------------------|---------------|----------------|---------------|-------------------|
| <b>MTG Systems ProMet Lip</b> |                                                |                      |               |                |               |                   |
| <b>Size</b>                   | <b>1</b>                                       |                      |               |                |               |                   |
| 4MX1CL116T-P                  | Lip Shroud Cast Lip Terra 116" Penetration     | Yes                  | 1             | 375.5          | M             | 3830.29           |
| 4MX1CL136T-P                  | Lip Shroud Cast Lip Terra 136" Penetration     | Yes                  | 1             | 522.2          | M             | 4589.23           |
| 4MX1MCLT                      | Mech. Wearcap Promet Cast Lip Terra 1          | Yes                  | 1             | 59.8           | M             | 735.37            |
| 4MX1CL116T-X                  | Lip Shroud Cast Lip Terra 116" HD              | No                   | 4             | 502.8          | M             | 5021.02           |
| 4MX1CL122T-P                  | Lip Shroud Cast Lip Terra 122" Penetration     | No                   | 4             | 431.8          | M             | 3960.90           |
| 4MX1CL140-144T-P              | Lip Shroud Cast Lip Terra 140/144" Penetration | Yes                  | 1             | 368.0          | M             | 3953.53           |
| 4MX1CL136T-X                  | Lip Shroud Cast Lip Terra 136" HD              | No                   | 4             | 668.2          | M             | 5984.26           |
| 2MX70-90-B                    | Mechanical locking ProMet III Size 70-90       | Yes                  | 1             | 2.1            | C             | 141.11            |
| 1MX1CLT-WB                    | Weldable Base Promet Cast Lip Terra 1          | Yes                  | 1             | 8.0            | M             | 352.04            |
| 2MX100-140-B                  | Mech. locking ProMet III Size 100-140          | Yes                  | 1             | 3.8            | M             | 150.74            |
| 1MX1/3MCLT-WB                 | Weld. Base Promet Cast Lip Terra Wearcap       | Yes                  | 1             | 12.7           | M             | 239.15            |
| 1MX1CLT-MFSH                  | MFS Holder for ProMet Lip Shroud               | Yes                  | 1             | 1.5            | M             | 195.27            |
| 3MX1-116T                     | Cast Lip Terra 116" Shroud gauge               | No                   | 1             | 18.4           | M             | 1704.12           |
| 3MX1-122T                     | Cast Lip Terra 122" Shroud gauge               | No                   | 1             | 19.9           | M             | 1711.37           |
| 3MX1-136T                     | Cast Lip Terra 136" Shroud gauge               | Yes                  | 1             | 21.7           | M             | 1741.79           |
| 3MX1-140-144T                 | Cast Lip Terra 140"/144" Shroud gauge          | Yes                  | 1             | 17.1           | M             | 1785.80           |
| <b>Size</b>                   | <b>5</b>                                       |                      |               |                |               |                   |
| 4MX5CL148T-P                  | Lip Shroud Cast Lip Terra 148" Penetration     | Yes                  | 1             | 648.0          | M             | 6447.93           |
| 4MX5CL148T-X                  | Lip Shroud Cast Lip Terra 148" HD              | No                   | 4             | 940.5          | M             | 8511.31           |
| 4MX5CL163T-P                  | Lip Shroud Cast Lip Terra 163" Penetration     | Yes                  | 1             | 793.0          | M             | 7022.46           |
| 4MX5CL169T                    | Lip Shroud Cast Lip Terra 169"                 | No                   | 4             | 639.0          | M             | 6384.96           |
| 4MX5CL169T-P                  | Lip Shroud Cast Lip Terra 169" Penetration     | No                   | 4             | 529.0          | M             | 5608.25           |
| 4MX5CL169T-X                  | Lip Shroud Cast Lip Terra 169" TERRA           | Yes                  | 1             | 694.0          | M             | 6586.02           |
| 4MX5CL185T-X                  | Lip Shroud Cast Lip Terra 185" HD              | Yes                  | 1             | 970.0          | M             | 9283.53           |
| 4MX5CL201T-X                  | Lip Shroud Cast Lip Terra 201" HD TERRA        | Yes                  | 1             | 1080.0         | M             | 10245.76          |
| 4MX5CL148H                    | Lip Shroud Cast Lip HD 148"                    | No                   | 4             | 760.0          | M             | 7469.61           |
| 4MX5CL148H-X                  | Lip Shroud Cast Lip HD 148"                    | No                   | 4             | 1049.0         | M             | 8429.76           |
| 4MX5CL169H                    | Lip Shroud Cast Lip HD 169"                    | No                   | 4             | 669.9          | M             | 6566.33           |
| 4MX5CL201H                    | Lip Shroud Cast Lip HD 201"                    | No                   | 4             | 884.2          | M             | 8011.17           |
| 4MX5/7MCLT-2                  | Mech. Wearcap Promet Cast Lip Terra 5/7        | Yes                  | 1             | 155.5          | M             | 1917.13           |
| 1MX70-90MB-A                  | Mechanical Base ProMet II Size 70-90           | Yes                  | 1             | 2.0            | C             | 20.98             |
| 1MX70-90WB-B                  | Weldable Base Promet III 70/90                 | Yes                  | 1             | 3.6            | C             | 61.08             |
| 1MX5/7CLT-WB                  | Weld-on Base Lip Shroud Cast Lip Terra         | Yes                  | 1             | 18.4           | M             | 657.17            |
| 1MX5/7MCLT-STP                | Stopper ProMet Wearcap Cast Lip Stopper        | Yes                  | 1             | 8.1            | M             | 211.25            |
| 1MX5WB-CL                     | Weld-on Base Lip Shroud Cast Lip HD            | Yes                  | 1             | 28.0           | M             | 429.05            |
| 2MX5/7CLT                     | Locking Lip Shroud Terra                       | Yes                  | 1             | 14.6           | M             | 695.38            |
| 2MX5/7MCLT                    | Wear Cap Locking Cast Lip Terra                | Yes                  | 1             | 7.3            | M             | 577.82            |
| 2MX5CLH                       | Locking Lip Shroud HD                          | Yes                  | 1             | 12.7           | M             | 724.23            |
| 1MX5/7CLT-MFSH                | MFS Holder for ProMet Lip Shroud               | Yes                  | 1             | 1.5            | M             | 217.84            |
| 1MX5/7MCLT-WB-B               | Weldable Base Promet WearCap Cast Lip          | Yes                  | 1             | 10.6           | M             | 627.89            |
| 3MX5-201T                     | Cast Lip Terra 201" Shroud gauge               | No                   | 1             | 25.4           | M             | 2426.53           |
| 3MX5-148T-R                   | Cast Lip Terra 148" Shroud gauge               | No                   | 1             | 27.7           | M             | 1791.29           |
| 3MX5-163T                     | Cast Lip Terra 163" Shroud gauge               | No                   | 1             | 25.6           | M             | 2160.57           |
| 3MX5-169T-R                   | Cast Lip Terra 169" Shroud gauge               | No                   | 1             | 25.5           | M             | 2028.11           |

**MTG**

# Price List 2025

|                 |                                            | In Stock<br>(Yes/No) | Min.<br>Batch | Weight<br>(Lb) | Disc.<br>Code | Price<br>List USD |
|-----------------|--------------------------------------------|----------------------|---------------|----------------|---------------|-------------------|
| <b>Size 7</b>   |                                            |                      |               |                |               |                   |
| 4MX7CL169T-P    | Lip Shroud Cast Lip Terra 169" Penetration | Yes                  | 1             | 873.3          | M             | 8091.97           |
| 4MX7CL201T-P    | Lip Shroud Cast Lip Terra 201" Penetration | Yes                  | 1             | 850.0          | M             | 7732.06           |
| 4MX7CL201T-X    | Lip Shroud Cast Lip Terra 201" HD          | Yes                  | 1             | 1104.0         | M             | 9509.52           |
| 4MX7CL169T-X    | Lip Shroud Cast Lip Terra 169" HD          | No                   | 4             | 1093.0         | M             | 9547.44           |
| 4MX7CL201H      | Lip Shroud Cast Lip HD 201"                | No                   | 4             | 937.4          | M             | 9208.81           |
| 4MX5/7MCLT-2    | Mech. Wearcap Promet Cast Lip Terra 5/7    | Yes                  | 1             | 155.5          | M             | 1917.13           |
|                 |                                            |                      |               |                |               |                   |
| 1MX5/7CLT-WB    | Weld-on Base Lip Shroud Cast Lip Terra     | Yes                  | 1             | 18.4           | M             | 657.17            |
| 1MX5/7MCLT-STP  | Stopper ProMet Wearcap Cast Lip Stopper    | Yes                  | 1             | 8.1            | M             | 211.25            |
| 1MX5WB-CL       | Weld-on Base Lip Shroud Cast Lip HD        | Yes                  | 1             | 28.0           | M             | 429.05            |
| 2MX5/7CLT       | Locking Lip Shroud Terra                   | Yes                  | 1             | 14.6           | M             | 695.38            |
| 2MX5/7MCLT      | Wear Cap Locking Cast Lip Terra            | Yes                  | 1             | 7.3            | M             | 577.82            |
| 2MX5CLH         | Locking Lip Shroud HD                      | Yes                  | 1             | 12.7           | M             | 724.23            |
| 1MX5/7CLT-MFSH  | MFS Holder for ProMet Lip Shroud           | Yes                  | 1             | 1.5            | M             | 217.84            |
| 1MX5/7MCLT-WB-B | Weldable Base Promet WearCap Cast Lip      | Yes                  | 1             | 10.6           | M             | 627.89            |
| 3MX7-169T-R     | Cast Lip Terra 169" Shroud gauge           | No                   | 1             | 31.1           | M             | 2263.06           |
| 3MX7-201T-R     | Cast Lip Terra 201" Shroud gauge           | No                   | 1             | 30.7           | M             | 2204.99           |
|                 |                                            |                      |               |                |               |                   |
| <b>Size 50</b>  |                                            |                      |               |                |               |                   |
| 4MXL50C345-A    | Mech. Lip Shroud Promet 1.97x13.59"        | Yes                  | 1             | 94.8           | C             | 690.17            |
| 4MXL50L345-15A  | Mech.Lip Shroud Promet Left 1.97x14 15º    | Yes                  | 1             | 97.3           | C             | 690.17            |
| 4MXL50R345-15A  | Mech.Lip Shroud Promet Right 1.97x14 15º   | Yes                  | 1             | 97.3           | C             | 690.17            |
|                 |                                            |                      |               |                |               |                   |
| 1MX50-60WB-B    | Weldable Base Promet 50/60                 | Yes                  | 1             | 2.1            | C             | 50.59             |
| 2MXY40-60-B     | Pin ProMet Size 40-60                      | Yes                  | 1             | 2.2            | C             | 130.57            |
|                 |                                            |                      |               |                |               |                   |
| <b>Size 70</b>  |                                            |                      |               |                |               |                   |
| 4MX70C240-A     | Mech. Lip Shroud ProMet 2.75x9.5"          | Yes                  | 1             | 88.0           | C             | 1033.40           |
| 4MX70L240-14A   | Mech. Lip Shroud ProMet Left 2.75x9.5" 14  | Yes                  | 1             | 88.0           | C             | 1033.40           |
| 4MX70R240-14A   | Mech. Lip Shroud ProMet Right 2.75x9.5" 1  | Yes                  | 1             | 88.0           | C             | 1033.40           |
| 4MXL70C450-A    | Mech. Lip Shroud ProMet 2.75x17.72"        | No                   | 1             | 218.0          | M             | 1448.60           |
| 4MXL70L450-10A  | Mech. Lip Shroud ProMet Left 2.75x18" 10º  | No                   | 1             | 218.0          | M             | 1448.60           |
| 4MXL70L450-15A  | Mech. Lip Shroud ProMet Left 2.75x18" 15º  | No                   | 16            | 218.0          | M             | 1448.60           |
| 4MXL70R450-10A  | Mech. Lip Shroud ProMet Right 2.75x18" 10º | No                   | 1             | 218.0          | M             | 1448.60           |
| 4MXL70R450-15A  | Mech. Lip Shroud ProMet Right 2.75x18" 15º | No                   | 16            | 218.0          | M             | 1448.60           |
|                 |                                            |                      |               |                |               |                   |
| 1MX70-90WB-B    | Weldable Base Promet III 70/90             | Yes                  | 1             | 3.6            | C             | 61.08             |
| 2MX70-90-B      | Mechanical locking ProMet III Size 70-90   | Yes                  | 1             | 2.1            | C             | 141.11            |
| 3MT12-34        | Removal Tool 1/2" - 3/4"                   | Yes                  | 1             | 6.0            | P             | 70.97             |
|                 |                                            |                      |               |                |               |                   |
| <b>Size 75</b>  |                                            |                      |               |                |               |                   |
| 4MXL75C380-A    | Mech. Lip Shroud Promet 2.75x14.95"        | No                   | 8             | 196.3          | M             | 1487.26           |
| 4MXL75L380-15A  | Mech. Lip Shroud Promet Left 2.75x15" 15º  | No                   | 8             | 194.0          | M             | 1487.26           |
| 4MXL75R380-15A  | Mech. Lip Shroud Promet Right 2.75x15" 15º | No                   | 8             | 194.0          | M             | 1487.26           |
| 4MXL75C425-A    | Mech. Lip Shroud ProMet 2.75x16.73"        | Yes                  | 1             | 220.0          | M             | 1514.13           |
| 4MXL75L455-15A  | Mech. Lip Shroud ProMet Left 2.75x17" 15º  | Yes                  | 1             | 233.0          | M             | 1514.13           |
| 4MXL75R455-15A  | Mech. Lip Shroud ProMet Right 2.75x17" 15º | Yes                  | 1             | 233.0          | M             | 1514.13           |

**MTG**

# Price List 2025

|                |                                                       | In Stock<br>(Yes/No) | Min.<br>Batch | Weight<br>(Lb) | Disc.<br>Code | Price<br>List USD |
|----------------|-------------------------------------------------------|----------------------|---------------|----------------|---------------|-------------------|
| 1MX70-90WB-B   | Weldable Base Promet III 70/90                        | Yes                  | 1             | 3.6            | C             | 61.08             |
| 2MX70-90-B     | Mechanical locking ProMet III Size 70-90              | Yes                  | 1             | 2.1            | C             | 141.11            |
| 3MT12-34       | Removal Tool 1/2" - 3/4"                              | Yes                  | 1             | 6.0            | P             | 70.97             |
| <b>Size 80</b> |                                                       |                      |               |                |               |                   |
| 4MX80C235-A    | Mech. Lip Shroud ProMet 3.00x9.25"                    | Yes                  | 1             | 97.0           | M             | 1055.01           |
| 4MX80L235-14A  | Mech. Lip Shroud ProMet Left 3.00x9.25"               | Yes                  | 1             | 97.0           | M             | 1055.01           |
| 4MX80R235-14A  | Mech. Lip Shroud ProMet Right 3.00x9.25"              | Yes                  | 1             | 97.0           | M             | 1055.01           |
| 4MX80C300-A    | Mech. Lip Shroud ProMet 3.00x11.80"                   | Yes                  | 1             | 116.0          | M             | 1280.40           |
| 4MX80L300-14A  | Mech. Lip Shroud ProMet Left 3.00x12" 14              | Yes                  | 1             | 117.1          | M             | 1280.40           |
| 4MX80R300-14A  | Mech. Lip Shroud ProMet Right 3.00x12" 14             | Yes                  | 1             | 117.1          | M             | 1280.40           |
| 1MX70-90WB-B   | Weldable Base Promet III 70/90                        | Yes                  | 1             | 3.6            | C             | 61.08             |
| 2MX70-90-B     | Mechanical locking ProMet III Size 70-90              | Yes                  | 1             | 2.1            | C             | 141.11            |
| 3MT12-34       | Removal Tool 1/2" - 3/4"                              | Yes                  | 1             | 6.0            | P             | 70.97             |
| <b>Size 90</b> |                                                       |                      |               |                |               |                   |
| 4MX90C240-A    | Mech. Lip Shroud ProMet 3.5x9.45"                     | Yes                  | 1             | 101.0          | M             | 1096.64           |
| 4MX90L240-14A  | Mech. Lip Shroud ProMet Left 3.5x10" 14 <sup>9</sup>  | Yes                  | 1             | 104.5          | M             | 1096.64           |
| 4MX90R240-14A  | Mech. Lip Shroud ProMet Right 3.5x10" 14 <sup>9</sup> | Yes                  | 1             | 104.5          | M             | 1096.64           |
| 4MX90C320-A    | Mech. Lip Shroud ProMet 3.5x12.60"                    | Yes                  | 1             | 121.0          | M             | 1261.09           |
| 4MX90L320-14A  | Mech. Lip Shroud ProMet Left 3.5x13" 14 <sup>9</sup>  | Yes                  | 1             | 123.0          | M             | 1261.09           |
| 4MX90R320-14A  | Mech. Lip Shroud ProMet Right 3.5x13" 14 <sup>9</sup> | Yes                  | 1             | 123.0          | M             | 1261.09           |
| 4MX90C360-A    | Mech. Lip Shroud ProMet 3.5x14.17"                    | Yes                  | 1             | 136.0          | M             | 1356.51           |
| 4MX90L360-14A  | Mech. Lip Shroud ProMet Left 3.5x14" 14 <sup>9</sup>  | Yes                  | 1             | 136.0          | M             | 1356.51           |
| 4MX90R360-14A  | Mech. Lip Shroud ProMet Right 3.5x14" 14 <sup>9</sup> | Yes                  | 1             | 136.0          | M             | 1356.51           |
| 4MXL90C435-A   | Mech. Lip Shroud Promet 3.5x17"                       | No                   | 8             | 305.5          | M             | 2597.08           |
| 4MXL90L435-15A | Mech. Lip Shroud Promet Left 3.5x17" 15 <sup>9</sup>  | No                   | 8             | 308.0          | M             | 2597.08           |
| 4MXL90R435-15A | Mech. Lip Shroud Promet Right 3.5x17" 15 <sup>9</sup> | No                   | 8             | 308.0          | M             | 2597.08           |
| 1MX70-90WB-B   | Weldable Base Promet III 70/90                        | Yes                  | 1             | 3.6            | C             | 61.08             |
| 2MX70-90-B     | Mechanical locking ProMet III Size 70-90              | Yes                  | 1             | 2.1            | C             | 141.11            |
| 3MT12-34       | Removal Tool 1/2" - 3/4"                              | Yes                  | 1             | 6.0            | P             | 70.97             |

**MTG**

# Price List 2025

|                 |                                             | In Stock<br>(Yes/No) | Min.<br>Batch | Weight<br>(Lb) | Disc.<br>Code | Price<br>List USD |
|-----------------|---------------------------------------------|----------------------|---------------|----------------|---------------|-------------------|
| <b>Size</b>     | <b>100</b>                                  |                      |               |                |               |                   |
| 4MX100C290-A    | Mech. Lip Shroud ProMet 4.00x11.42"         | Yes                  | 1             | 178.0          | M             | 1615.80           |
| 4MX100L290-15A  | Mech. Lip Shroud ProMet Left 4x11" 15°      | Yes                  | 1             | 178.0          | M             | 1615.80           |
| 4MX100R290-15A  | Mech. Lip Shroud ProMet Right 4x11" 15°     | Yes                  | 1             | 178.0          | M             | 1615.80           |
| 4MX100C345-A    | Mech. Lip Shroud ProMet 4.00x13.58"         | Yes                  | 1             | 205.4          | M             | 1749.83           |
| 4MX100L345-15A  | Mech. Lip Shroud ProMet Left 4x14" 15°      | Yes                  | 1             | 206.5          | M             | 1749.83           |
| 4MX100R345-15A  | Mech. Lip Shroud ProMet Right 4x14" 15°     | Yes                  | 1             | 206.5          | M             | 1749.83           |
| 4MX100C410-A    | Mech. Lip Shroud ProMet 4.00x16.14"         | Yes                  | 1             | 220.0          | M             | 1850.58           |
| 4MX100L410-10A  | Mech. Lip Shroud ProMet Left 4x16" 10°      | Yes                  | 1             | 228.5          | M             | 1850.58           |
| 4MX100L410-15A  | Mech. Lip Shroud ProMet Left 4x16" 15°      | Yes                  | 1             | 220.0          | M             | 1850.58           |
| 4MX100R410-10A  | Mech. Lip Shroud ProMet Right 4x16" 10°     | Yes                  | 1             | 228.5          | M             | 1850.58           |
| 4MX100R410-15A  | Mech. Lip Shroud ProMet Right 4x16" 15°     | Yes                  | 1             | 220.0          | M             | 1850.58           |
| 4MXL100C410-A   | Mech. Lip Shroud ProMet 4.00x16"            | Yes                  | 1             | 416.0          | M             | 3146.08           |
| 4MXL100L410-15A | Mech. Lip Shroud ProMet Left 4x16" 15°      | Yes                  | 1             | 416.0          | M             | 3146.08           |
| 4MXL100R410-15A | Mech. Lip Shroud ProMet Right 4x16" 15°     | Yes                  | 1             | 416.0          | M             | 3146.08           |
| 4MXL100C440-A   | Mech. Lip Shroud ProMet 4.00x17"            | Yes                  | 1             | 440.0          | M             | 3845.23           |
| 4MXL100L440-15A | Mech. Lip Shroud ProMet Left 4.0x17 15°     | Yes                  | 1             | 440.0          | M             | 3845.23           |
| 4MXL100L440-20A | Mech. Lip Shroud ProMet Left 4.0x17 20°     | No                   | 4             | 410.0          | M             | 3845.23           |
| 4MXL100R440-15A | Mech. Lip Shroud ProMet Right 4x17" 15°     | Yes                  | 1             | 440.0          | M             | 3845.23           |
| 4MXL100R440-20A | Mech. Lip Shroud ProMet Right 4x17" 20°     | No                   | 4             | 410.0          | M             | 3845.23           |
| 4MXL100C622-A   | Mech. Lip Shroud ProMet 4.00x24.5"          | No                   | 4             | 645.0          | M             | 4804.39           |
| 2MX100-140-B    | Mech. locking ProMet III Size 100-140       | Yes                  | 1             | 3.8            | M             | 150.74            |
| 1MX100-140WB-B  | Weldable Base Promet III 100/140            | Yes                  | 1             | 6.0            | M             | 77.48             |
| 3MT12-34        | Removal Tool 1/2" - 3/4"                    | Yes                  | 1             | 6.0            | P             | 70.97             |
| <b>Size</b>     | <b>120</b>                                  |                      |               |                |               |                   |
| 4MX120C325-A    | Mech. Lip Shroud ProMet 4.75x13"            | Yes                  | 1             | 251.0          | M             | 1767.92           |
| 4MX120L325-15A  | Mech. Lip Shroud ProMet Left 4.8x13" 15°    | Yes                  | 1             | 249.0          | M             | 1767.92           |
| 4MX120R325-15A  | Mech. Lip Shroud ProMet Right 4.8x13" 15°   | Yes                  | 1             | 249.0          | M             | 1767.92           |
| 4MX120C380-A    | Mech. Lip Shroud ProMet 4.75x15"            | Yes                  | 1             | 275.0          | M             | 1978.27           |
| 4MX120L380-11A  | Mech. Lip Shroud ProMet Left 4.8x15" 11°    | No                   | 8             | 267.4          | M             | 1978.27           |
| 4MX120L380-15A  | Mech. Lip Shroud ProMet Left 4.8x15" 15°    | Yes                  | 1             | 273.0          | M             | 1978.27           |
| 4MX120R380-11A  | Mech. Lip Shroud ProMet Right 4.8x15" 11°   | No                   | 8             | 267.4          | M             | 1978.27           |
| 4MX120R380-15A  | Mech. Lip Shroud ProMet Right 4.8x15" 15°   | Yes                  | 1             | 273.0          | M             | 1978.27           |
| 4MX120C395-A    | Mech. Lip Shroud ProMet 4.75x15.5"          | No                   | 8             | 297.0          | M             | 2626.92           |
| 4MX120L395-22A  | Mech. Lip Shroud ProMet Left 4.8x15.5" 22°  | No                   | 8             | 299.0          | M             | 2626.92           |
| 4MX120R395-22A  | Mech. Lip Shroud ProMet Right 4.8x15.5" 22° | No                   | 8             | 299.0          | M             | 2626.92           |
| 4MX120C410-A    | Mech. Lip Shroud ProMet 4.75x16"            | No                   | 8             | 288.0          | M             | 2112.32           |
| 4MX120L410-15A  | Mech. Lip Shroud ProMet Left 4.8x16" 15°    | No                   | 8             | 286.0          | M             | 2112.32           |
| 4MX120R410-15A  | Mech. Lip Shroud ProMet Right 4.8x16" 15°   | No                   | 8             | 286.0          | M             | 2112.32           |
| 4MX120C440-A    | Mech. Lip Shroud ProMet 4.75x17"            | No                   | 1             | 288.0          | M             | 2224.23           |
| 4MX120L440-11A  | Mech. Lip Shroud ProMet Left 4.8x17" 11°    | No                   | 1             | 267.4          | M             | 2224.23           |
| 4MX120R440-11A  | Mech. Lip Shroud ProMet Right 4.8x17" 11°   | No                   | 1             | 267.4          | M             | 2224.23           |
| 4MX120C535-A    | Mech. Lip Shroud ProMet 4.75x21"            | No                   | 8             | 343.0          | M             | 2349.24           |
| 4MX120L535-15A  | Mech. Lip Shroud ProMet Left 4.8x21" 15°    | No                   | 8             | 341.0          | M             | 2349.24           |
| 4MX120R535-15A  | Mech. Lip Shroud ProMet Right 4.8x21" 15°   | No                   | 8             | 341.0          | M             | 2349.24           |
| 2MX100-140-B    | Mech. locking ProMet III Size 100-140       | Yes                  | 1             | 3.8            | M             | 150.74            |
| 1MX100-140WB-B  | Weldable Base Promet III 100/140            | Yes                  | 1             | 6.0            | M             | 77.48             |
| 3MT12-34        | Removal Tool 1/2" - 3/4"                    | Yes                  | 1             | 6.0            | P             | 70.97             |

**MTG**

# Price List 2025

|                  |                                              | In Stock<br>(Yes/No) | Min.<br>Batch | Weight<br>(Lb) | Disc.<br>Code | Price<br>List USD |
|------------------|----------------------------------------------|----------------------|---------------|----------------|---------------|-------------------|
|                  |                                              |                      |               |                |               |                   |
| Size             | 140                                          |                      |               |                |               |                   |
|                  |                                              |                      |               |                |               |                   |
| 4MX140C420-A     | Mech. Lip Shroud ProMet 5.50x17"             | Yes                  | 1             | 357.0          | M             | 3244.56           |
| 4MX140L420-11A   | Mech. Lip Shroud ProMet Left 5.5x17" 11º     | Yes                  | 1             | 356.5          | M             | 3244.56           |
| 4MX140R420-11A   | Mech. Lip Shroud ProMet Right 5.5x17" 11º    | Yes                  | 1             | 356.5          | M             | 3244.56           |
| 4MX140C465-A     | Mech. Lip Shroud ProMet 5.50x18"             | Yes                  | 1             | 399.0          | M             | 3454.48           |
| 4MX140L465-11A   | Mech. Lip Shroud ProMet Left 5.5x18" 11º     | Yes                  | 1             | 399.0          | M             | 3454.48           |
| 4MX140R465-11A   | Mech. Lip Shroud ProMet Right 5.5x18" 11º    | Yes                  | 1             | 399.0          | M             | 3454.48           |
| 4MX140C490-A     | Mech. Lip Shroud ProMet 5.50x19"             | Yes                  | 1             | 414.0          | M             | 3588.05           |
| 4MX140L490-11A   | Mech. Lip Shroud ProMet Left 5.5x19" 11º     | No                   | 4             | 414.0          | M             | 3588.05           |
| 4MX140R490-11A   | Mech. Lip Shroud ProMet Right 5.5x19" 11º    | No                   | 4             | 414.0          | M             | 3588.05           |
| 4MX140C575-A     | Mech. Lip Shroud ProMet 5.50x23"             | No                   | 8             | 437.5          | M             | 3988.87           |
| 4MX140L575-11A   | Mech. Lip Shroud ProMet Left 5.5x23" 11º     | Yes                  | 1             | 437.5          | M             | 3988.87           |
| 4MX140R575-11A   | Mech. Lip Shroud ProMet Right 5.5x23" 11º    | Yes                  | 1             | 437.5          | M             | 3988.87           |
|                  |                                              |                      |               |                |               |                   |
| 2MX100-140-B     | Mech. locking ProMet III Size 100-140        | Yes                  | 1             | 3.8            | M             | 150.74            |
| 1MX100-140WB-B   | Weldable Base Promet III 100/140             | Yes                  | 1             | 6.0            | M             | 77.48             |
| 3MT12-34         | Removal Tool 1/2" - 3/4"                     | Yes                  | 1             | 6.0            | P             | 70.97             |
|                  |                                              |                      |               |                |               |                   |
| Size             | 160                                          |                      |               |                |               |                   |
|                  |                                              |                      |               |                |               |                   |
| 4MX160C520FS-B   | MTG PROT PROMET 160 520FS- 14B               | No                   | 4             | 570.0          | M             | 5916.94           |
| 4MX160L520FS-14B | Mech. Lip Shroud ProMet Left                 | No                   | 4             | 575.0          | M             | 5916.94           |
| 4MX160R520FS-14B | Mech. Lip Shroud ProMet Right                | No                   | 4             | 575.0          | M             | 5916.94           |
| 4MX160C430-B     | Mech. Lip Shroud ProMet 6.00x17              | No                   | 4             | 456.0          | M             | 3572.90           |
| 4MX160L450-14B   | Mech. Lip Shroud ProMet Left 6.00x17.7" 14º  | No                   | 4             | 476.0          | M             | 3762.62           |
| 4MX160R450-14B   | Mech. Lip Shroud ProMet Right 6.00x17.7" 14º | No                   | 4             | 476.0          | M             | 3762.62           |
| 4MX160L570-14B   | Mech. Lip Shroud ProMet Left 6.00x22" 14º    | No                   | 4             | 593.0          | M             | 4406.09           |
| 4MX160R570-14B   | Mech. Lip Shroud ProMet Right 6.00x22" 14º   | No                   | 4             | 593.0          | M             | 4406.09           |
|                  |                                              |                      |               |                |               |                   |
| 1MY5/7CLT-WB     | Weldable Base CL Terra &160 Lip S            | Yes                  | 1             | 6.0            | M             | 294.59            |
| 2MY5/7CLT        | Pin ProMet                                   | Yes                  | 1             | 4.2            | M             | 613.47            |
|                  |                                              |                      |               |                |               |                   |
| Size             | BK600                                        |                      |               |                |               |                   |
|                  |                                              |                      |               |                |               |                   |
| 4MXBK600C260-A   | Mech. Lip Shroud ProMet BK6.00               | No                   | 8             | 205.3          | M             | 2152.25           |
| 4MXBK600CC260-A  | Mech. Lip Shroud ProMet BK6.00               | No                   | 1             | 211.8          | M             | 2109.44           |
|                  |                                              |                      |               |                |               |                   |
| 1MXWR6-WB        | Weldable Base ProMet BK6.00                  | Yes                  | 1             | 7.2            | M             | 687.85            |
| 2MXWR6           | Locking Lip Shroud ProMet BK6.00             | Yes                  | 1             | 4.0            | M             | 848.59            |
|                  |                                              |                      |               |                |               |                   |
| 3MXBK600         | Gauge Berkeley Shroud                        | No                   | 1             | 9.4            | M             | 2209.89           |

**MTG**

# Price List 2025

|                                   |                                          | In Stock<br>(Yes/No) | Min.<br>Batch | Weight<br>(Lb) | Disc.<br>Code | Price<br>List USD |
|-----------------------------------|------------------------------------------|----------------------|---------------|----------------|---------------|-------------------|
| <b>MTG Systems ProMet Lateral</b> |                                          |                      |               |                |               |                   |
| <b>Size</b>                       | <b>1</b>                                 |                      |               |                |               |                   |
| 4MY1CLT                           | Lower Wing shroud Cast Lip Terra 1       | Yes                  | 1             | 137.2          | M             | 1219.93           |
| 2MX70-90-B                        | Mechanical locking ProMet III Size 70-90 | Yes                  | 1             | 2.1            | C             | 141.11            |
| 1MY1CLT-WB                        | Weldable Base Promet Cast Lip Terra 1    | Yes                  | 1             | 3.6            | M             | 138.58            |
| 1MY1CLT-WBX                       | Stopper Promet Cast Lip Terra 1          | Yes                  | 1             | 20.5           | M             | 634.74            |
| <b>Size</b>                       | <b>5</b>                                 |                      |               |                |               |                   |
| 4MY5CLT                           | Lower Wing shroud Cast Lip Terra 5       | Yes                  | 1             | 285.5          | M             | 2524.35           |
| 4MY5CLH                           | Lower Wing shroud Cast Lip HD 5          | No                   | 8             | 198.2          | M             | 1758.27           |
| 1MY5/7CLT-WB                      | Weldable Base CL Terra &160 Lip S        | Yes                  | 1             | 6.0            | M             | 294.59            |
| 1MY5/7CLT-MFSH                    | Weld-on Base Wing Shrouds CL MFS HOLDER  | Yes                  | 1             | 0.3            | M             | 189.73            |
| 2MY5/7CLT                         | Pin ProMet                               | Yes                  | 1             | 4.2            | M             | 613.47            |
| 3MY5/7T                           | Cast Lip Terra Wing Shroud gauge         | Yes                  | 1             | 13.0           | M             | 2256.81           |
| <b>Size</b>                       | <b>7</b>                                 |                      |               |                |               |                   |
| 4MY7CLT                           | Lower Wing shroud Cast Lip Terra 7       | Yes                  | 1             | 329.5          | M             | 2524.35           |
| 4MY7CLT-2                         | Lower Wing shroud Cast Lip Terra 7       | Yes                  | 1             | 354.0          | M             | 2776.65           |
| 1MY5/7CLT-WB                      | Weldable Base CL Terra &160 Lip S        | Yes                  | 1             | 6.0            | M             | 294.59            |
| 1MY5/7CLT-MFSH                    | Weld-on Base Wing Shrouds CL MFS HOLDER  | Yes                  | 1             | 0.3            | M             | 189.73            |
| 2MY5/7CLT                         | Pin ProMet                               | Yes                  | 1             | 4.2            | M             | 613.47            |
| 3MY5/7T                           | Cast Lip Terra Wing Shroud gauge         | Yes                  | 1             | 13.0           | M             | 2256.81           |
| <b>Size</b>                       | <b>30</b>                                |                      |               |                |               |                   |
| 4MY30U480                         | Mech. Lateral Shroud ProMet 1.18x18.90"  | Yes                  | 1             | 33.4           | C             | 339.27            |
| 1MY30/60UWB                       | Weldable Base ProMet 30/60               | Yes                  | 1             | 2.3            | C             | 50.82             |
| 2MY30/40UP                        | Pin ProMet Size 30/40                    | Yes                  | 1             | 0.3            | C             | 46.76             |
| 2MY30/60UR                        | Retainer ProMet Size 30/60               | Yes                  | 1             | 0.0            | C             | 11.23             |
| 3MT38-12                          | Removal Tool 3/8" - 1/2"                 | Yes                  | 1             | 5.4            | P             | 71.13             |
| <b>Size</b>                       | <b>40</b>                                |                      |               |                |               |                   |
| 4MY40U480                         | Mech. Lateral Shroud ProMet 1.57x18.90"  | Yes                  | 1             | 32.9           | C             | 339.27            |
| 4MY40U480X-S                      | Mech. Lateral Shroud ProMet 1.57x18.90"  | Yes                  | 1             | 56.6           | C             | 514.61            |
| 1MY30/60UWB                       | Weldable Base ProMet 30/60               | Yes                  | 1             | 2.3            | C             | 50.82             |
| 1MY40/50WB-B                      | Weldable Base ProMet 40/50               | Yes                  | 1             | 2.9            | C             | 46.08             |
| 1MY40/50WBX2-S                    | Stopper ProMet 40/50                     | Yes                  | 1             | 6.7            | C             | 143.74            |
| 1MY40/50WBX-S                     | Stopper ProMet 40/50                     | Yes                  | 1             | 2.2            | C             | 64.74             |
| 2MY30/40UP                        | Pin ProMet Size 30/40                    | Yes                  | 1             | 0.3            | C             | 46.76             |
| 2MY30/60UR                        | Retainer ProMet Size 30/60               | Yes                  | 1             | 0.0            | C             | 11.23             |
| 2MX40-60-B                        | Pin ProMet Size 40-60                    | Yes                  | 1             | 2.2            | C             | 130.57            |
| 3MT38-12                          | Removal Tool 3/8" - 1/2"                 | Yes                  | 1             | 5.4            | P             | 71.13             |

**MTG**

# Price List 2025

|                |                                         | In Stock<br>(Yes/No) | Min.<br>Batch | Weight<br>(Lb) | Disc.<br>Code | Price<br>List USD |
|----------------|-----------------------------------------|----------------------|---------------|----------------|---------------|-------------------|
| <b>Size 50</b> |                                         |                      |               |                |               |                   |
| 4MY50U600      | Mech. Lateral Shroud ProMet 1.97x23.62" | Yes                  | 1             | 63.0           | C             | 625.06            |
| 4MYL50U1000    | Mech. Lateral Shroud ProMet 1.97x39.57" | Yes                  | 1             | 135.6          | C             | 1132.16           |
| 4MY50U600X-S   | Mech. Lateral Shroud ProMet 1.97x23.62" | Yes                  | 1             | 95.5           | C             | 832.81            |
| 1MY30/60UWB    | Weldable Base ProMet 30/60              | Yes                  | 1             | 2.3            | C             | 50.82             |
| 1MY40/50WB-B   | Weldable Base ProMet 40/50              | Yes                  | 1             | 2.9            | C             | 46.08             |
| 1MY40/50WBX2-S | Stopper ProMet 40/50                    | Yes                  | 1             | 6.7            | C             | 143.74            |
| 1MY40/50WBX-S  | Stopper ProMet 40/50                    | Yes                  | 1             | 2.2            | C             | 64.74             |
| 2MY30/60UR     | Retainer ProMet Size 30/60              | Yes                  | 1             | 0.0            | C             | 11.23             |
| 2MY50/60UP     | Pin ProMet Size 50/60                   | Yes                  | 1             | 0.4            | C             | 71.79             |
| 2MX40-60-B     | Pin ProMet Size 40-60                   | Yes                  | 1             | 2.2            | C             | 130.57            |
| 3MT38-12       | Removal Tool 3/8" - 1/2"                | Yes                  | 1             | 5.4            | P             | 71.13             |
| <b>Size 60</b> |                                         |                      |               |                |               |                   |
| 4MY60U600      | Mech. Lateral Shroud ProMet 2.35x23.62" | Yes                  | 1             | 62.5           | C             | 625.06            |
| 4MYL60U1000    | Mech. Lateral Shroud ProMet 2.35x39.57" | Yes                  | 8             | 133.6          | C             | 1115.91           |
| 4MY60U550X     | Mech. Lateral Shroud ProMet 2.35x21.65" | Yes                  | 1             | 126.3          | M             | 1110.32           |
| 1MY30/60UWB    | Weldable Base ProMet 30/60              | Yes                  | 1             | 2.3            | C             | 50.82             |
| 1MY60/80UWBX   | Weldable Base ProMet 60/80              | Yes                  | 1             | 16.6           | M             | 251.83            |
| 2MY30/60UR     | Retainer ProMet Size 30/60              | Yes                  | 1             | 0.0            | C             | 11.23             |
| 2MY50/60UP     | Pin ProMet Size 50/60                   | Yes                  | 1             | 0.4            | C             | 71.79             |
| 2MY60/80URX    | Retainer ProMet Size 60/80              | Yes                  | 1             | 0.0            | M             | 47.65             |
| 2MY60/65UPX    | Pin ProMet Size 60/65                   | Yes                  | 1             | 2.2            | M             | 89.70             |
| 3MT38-12       | Removal Tool 3/8" - 1/2"                | Yes                  | 1             | 5.4            | P             | 71.13             |
| <b>Size 65</b> |                                         |                      |               |                |               |                   |
| 4MY65U550X     | Mech. Lateral Shroud ProMet 2.55x21.65" | Yes                  | 1             | 127.0          | M             | 1110.32           |
| 1MY60/80UWBX   | Weldable Base ProMet 60/80              | Yes                  | 1             | 16.6           | M             | 251.83            |
| 2MY60/80URX    | Retainer ProMet Size 60/80              | Yes                  | 1             | 0.0            | M             | 47.65             |
| 2MY60/65UPX    | Pin ProMet Size 60/65                   | Yes                  | 1             | 2.2            | M             | 89.70             |
| 3MT12-34       | Removal Tool 1/2" - 3/4"                | Yes                  | 1             | 6.0            | P             | 70.97             |
| <b>Size 70</b> |                                         |                      |               |                |               |                   |
| 4MY70U550X     | Mech. Lateral Shroud ProMet 2.75x21.65" | Yes                  | 1             | 167.0          | M             | 1375.80           |
| 1MY60/80UWBX   | Weldable Base ProMet 60/80              | Yes                  | 1             | 16.6           | M             | 251.83            |
| 2MY60/80URX    | Retainer ProMet Size 60/80              | Yes                  | 1             | 0.0            | M             | 47.65             |
| 2MY70/80UPX    | Pin ProMet Size 70/80                   | Yes                  | 1             | 3.4            | M             | 89.70             |
| 3MT12-34       | Removal Tool 1/2" - 3/4"                | Yes                  | 1             | 6.0            | P             | 70.97             |
| <b>Size 75</b> |                                         |                      |               |                |               |                   |
| 4MY75U550X     | Mech. Lateral Shroud ProMet 2.95x21.65" | Yes                  | 1             | 159.5          | M             | 1375.80           |

**MTG**

# Price List 2025

|                 |                                         | In Stock<br>(Yes/No) | Min.<br>Batch | Weight<br>(Lb) | Disc.<br>Code | Price<br>List USD |
|-----------------|-----------------------------------------|----------------------|---------------|----------------|---------------|-------------------|
| 1MY60/80UWBX    | Weldable Base ProMet 60/80              | Yes                  | 1             | 16.6           | M             | 251.83            |
| 2MY60/80URX     | Retainer ProMet Size 60/80              | Yes                  | 1             | 0.0            | M             | 47.65             |
| 2MY70/80UPX     | Pin ProMet Size 70/80                   | Yes                  | 1             | 3.4            | M             | 89.70             |
| 3MT12-34        | Removal Tool 1/2" - 3/4"                | Yes                  | 1             | 6.0            | P             | 70.97             |
| <b>Size 80</b>  |                                         |                      |               |                |               |                   |
| 4MY80U550X      | Mech. Lateral Shroud ProMet 3.15x21.65" | Yes                  | 1             | 164.5          | M             | 1375.80           |
| 4MY80U550X-S    | Mech. Lateral Shroud ProMet 3.15x21.65" | Yes                  | 1             | 200.0          | M             | 2825.97           |
| 1MY60/80UWBX    | Weldable Base ProMet 60/80              | Yes                  | 1             | 16.6           | M             | 251.83            |
| 1MY80/140WBX2-S | Weldable Base Promet 80/140             | Yes                  | 1             | 33.0           | M             | 778.80            |
| 1MY80/140WBX-S  | Weldable Base Promet 80/140             | Yes                  | 1             | 17.0           | M             | 408.63            |
| 1MY5/7CLT-WB    | Weldable Base CL Terra &160 Lip S       | Yes                  | 1             | 6.0            | M             | 294.59            |
| 2MY60/80URX     | Retainer ProMet Size 60/80              | Yes                  | 1             | 0.0            | M             | 47.65             |
| 2MY5/7CLT       | Pin ProMet                              | Yes                  | 1             | 4.2            | M             | 613.47            |
| 2MY70/80UPX     | Pin ProMet Size 70/80                   | Yes                  | 1             | 3.4            | M             | 89.70             |
| 3MT12-34        | Removal Tool 1/2" - 3/4"                | Yes                  | 1             | 6.0            | P             | 70.97             |
| <b>Size 90</b>  |                                         |                      |               |                |               |                   |
| 4MY90U626X      | Mech. Lateral Shroud ProMet 3.58x24.65" | Yes                  | 1             | 259.8          | M             | 2219.95           |
| 4MY90U626X-S    | Mech. Lateral Shroud ProMet 3.58x24.65" | Yes                  | 1             | 291.0          | M             | 3372.56           |
| 1MY80/140WBX2-S | Weldable Base Promet 80/140             | Yes                  | 1             | 33.0           | M             | 778.80            |
| 1MY80/140WBX-S  | Weldable Base Promet 80/140             | Yes                  | 1             | 17.0           | M             | 408.63            |
| 1MY90UWBX       | Weldable Base ProMet 90                 | Yes                  | 1             | 32.8           | M             | 331.81            |
| 1MY5/7CLT-WB    | Weldable Base CL Terra &160 Lip S       | Yes                  | 1             | 6.0            | M             | 294.59            |
| 2MY5/7CLT       | Pin ProMet                              | Yes                  | 1             | 4.2            | M             | 613.47            |
| 2MY90/140URX    | Retainer ProMet Size 90/140             | Yes                  | 1             | 0.0            | M             | 47.65             |
| 2MY90UPX        | Pin ProMet II Size 90                   | Yes                  | 1             | 4.2            | M             | 93.71             |
| 3MT12-34        | Removal Tool 1/2" - 3/4"                | Yes                  | 1             | 6.0            | P             | 70.97             |
| <b>Size 120</b> |                                         |                      |               |                |               |                   |
| 4MY120U760X     | Mech. Lateral Shroud ProMet 4.72x29.92" | Yes                  | 1             | 403.0          | M             | 3369.37           |
| 4MY120U760X-S   | Mech. Lateral Shroud ProMet 4.72x29.92" | Yes                  | 1             | 413.5          | M             | 4175.02           |
| 1MY80/140WBX2-S | Weldable Base Promet 80/140             | Yes                  | 1             | 33.0           | M             | 778.80            |
| 1MY80/140WBX-S  | Weldable Base Promet 80/140             | Yes                  | 1             | 17.0           | M             | 408.63            |
| 1MY120/140UWBX  | Weldable Base ProMet 120/140            | Yes                  | 1             | 47.4           | M             | 553.05            |
| 1MY5/7CLT-WB    | Weldable Base CL Terra &160 Lip S       | Yes                  | 1             | 6.0            | M             | 294.59            |
| 2MY5/7CLT       | Pin ProMet                              | Yes                  | 1             | 4.2            | M             | 613.47            |
| 2MY90/140URX    | Retainer ProMet Size 90/140             | Yes                  | 1             | 0.0            | M             | 47.65             |
| 2MY120UPX       | Pin ProMet II Size 120                  | Yes                  | 1             | 5.6            | M             | 112.51            |
| <b>Size 140</b> |                                         |                      |               |                |               |                   |
| 4MY140U700X-S   | Mech. Lateral Shroud Promet 5.50x27.55" | No                   | 4             | 417.5          | M             | 4705.73           |
| 4MY140U800X     | Mech. Lateral Shroud ProMet 5.50x31.50" | No                   | 16            | 429.8          | M             | 3056.53           |
| 4MY140U800X-S   | Mech. Lateral Shroud Promet 5.50x31.50" | Yes                  | 1             | 462.8          | M             | 4419.06           |

**MTG**

# Price List 2025

|                   |                                        | In Stock<br>(Yes/No) | Min.<br>Batch | Weight<br>(Lb) | Disc.<br>Code | Price<br>List USD |
|-------------------|----------------------------------------|----------------------|---------------|----------------|---------------|-------------------|
| 1MY80/140WBX2-S   | Weldable Base Promet 80/140            | Yes                  | 1             | 33.0           | M             | 778.80            |
| 1MY80/140WBX-S    | Weldable Base Promet 80/140            | Yes                  | 1             | 17.0           | M             | 408.63            |
| 1MY120/140UWBX    | Weldable Base ProMet 120/140           | Yes                  | 1             | 47.4           | M             | 553.05            |
| 1MY5/7CLT-WB      | Weldable Base CL Terra &160 Lip S      | Yes                  | 1             | 6.0            | M             | 294.59            |
| 2MY5/7CLT         | Pin ProMet                             | Yes                  | 1             | 4.2            | M             | 613.47            |
| 2MY90/140URX      | Retainer ProMet Size 90/140            | Yes                  | 1             | 0.0            | M             | 47.65             |
| 2MY140UPX         | Pin ProMet II Size 140                 | Yes                  | 1             | 6.8            | M             | 120.68            |
| <b>Size 30/50</b> |                                        |                      |               |                |               |                   |
| 4MX30/50LA        | Mech. Lateral Shroud ProMet 1.18x1.97" | No                   | 60            | 24.0           | C             | 368.15            |
| 4MX30/50LS        | Mech. Lateral Shroud ProMet 1.18x1.97" | No                   | 72            | 25.5           | C             | 384.88            |
| 1MX30/50WBL       | Mechanical Base ProMet Size 30/50      | No                   | 384           | 3.7            | C             | 50.77             |
| 2MX30/50PL        | Pin ProMet Size 30/50                  | Yes                  | 1             | 0.2            | C             | 46.81             |
| 2MX30/80RL        | Retainer ProMet Size 30/80             | Yes                  | 1             | 0.0            | C             | 11.28             |
| 3MT38-12          | Removal Tool 3/8" - 1/2"               | Yes                  | 1             | 5.4            | P             | 71.13             |
| <b>Size 60/80</b> |                                        |                      |               |                |               |                   |
| 4MX60/80LA        | Mech. Lateral Shroud ProMet 2.36x3.15" | No                   | 24            | 55.2           | C             | 717.70            |
| 4MX60/80LS        | Mech. Lateral Shroud ProMet 2.36x3.15" | No                   | 24            | 61.9           | C             | 880.04            |
| 1MX60/80WBL       | Weldable Base ProMet 60/80             | Yes                  | 1             | 7.4            | C             | 82.86             |
| 2MX30/80RL        | Retainer ProMet Size 30/80             | Yes                  | 1             | 0.0            | C             | 11.28             |
| 2MX60/80PL        | Pin ProMet Size 60/80                  | No                   | 1             | 0.3            | C             | 56.65             |
| 3MT12-34          | Removal Tool 1/2" - 3/4"               | Yes                  | 1             | 6.0            | P             | 70.97             |
| <b>Size BK600</b> |                                        |                      |               |                |               |                   |
| 4MYBK600M318-A    | Mech. Lateral Shroud ProMet BK6.00     | No                   | 8             | 252.5          | M             | 2678.93           |
| 4MYBK600U306-A    | Mech. Lateral Shroud ProMet BK6.00     | No                   | 8             | 240.0          | M             | 2678.93           |
| 1MXWR6-WB         | Weldable Base ProMet BK6.00            | Yes                  | 1             | 7.2            | M             | 687.85            |
| 2MXWR6            | Locking Lip Shroud ProMet BK6.00       | Yes                  | 1             | 4.0            | M             | 848.59            |
| 3MXBK600          | Gauge Berkeley Shroud                  | No                   | 1             | 9.4            | M             | 2209.89           |

**MTG**

# Price List 2025

|                           |                                     | In Stock<br>(Yes/No) | Min.<br>Batch | Weight<br>(Lb) | Disc.<br>Code | Price<br>List USD |
|---------------------------|-------------------------------------|----------------------|---------------|----------------|---------------|-------------------|
| <b>MTG Systems RipMet</b> |                                     |                      |               |                |               |                   |
| <b>Size</b>               | <b>45</b>                           |                      |               |                |               |                   |
| 1ME45WA                   | Adapt RipMet Weld-on Size 45        | No                   | 12            | 153.5          | C             | 2660.27           |
| 1ME45WN                   | Adapt RipMet Weld-on Nose Size 45   | No                   | 48            | 39.7           | C             | 702.32            |
| ME45AX                    | Tooth RipMet Abrasion HD Size 45    | No                   | 48            | 35.1           | C             | 246.95            |
| ME45I                     | Tooth RipMet Impact Size 45         | Yes                  | 1             | 33.1           | C             | 237.69            |
| ME45PX                    | Tooth RipMet Penetration HD Size 45 | Yes                  | 1             | 31.4           | C             | 237.69            |
| ME45S                     | Tooth RipMet Standard Size 45       | No                   | 48            | 38.5           | C             | 241.29            |
| ME45V                     | Tooth RipMet Vector Size 45         | No                   | 48            | 31.4           | C             | 219.97            |
| 4ME45S2                   | Shroud RipMet Size 45               | No                   | 40            | 33.1           | C             | 483.93            |
| 2ME45/55B                 | Weldable Base RipMet Size 45/55     | No                   | 1             | 0.3            | C             | 15.75             |
| 2ME45PR                   | Pin & Retainer RipMet Size 45       | Yes                  | 1             | 1.5            | C             | 112.94            |
| 3MT12-34                  | Removal Tool 1/2" - 3/4"            | Yes                  | 1             | 6.0            | P             | 70.97             |
| <b>Size</b>               | <b>50</b>                           |                      |               |                |               |                   |
| 1ME50WA                   | Adapt RipMet Weld-on Size 50        | No                   | 8             | 327.3          | C             | 5601.00           |
| 1ME50WN                   | Adapt RipMet Weld-on Nose Size 50   | No                   | 24            | 97.0           | C             | 1661.48           |
| ME50AX                    | Tooth RipMet Abrasion HD Size 50    | Yes                  | 1             | 64.3           | C             | 409.26            |
| ME50I                     | Tooth RipMet Impact Size 50         | Yes                  | 1             | 61.1           | C             | 386.97            |
| ME50PX                    | Tooth RipMet Penetration HD Size 50 | Yes                  | 1             | 54.7           | C             | 386.97            |
| ME50S                     | Tooth RipMet Standard Size 50       | Yes                  | 1             | 69.7           | C             | 401.23            |
| ME50V                     | Tooth RipMet Vector Size 50         | Yes                  | 1             | 56.6           | C             | 401.56            |
| 4ME50S2-A                 | Shroud RipMet Size 50               | Yes                  | 1             | 84.2           | C             | 694.72            |
| 2ME45/55B                 | Weldable Base RipMet Size 45/55     | No                   | 1             | 0.3            | C             | 15.75             |
| 2ME50PR                   | Pin & Retainer RipMet Size 50       | Yes                  | 1             | 2.1            | C             | 119.62            |
| 3MT12-34                  | Removal Tool 1/2" - 3/4"            | Yes                  | 1             | 6.0            | P             | 70.97             |
| <b>Size</b>               | <b>55</b>                           |                      |               |                |               |                   |
| 1ME55WN                   | Adapt RipMet Weld-on Nose Size 55   | Yes                  | 1             | 135.6          | C             | 2326.08           |
| ME55AX                    | Tooth RipMet Abrasion HD Size 55    | Yes                  | 1             | 98.9           | C             | 548.11            |
| ME55I                     | Tooth RipMet Impact Size 55         | Yes                  | 1             | 90.9           | C             | 533.75            |
| ME55P                     | Tooth RipMet Penetration Size 55    | No                   | 24            | 101.9          | C             | 548.11            |
| ME55V                     | Tooth RipMet Vector Size 55         | No                   | 24            | 103.0          | C             | 561.85            |
| 4ME55S2                   | Shroud RipMet Size 55               | Yes                  | 1             | 126.4          | C             | 1340.35           |
| 2ME45/55B                 | Weldable Base RipMet Size 45/55     | No                   | 1             | 0.3            | C             | 15.75             |
| 2ME55PR                   | Pin & Retainer RipMet Size 55       | Yes                  | 1             | 3.7            | C             | 141.19            |
| 3MT12-34                  | Removal Tool 1/2" - 3/4"            | Yes                  | 1             | 6.0            | P             | 70.97             |

**MTG**

# Price List 2025

|                            |                                         | In Stock<br>(Yes/No) | Min.<br>Batch | Weight<br>(Lb) | Disc.<br>Code | Price<br>List USD |
|----------------------------|-----------------------------------------|----------------------|---------------|----------------|---------------|-------------------|
| <b>MTG Systems KingMet</b> |                                         |                      |               |                |               |                   |
| <b>Size</b>                | <b>5</b>                                |                      |               |                |               |                   |
| 1MG5FC                     | Adapt KingMet Weld Flush 0.50-0.75" Lip | Yes                  | 1             | 2.2            | C             | 31.60             |
| 1MG5UC                     | Adapt KingMet Weld-UC 0.50-0.75" Lip    | Yes                  | 1             | 2.0            | C             | 26.65             |
| 1MG5WN                     | Adapt KingMet Weld-on Nose              | No                   | 896           | 1.7            | C             | 22.42             |
| MG5L                       | Tooth KingMet Long Size 5               | Yes                  | 1             | 1.6            | C             | 13.13             |
| MG5U                       | Tooth KingMet Universal Size 5          | Yes                  | 1             | 1.6            | C             | 14.70             |
| MG5V                       | Tooth KingMet Vector Size 5             | Yes                  | 1             | 1.6            | C             | 17.63             |
| 2MG5/8MR                   | Metal Ret. KingMet Size 5/8             | No                   | 1             | 0.0            | C             | 4.23              |
| 2MG5/8R                    | Retainer KingMet Size 5/8               | Yes                  | 1             | 0.0            | C             | 3.25              |
| 2MG5P                      | Pin & Retainer KingMet Size 5           | Yes                  | 1             | 0.0            | C             | 10.06             |
| 2MG5PMR                    | Pin & Metal Ret. KingMet Size 5         | No                   | 1             | 0.0            | C             | 11.04             |
| 3MG5/15O                   | Removal Tool KingMet Size 5/15          | No                   | 1             | 2.0            | C             | 83.64             |
| <b>Size</b>                | <b>8</b>                                |                      |               |                |               |                   |
| 1MG8FC                     | Adapt KingMet Weld Flush 0.50-0.75" Lip | Yes                  | 1             | 4.1            | C             | 50.57             |
| 1MG8UC                     | Adapt KingMet Weld-UC 0.50-1.00" Lip    | Yes                  | 1             | 3.6            | C             | 39.52             |
| 1MG8WC                     | Adapt KingMet Weld-Center 1.00" Lip     | No                   | 500           | 4.0            | C             | 45.35             |
| 1MG8WN                     | Adapt KingMet Weld-on Nose              | No                   | 704           | 2.2            | C             | 36.90             |
| MG8F                       | Tooth KingMet Flared Size 8             | No                   | 448           | 3.4            | C             | 35.79             |
| MG8L                       | Tooth KingMet Long Size 8               | Yes                  | 1             | 2.1            | C             | 25.04             |
| MG8U                       | Tooth KingMet Universal Size 8          | Yes                  | 1             | 2.1            | C             | 25.07             |
| MG8V                       | Tooth KingMet Vector Size 8             | Yes                  | 1             | 2.0            | C             | 27.84             |
| MG8W                       | Tooth KingMet D. Vector Size 8          | No                   | 256           | 2.4            | C             | 33.37             |
| 2MG5/8MR                   | Metal Ret. KingMet Size 5/8             | No                   | 1             | 0.0            | C             | 4.23              |
| 2MG5/8R                    | Retainer KingMet Size 5/8               | Yes                  | 1             | 0.0            | C             | 3.25              |
| 2MG8P                      | Pin & Retainer KingMet Size 80          | Yes                  | 1             | 0.0            | C             | 10.06             |
| 2MG8PMR                    | Pin & Metal Ret. KingMet Size 8         | No                   | 1             | 0.0            | C             | 11.04             |
| 3MG5/15O                   | Removal Tool KingMet Size 5/15          | No                   | 1             | 2.0            | C             | 83.64             |
| <b>Size</b>                | <b>10</b>                               |                      |               |                |               |                   |
| 1MG10FC                    | Adapt KingMet Weld Flush 0.75-1.00" Lip | No                   | 240           | 9.2            | C             | 105.64            |
| 1MG10FC2                   | Adapt KingMet Weld Flush 1.00-1.25" Lip | No                   | 144           | 8.0            | C             | 105.64            |
| 1MG10UC                    | Adapt KingMet Weld-UC 0.75-1.25" Lip    | No                   | 388           | 5.6            | C             | 65.89             |
| 1MG10WC                    | Adapt KingMet Weld-Center 1.00" Lip     | Yes                  | 1             | 8.7            | C             | 92.43             |
| 1MG10WN                    | Adapt KingMet Weld-on Nose              | No                   | 560           | 3.7            | C             | 57.78             |
| MG10E                      | Tooth KingMet Extra Size 10             | No                   | 256           | 4.1            | C             | 60.39             |
| MG10F                      | Tooth KingMet Flared Size 10            | No                   | 336           | 5.3            | C             | 73.35             |
| MG10L                      | Tooth KingMet Long Size 10              | Yes                  | 1             | 4.9            | C             | 52.03             |
| MG10U                      | Tooth KingMet Universal Size 10         | Yes                  | 1             | 4.9            | C             | 55.82             |
| MG10V                      | Tooth KingMet Vector Size 10            | No                   | 352           | 3.6            | C             | 47.46             |
| MG10W                      | Tooth KingMet D. Vector Size 10         | Yes                  | 1             | 4.9            | C             | 59.05             |
| 2MG10/15MR                 | Metal Ret. KingMet Size 10/15           | No                   | 1             | 0.0            | C             | 6.43              |
| 2MG10/15PR                 | Pin & Retainer KingMet Size 10/15       | Yes                  | 1             | 0.1            | C             | 12.35             |
| 3MG5/15O                   | Removal Tool KingMet Size 5/15          | No                   | 1             | 2.0            | C             | 83.64             |

**MTG**

# Price List 2025

|                |                                         | In Stock<br>(Yes/No) | Min.<br>Batch | Weight<br>(Lb) | Disc.<br>Code | Price<br>List USD |
|----------------|-----------------------------------------|----------------------|---------------|----------------|---------------|-------------------|
| <b>Size 15</b> |                                         |                      |               |                |               |                   |
| 1MG15FC        | Adapt KingMet Weld Flush 1.00-1.25" Lip | No                   | 120           | 14.5           | C             | 158.02            |
| 1MG15WC        | Adapt KingMet Weld-Center 1.25" Lip     | No                   | 190           | 11.2           | C             | 120.79            |
| 1MG15WC3       | Adapt KingMet Weld-Center 1.40" Lip     | No                   | 144           | 11.1           | C             | 120.79            |
| 1MG15WN        | Adapt KingMet Weld-on Nose              | No                   | 336           | 6.0            | C             | 107.29            |
|                |                                         |                      |               |                |               |                   |
| MG15A          | Tooth KingMet Abrasion Size 15          | No                   | 160           | 14.4           | C             | 135.55            |
| MG15E          | Tooth KingMet Extra Size 15             | No                   | 1             | 7.3            | C             | 83.19             |
| MG15F          | Tooth KingMet Flared Size 15            | No                   | 240           | 8.7            | C             | 105.96            |
| MG15L          | Tooth KingMet Long Size 15              | Yes                  | 1             | 7.3            | C             | 74.18             |
| MG15S          | Tooth KingMet Standard Size 15          | No                   | 336           | 5.5            | C             | 67.40             |
| MG15U          | Tooth KingMet Universal Size 15         | Yes                  | 1             | 6.0            | C             | 74.34             |
| MG15V          | Tooth KingMet Vector Size 15            | No                   | 280           | 5.4            | C             | 67.20             |
| MG15W          | Tooth KingMet D. Vector Size 15         | No                   | 168           | 7.3            | C             | 83.19             |
|                |                                         |                      |               |                |               |                   |
| 2MG10/15MR     | Metal Ret. KingMet Size 10/15           | No                   | 1             | 0.0            | C             | 6.43              |
| 2MG10/15PR     | Pin & Retainer KingMet Size 10/15       | Yes                  | 1             | 0.1            | C             | 12.35             |
| 2MG10/15RR     | Retainer KingMet Size 10/15             | No                   | 10            | 0.0            | C             | 4.92              |
| 3MG5/15O       | Removal Tool KingMet Size 5/15          | No                   | 1             | 2.0            | C             | 83.64             |
|                |                                         |                      |               |                |               |                   |
| <b>Size 20</b> |                                         |                      |               |                |               |                   |
| 1MG20FC        | Adapt KingMet Weld Flush 1.40-1.55" Lip | No                   | 48            | 21.5           | C             | 216.47            |
| 1MG20UC        | Adapt KingMet Weld-UC 1.00-1.40" Lip    | No                   | 128           | 16.7           | C             | 162.84            |
| 1MG20WC        | Adapt KingMet Weld-Center 1.40" Lip     | No                   | 115           | 19.7           | C             | 199.22            |
| 1MG20WC2       | Adapt KingMet Weld-Center 1.50" Lip     | No                   | 96            | 20.1           | C             | 194.99            |
|                |                                         |                      |               |                |               |                   |
| MG20A          | Tooth KingMet Abrasion Size 20          | No                   | 120           | 18.2           | C             | 152.58            |
| MG20E          | Tooth KingMet Extra Size 20             | Yes                  | 1             | 12.5           | C             | 114.23            |
| MG20F          | Tooth KingMet Flared Size 20            | No                   | 120           | 13.0           | C             | 145.62            |
| MG20L          | Tooth KingMet Long Size 20              | Yes                  | 1             | 12.5           | C             | 124.62            |
| MG20S          | Tooth KingMet Standard Size 20          | No                   | 252           | 9.2            | C             | 96.18             |
| MG20U          | Tooth KingMet Universal Size 20         | Yes                  | 1             | 10.9           | C             | 102.82            |
| MG20V          | Tooth KingMet Vector Size 20            | Yes                  | 1             | 9.3            | C             | 106.36            |
| MG20W          | Tooth KingMet D. Vector Size 20         | No                   | 96            | 12.5           | C             | 145.01            |
|                |                                         |                      |               |                |               |                   |
| 2MG20/30RR     | Retainer KingMet Size 20/30             | No                   | 10            | 0.0            | C             | 10.36             |
| 2MG20PR        | Pin & Retainer KingMet Size 20          | Yes                  | 1             | 0.1            | C             | 27.04             |
| 3MG20/40O      | Removal Tool KingMet Size 20/40         | No                   | 1             | 2.9            | C             | 75.41             |
|                |                                         |                      |               |                |               |                   |
| <b>Size 30</b> |                                         |                      |               |                |               |                   |
| 1MG30UC        | Adapt KingMet Weld-UC 1.25-1.75" Lip    | No                   | 60            | 26.0           | C             | 244.42            |
| 1MG30WC        | Adapt KingMet Weld-Center 1.50" Lip     | No                   | 80            | 26.8           | C             | 261.21            |
| 1MG30WL        | Adapt KingMet Corner-L 1.40-1.75" Lip   | No                   | 48            | 36.4           | C             | 358.98            |
| 1MG30WN HS     | Adapt KingMet Weld-on Nose HS           | No                   | 160           | 16.6           | C             | 191.08            |

**MTG**

# Price List 2025

|              |                                        | In Stock<br>(Yes/No) | Min.<br>Batch | Weight<br>(Lb) | Disc.<br>Code | Price<br>List USD |
|--------------|----------------------------------------|----------------------|---------------|----------------|---------------|-------------------|
| MG30A        | Tooth KingMet Abrasion Size 30         | Yes                  | 1             | 24.1           | C             | 187.90            |
| MG30E        | Tooth KingMet Extra Size 30            | Yes                  | 1             | 18.3           | C             | 151.02            |
| MG30F        | Tooth KingMet Flared Size 30           | No                   | 1             | 19.9           | C             | 193.60            |
| MG30H        | Tooth KingMet Heavy Size 30            | No                   | 120           | 22.3           | C             | 175.58            |
| MG30L        | Tooth KingMet Long Size 30             | No                   | 120           | 16.4           | C             | 141.04            |
| MG30U        | Tooth KingMet Universal Size 30        | Yes                  | 1             | 14.8           | C             | 123.18            |
| MG30V        | Tooth KingMet Vector Size 30           | Yes                  | 1             | 13.9           | C             | 131.72            |
| MG30W        | Tooth KingMet D. Vector Size 30        | Yes                  | 1             | 17.9           | C             | 167.87            |
|              |                                        |                      |               |                |               |                   |
| 2MG20/30RR   | Retainer KingMet Size 20/30            | No                   | 10            | 0.0            | C             | 10.36             |
| 2MG30/80R HS | Retainer KingMet HS Size 30/80         | No                   | 1             | 0.0            | C             | 19.80             |
| 2MG30P HS    | Pin KingMet HS Size 30                 | No                   | 1             | 0.1            | C             | 29.25             |
| 2MG30PR      | Pin & Retainer KingMet Size 30         | Yes                  | 1             | 0.1            | C             | 30.15             |
| 3MG20/40O    | Removal Tool KingMet Size 20/40        | No                   | 1             | 2.9            | C             | 75.41             |
|              |                                        |                      |               |                |               |                   |
| <b>Size</b>  | <b>40</b>                              |                      |               |                |               |                   |
| 1MG40WC7     | Adapt KingMet Weld-Center 2.00" Lip    | No                   | 48            | 36.6           | C             | 393.60            |
| 1MG40WN HS   | Adapt KingMet Weld-on Nose HS          | No                   | 96            | 24.2           | C             | 253.30            |
|              |                                        |                      |               |                |               |                   |
| MG40A        | Tooth KingMet Abrasion Size 40         | No                   | 48            | 36.5           | C             | 260.13            |
| MG40E        | Tooth KingMet Extra Size 40            | Yes                  | 1             | 26.8           | C             | 200.50            |
| MG40F        | Tooth KingMet Flared Size 40           | No                   | 1             | 28.8           | C             | 241.41            |
| MG40S        | Tooth KingMet Standard Size 40         | No                   | 80            | 20.2           | C             | 176.48            |
| MG40U        | Tooth KingMet Universal Size 40        | Yes                  | 1             | 21.9           | C             | 179.19            |
| MG40V        | Tooth KingMet Vector Size 40           | No                   | 80            | 19.8           | C             | 187.14            |
| MG40W        | Tooth KingMet D. Vector Size 40        | No                   | 60            | 25.6           | C             | 231.82            |
|              |                                        |                      |               |                |               |                   |
| 4MG40M       | Mechanical Wear Cap KingMet            | No                   | 224           | 3.8            | C             | 36.59             |
|              |                                        |                      |               |                |               |                   |
| 2MG30/80R HS | Retainer KingMet HS Size 30/80         | No                   | 1             | 0.0            | C             | 19.80             |
| 2MG40/55MR   | Metal Ret. KingMet Size 40/55          | No                   | 1             | 0.0            | C             | 22.17             |
| 2MG40/55RR   | Retainer KingMet Size 40/55            | No                   | 0             | 0.0            | C             | 17.24             |
| 2MG40PR      | Pin & Retainer KingMet Size 40         | No                   | 1             | 0.2            | C             | 36.65             |
| 3MG20/40O    | Removal Tool KingMet Size 20/40        | No                   | 1             | 2.9            | C             | 75.41             |
|              |                                        |                      |               |                |               |                   |
| <b>Size</b>  | <b>55</b>                              |                      |               |                |               |                   |
| 1MG55WC      | Adapt KingMet Weld-Center 1.75" Lip    | No                   | 32            | 54.8           | C             | 527.59            |
| 1MG55WC2 HS  | Adapt KingMet Weld-Center HS 2.00" Lip | No                   | 24            | 67.6           | C             | 663.26            |
| 1MG55WC5     | Adapt KingMet Weld-Center 2.25" Lip    | No                   | 32            | 56.6           | C             | 527.59            |
| 1MG55WN HS   | Adapt KingMet Weld-on Nose HS          | No                   | 72            | 34.5           | C             | 302.65            |
|              |                                        |                      |               |                |               |                   |
| MG55A        | Tooth KingMet Abrasion Size 55         | No                   | 36            | 50.8           | C             | 352.78            |
| MG55E        | Tooth KingMet Extra Size 55            | Yes                  | 1             | 35.9           | C             | 255.38            |
| MG55F        | Tooth KingMet Flared Size 55           | No                   | 1             | 39.8           | C             | 341.42            |
| MG55U        | Tooth KingMet Universal Size 55        | No                   | 64            | 31.3           | C             | 233.39            |
| MG55V        | Tooth KingMet Vector Size 55           | Yes                  | 1             | 27.5           | C             | 262.43            |
| MG55W        | Tooth KingMet D. Vector Size 55        | Yes                  | 1             | 36.5           | C             | 305.22            |
|              |                                        |                      |               |                |               |                   |
| 4MG55M       | Mechanical Wear Cap KingMet            | No                   | 168           | 7.5            | C             | 72.92             |

**MTG**

# Price List 2025

|                 |                                   | In Stock<br>(Yes/No) | Min.<br>Batch | Weight<br>(Lb) | Disc.<br>Code | Price<br>List USD |
|-----------------|-----------------------------------|----------------------|---------------|----------------|---------------|-------------------|
| 2MG30/80R HS    | Retainer KingMet HS Size 30/80    | No                   | 1             | 0.0            | C             | 19.80             |
| 2MG40/55MR      | Metal Ret. KingMet Size 40/55     | No                   | 1             | 0.0            | C             | 22.17             |
| 2MG40/55RR      | Retainer KingMet Size 40/55       | No                   | 0             | 0.0            | C             | 17.24             |
| 2MG55P HS       | Pin KingMet HS Size 55            | No                   | 1             | 0.4            | C             | 44.20             |
| 2MG55PMR        | Pin & Metal Ret.KingMet Size 55   | No                   | 10            | 0.2            | C             | 50.65             |
| 2MG55PR         | Pin & Retainer KingMet Size 55    | No                   | 1             | 0.2            | C             | 45.58             |
| 3MG55/80O       | Removal Tool KingMet Size 55/80   | No                   | 1             | 2.1            | C             | 118.01            |
| <b>Size 65</b>  |                                   |                      |               |                |               |                   |
| MG65AX          | Tooth KingMet Abrasion HD Size 65 | No                   | 1             | 79.1           | C             | 550.56            |
| MG65E           | Tooth KingMet Extra Size 65       | Yes                  | 1             | 48.1           | C             | 312.71            |
| MG65F           | Tooth KingMet Flared Size 65      | No                   | 32            | 62.5           | C             | 534.52            |
| MG65I           | Tooth KingMet Impact Size 65      | No                   | 48            | 38.6           | C             | 316.26            |
| MG65V           | Tooth KingMet Vector Size 65      | No                   | 48            | 37.2           | C             | 345.22            |
| MG65S           | Tooth KingMet Standard Size 65    | No                   | 48            | 36.5           | C             | 270.53            |
| 4MG65M          | Mechanical Wear Cap KingMet       | No                   | 168           | 9.4            | C             | 92.60             |
| 2MG30/80R HS    | Retainer KingMet HS Size 30/80    | No                   | 1             | 0.0            | C             | 19.80             |
| 2MG65/80RR      | Retainer KingMet Size 65/80       | No                   | 10            | 0.0            | C             | 24.77             |
| 2MG65P HS       | Pin KingMet HS Size 65            | No                   | 500           | 1.6            | C             | 56.11             |
| 2MG65PR         | Pin & Retainer KingMet Size 65    | No                   | 1             | 0.3            | C             | 57.78             |
| 3MG55/80O       | Removal Tool KingMet Size 55/80   | No                   | 1             | 2.1            | C             | 118.01            |
| <b>Size 80</b>  |                                   |                      |               |                |               |                   |
| MG80E           | Tooth KingMet Extra Size 80       | No                   | 24            | 62.3           | C             | 389.72            |
| MG80F           | Tooth KingMet Flared Size 80      | No                   | 1             | 69.4           | C             | 543.63            |
| MG80P           | Tooth KingMet Penetration Size 80 | No                   | 32            | 44.3           | C             | 385.56            |
| MG80U           | Tooth KingMet Universal Size 80   | No                   | 32            | 50.1           | C             | 357.09            |
| MG80V           | Tooth KingMet Vector Size 80      | No                   | 32            | 45.8           | C             | 418.79            |
| MG80W           | Tooth KingMet D. Vector Size 80   | No                   | 24            | 59.2           | C             | 473.79            |
| 4MG80M          | Mechanical Wear Cap KingMet       | No                   | 168           | 11.3           | C             | 109.35            |
| 2MG65/80RR      | Retainer KingMet Size 65/80       | No                   | 10            | 0.0            | C             | 24.77             |
| 2MG80PR         | Pin & Retainer KingMet Size 80    | No                   | 1             | 0.4            | C             | 66.70             |
| 3MG55/80O       | Removal Tool KingMet Size 55/80   | No                   | 1             | 2.1            | C             | 118.01            |
| <b>Size 125</b> |                                   |                      |               |                |               |                   |
| MG125E          | Tooth KingMet Extra Size 125      | No                   | 24            | 83.7           | M             | 486.22            |
| MG125V          | Tooth KingMet Vector Size 125     | No                   | 24            | 60.6           | M             | 495.61            |
| MG125W          | Tooth KingMet D. Vector Size 125  | No                   | 12            | 82.2           | M             | 531.75            |
| 4MG125M         | Mechanical Wear Cap KingMet       | No                   | 96            | 16.3           | M             | 219.98            |
| 2MG125PR        | Pin & Retainer KingMet Size 125   | No                   | 1             | 1.5            | M             | 109.35            |
| 3MG125/500T     | Removal Tool KingMet Size 125/500 | No                   | 1             | 3.8            | M             | 153.20            |

**MTG**

# Price List 2025

|                                 |                            | In Stock<br>(Yes/No) | Min.<br>Batch | Weight<br>(Lb) | Disc.<br>Code | Price<br>List USD |
|---------------------------------|----------------------------|----------------------|---------------|----------------|---------------|-------------------|
| <b>Side-Pin Caterpillar (*)</b> |                            |                      |               |                |               |                   |
| <b>Size</b>                     | <b>20</b>                  |                      |               |                |               |                   |
| MC20L                           | Tooth Long Size 20         | No                   | 576           | 2.3            | P             | 23.94             |
| MC20S                           | Tooth Standard Size 20     | Yes                  | 1             | 2.2            | P             | 23.89             |
| MC20V                           | Tooth Vector Size 20       | No                   | 384           | 2.1            | P             | 27.62             |
| MC20W                           | Tooth D. Vector Size 20    | No                   | 256           | 3.4            | P             | 34.08             |
| R8E6208                         | Pin Size 20                | No                   | 1             | 0.0            | P             | 2.06              |
| R8E6209                         | Retainer Size 20           | No                   | 1             | 0.0            | P             | 3.15              |
| <b>Size</b>                     | <b>22</b>                  |                      |               |                |               |                   |
| MC22S                           | Tooth Standard Size 22     | No                   | 320           | 4.1            | P             | 33.93             |
| <b>Size</b>                     | <b>25</b>                  |                      |               |                |               |                   |
| MC25S                           | Tooth Standard Size 25     | Yes                  | 1             | 5.6            | P             | 43.93             |
| R8E6258                         | Pin Size 25                | No                   | 1             | 0.1            | P             | 2.80              |
| R8E6259                         | Retainer Size 22-25-30     | Yes                  | 1             | 0.0            | P             | 3.29              |
| <b>Size</b>                     | <b>30</b>                  |                      |               |                |               |                   |
| MC30A                           | Tooth Abrasion Size 30     | No                   | 144           | 15.0           | P             | 105.58            |
| MC30E                           | Tooth Extra Size 30        | Yes                  | 1             | 12.5           | P             | 71.06             |
| MC30F                           | Tooth Flared Size 30       | No                   | 200           | 11.2           | P             | 75.25             |
| MC30L                           | Tooth Long Size 30         | Yes                  | 1             | 11.2           | P             | 80.43             |
| MC30S                           | Tooth Standard Size 30     | Yes                  | 1             | 9.2            | P             | 53.27             |
| MC30V                           | Tooth Vector Size 30       | No                   | 256           | 9.3            | P             | 64.94             |
| MC30W                           | Tooth D. Vector Size 30    | Yes                  | 1             | 11.1           | P             | 74.45             |
| R107-3308                       | Pin Size 30                | Yes                  | 1             | 0.1            | P             | 2.80              |
| R8E6259                         | Retainer Size 22-25-30     | Yes                  | 1             | 0.0            | P             | 3.29              |
| <b>Size</b>                     | <b>35</b>                  |                      |               |                |               |                   |
| MC35A1                          | Tooth Abrasion Size 35     | Yes                  | 1             | 23.5           | P             | 132.84            |
| MC35E1                          | Tooth Extra Size 35        | Yes                  | 1             | 15.1           | P             | 100.85            |
| MC35F1                          | Tooth Flared Size 35       | No                   | 128           | 17.1           | P             | 109.57            |
| MC35H1                          | Tooth Heavy Size 35        | No                   | 120           | 19.8           | P             | 110.70            |
| MC35L1                          | Tooth Long Size 35         | Yes                  | 1             | 14.8           | P             | 82.41             |
| MC35S1                          | Tooth Standard Size 35     | Yes                  | 1             | 12.8           | P             | 72.64             |
| MC35U1                          | Tooth Universal Size 55    | No                   | 252           | 13.2           | P             | 74.55             |
| MC35V1                          | Tooth Vector Size 35       | Yes                  | 1             | 12.6           | P             | 84.14             |
| MC35W1                          | Tooth D. Vector Size 35    | Yes                  | 1             | 15.0           | P             | 98.78             |
| MC35WI1                         | Tooth D. Vector HD Size 35 | No                   | 96            | 13.2           | P             | 97.80             |
| 2MC35P                          | Pin Size 35                | No                   | 10            | 0.2            | P             | 13.71             |
| 2MC35R                          | Retainer Size 35           | No                   | 20            | 0.0            | P             | 3.84              |
| 2MC35/40C                       | Plug Size 35-40            | No                   | 1             | 0.0            | P             | 24.49             |
| R8E6358                         | Pin Size 35                | Yes                  | 1             | 0.2            | P             | 4.37              |
| R8E6359                         | Retainer Size 35-45        | Yes                  | 1             | 0.0            | P             | 3.92              |
| 3MT38-12                        | Removal Tool 3/8" - 1/2"   | Yes                  | 1             | 5.4            | P             | 71.13             |

**MTG**

# Price List 2025

|                |                            | In Stock<br>(Yes/No) | Min.<br>Batch | Weight<br>(Lb) | Disc.<br>Code | Price<br>List USD |
|----------------|----------------------------|----------------------|---------------|----------------|---------------|-------------------|
| <b>Size 40</b> |                            |                      |               |                |               |                   |
| MC40A1         | Tooth Abrasion Size 40     | No                   | 80            | 30.0           | P             | 199.30            |
| MC40E1         | Tooth Extra Size 40        | Yes                  | 1             | 24.2           | P             | 143.00            |
| MC40V1         | Tooth Vector Size 40       | No                   | 144           | 16.3           | P             | 104.64            |
| MC40W1         | Tooth D. Vector Size 40    | Yes                  | 1             | 20.2           | P             | 142.05            |
| 2MC40P         | Pin Size 40                | No                   | 10            | 0.3            | P             | 16.13             |
| 2MC40R         | Retainer Size 40           | No                   | 20            | 0.4            | P             | 3.92              |
| 2MC35/40C      | Plug Size 35-40            | No                   | 1             | 0.0            | P             | 24.49             |
| 3MT38-12       | Removal Tool 3/8" - 1/2"   | Yes                  | 1             | 5.4            | P             | 71.13             |
| <b>Size 46</b> |                            |                      |               |                |               |                   |
| MC45A1         | Tooth Abrasion Size 45     | Yes                  | 1             | 44.3           | P             | 299.92            |
| MC45AX1        | Tooth Abrasion HD Size 45  | No                   | 48            | 51.3           | P             | 331.68            |
| MC45E1         | Tooth Extra Size 45        | Yes                  | 1             | 32.8           | P             | 206.00            |
| MC45EX1        | Tooth Extra HD Size 45     | Yes                  | 1             | 35.1           | P             | 235.79            |
| MC45F1         | Tooth Flared Size 45       | Yes                  | 1             | 34.5           | P             | 221.28            |
| MC45IX1        | Tooth Impact HD Size 45    | No                   | 64            | 23.8           | P             | 153.56            |
| MC45P1         | Tooth Penetration Size 45  | No                   | 80            | 22.2           | P             | 148.69            |
| MC45S1         | Tooth Standard Size 45     | No                   | 80            | 25.4           | P             | 159.73            |
| MC45V1         | Tooth Vector Size 45       | Yes                  | 1             | 20.4           | P             | 139.62            |
| MC45W1         | Tooth D. Vector Size 45    | Yes                  | 1             | 28.0           | P             | 199.89            |
| MC45WI1        | Tooth D. Vector HD Size 45 | No                   | 32            | 31.3           | P             | 233.97            |
| 2MC45P         | Pin Size 45                | Yes                  | 1             | 0.4            | P             | 24.03             |
| 2MC45R         | Retainer Size 45           | Yes                  | 0             | 0.0            | P             | 4.67              |
| 2MC45/55C      | Plug Size 45-55            | No                   | 1             | 0.0            | P             | 26.51             |
| R8E0468        | Pin Size 45                | No                   | 1             | 1.5            | P             | 7.97              |
| R8E8469        | Retainer Size 45           | No                   | 1             | 0.1            | P             | 7.69              |
| 3MT12-34       | Removal Tool 1/2" - 3/4"   | Yes                  | 1             | 6.0            | P             | 70.97             |
| <b>Size 55</b> |                            |                      |               |                |               |                   |
| MC55A1         | Tooth Abrasion Size 55     | No                   | 48            | 66.0           | P             | 398.27            |
| MC55E1         | Tooth Extra Size 55        | Yes                  | 1             | 46.9           | P             | 294.15            |
| MC55U1         | Tooth Universal Size 55    | No                   | 96            | 46.9           | P             | 271.06            |
| MC55V1         | Tooth Vector Size 55       | Yes                  | 1             | 29.5           | P             | 192.96            |
| MC55W1         | Tooth D. Vector Size 55    | Yes                  | 1             | 40.6           | P             | 277.70            |
| 2MC55P         | Pin Size 55                | Yes                  | 1             | 1.6            | P             | 28.38             |
| 2MC55R         | Retainer Size 55           | Yes                  | 20            | 0.0            | P             | 5.99              |
| 2MC45/55C      | Plug Size 45-55            | No                   | 1             | 0.0            | P             | 26.51             |
| R8E5559        | Retainer Size 55           | No                   | 1             | 0.1            | P             | 6.15              |
| 3MT12-34       | Removal Tool 1/2" - 3/4"   | Yes                  | 1             | 6.0            | P             | 70.97             |
| <b>Size 60</b> |                            |                      |               |                |               |                   |
| MC60E1         | Tooth Extra Size 60        | Yes                  | 1             | 87.8           | P             | 508.46            |
| MC60V1         | Tooth Vector Size 60       | No                   | 24            | 58.6           | P             | 371.13            |
| MC60WI1        | Tooth D. Vector HD Size 60 | No                   | 24            | 69.6           | P             | 445.77            |



|                               |                               | In Stock<br>(Yes/No) | Min.<br>Batch | Weight<br>(Lb) | Disc.<br>Code | Price<br>List USD |
|-------------------------------|-------------------------------|----------------------|---------------|----------------|---------------|-------------------|
|                               |                               |                      |               |                |               |                   |
| 2MC60/80C                     | Plug Size 60/80               | No                   | 1             | 0.0            | P             | 27.24             |
| 2MC60P                        | Pin Size 60                   | No                   | 25            | 2.0            | P             | 45.56             |
| 2MC60R                        | Retainer Size 60              | No                   | 20            | 0.0            | P             | 7.26              |
| R6I6608                       | Pin Size 60                   | No                   | 1             | 2.1            | P             | 16.41             |
| R6I6609                       | Retainer Size 60              | No                   | 1             | 0.1            | P             | 9.58              |
| 3MT12-34                      | Removal Tool 1/2" - 3/4"      | Yes                  | 1             | 6.0            | P             | 70.97             |
|                               |                               |                      |               |                |               |                   |
| <b>Size</b>                   | <b>70</b>                     |                      |               |                |               |                   |
| 2MC60/80C                     | Plug Size 60/80               | No                   | 1             | 0.0            | P             | 27.24             |
| 2MC70/80R                     | Retainer Size 70/80           | No                   | 1             | 0.0            | P             | 16.07             |
| 2MC70P                        | Pin Size 70                   | No                   | 10            | 2.1            | P             | 57.12             |
| R4T4707                       | Retainer Size 70              | No                   | 1             | 0.2            | P             | 17.26             |
| R9U9616-G                     | Pin Size 70                   | No                   | 1             | 2.2            | P             | 24.12             |
| 3MT12-34                      | Removal Tool 1/2" - 3/4"      | Yes                  | 1             | 6.0            | P             | 70.97             |
|                               |                               |                      |               |                |               |                   |
| <b>Ripper Caterpillar (*)</b> |                               |                      |               |                |               |                   |
| <b>Size</b>                   | <b>35</b>                     |                      |               |                |               |                   |
| MR35A                         | Tooth Long Size 35            | Yes                  | 1             | 25.5           | P             | 174.00            |
|                               |                               |                      |               |                |               |                   |
| <b>Size</b>                   | <b>45</b>                     |                      |               |                |               |                   |
| MR45A                         | Tooth Abrasion Size 45        | Yes                  | 1             | 39.1           | P             | 271.06            |
| MR45I                         | Tooth Impact Size 45          | Yes                  | 1             | 33.0           | P             | 226.02            |
| MR45P                         | Tooth Penetration Size 45     | Yes                  | 1             | 34.8           | P             | 243.61            |
|                               |                               |                      |               |                |               |                   |
| R4T2479                       | Pin Size 45E,45,75,355,375A-3 | No                   | 1             | 0.4            | P             | 19.33             |
|                               |                               |                      |               |                |               |                   |
| <b>Size</b>                   | <b>50</b>                     |                      |               |                |               |                   |
| MR50AX                        | Tooth Abrasion HD Size 50     | Yes                  | 1             | 61.7           | P             | 432.47            |
| MR50I                         | Tooth Impact Size 50          | Yes                  | 1             | 59.8           | P             | 417.21            |
| MR50P                         | Tooth Penetration Size 50     | Yes                  | 1             | 64.1           | P             | 452.78            |
| MR50S                         | Tooth Standard Size 50        | Yes                  | 1             | 63.0           | P             | 429.47            |
|                               |                               |                      |               |                |               |                   |
| R6Y1202                       | Retainer Size 55              | No                   | 1             | 0.2            | P             | 50.73             |
| R6Y1204                       | Pin Size 55                   | No                   | 1             | 1.9            | P             | 27.84             |
|                               |                               |                      |               |                |               |                   |
| <b>Lateral Shrouds</b>        |                               |                      |               |                |               |                   |
| <b>Size</b>                   | <b>20</b>                     |                      |               |                |               |                   |
| 4MB20UL                       | Bucket Protector 20 UL        | No                   | 128           | 8.7            | P             | 56.37             |
|                               |                               |                      |               |                |               |                   |
| <b>Size</b>                   | <b>25</b>                     |                      |               |                |               |                   |
| 4MB25UL                       | Bucket Protector 25 UL        | No                   | 128           | 10.8           | P             | 75.14             |
|                               |                               |                      |               |                |               |                   |
| <b>Size</b>                   | <b>30</b>                     |                      |               |                |               |                   |
| 4MB30UL                       | Bucket Protector 30 UL        | No                   | 56            | 18.5           | P             | 127.72            |
| 4MB30ULH                      | Bucket Protector 30 ULH       | Yes                  | 1             | 23.7           | P             | 146.17            |
| 4MB30ULHX                     | Bucket Protector 30 ULHX      | Yes                  | 1             | 32.6           | P             | 169.64            |

**MTG**

# Price List 2025

|                   |                                    | In Stock<br>(Yes/No) | Min.<br>Batch | Weight<br>(Lb) | Disc.<br>Code | Price<br>List USD |
|-------------------|------------------------------------|----------------------|---------------|----------------|---------------|-------------------|
| <b>Size 70</b>    |                                    |                      |               |                |               |                   |
| 4MB70UL           | Bucket Protector 70 UL             | Yes                  | 1             | 7.6            | P             | 51.46             |
| 4MB70ULX          | Bucket Protector 70 Heavy UL       | Yes                  | 1             | 16.6           | P             | 108.28            |
| <b>Size 130</b>   |                                    |                      |               |                |               |                   |
| 4MB130ULH         | Bucket Protector 130 ULH           | Yes                  | 1             | 45.7           | P             | 256.04            |
| <b>Size 300</b>   |                                    |                      |               |                |               |                   |
| 4MB300ULH         | Bucket Protector 300 ULH           | Yes                  | 1             | 88.0           | P             | 508.06            |
| 4MB300ULHX        | Bucket Protector 300 ULHX          | No                   | 16            | 85.0           | P             | 539.93            |
| <b>Size 500</b>   |                                    |                      |               |                |               |                   |
| 4MB500ULH         | Bucket Protector 500 ULH           | Yes                  | 1             | 181.5          | P             | 1018.81           |
| <b>Size ST</b>    |                                    |                      |               |                |               |                   |
| 4MB4541-RX        | End Bit Right side                 | No                   | 8             | 302.0          | P             | 1440.65           |
| 4MB4542-LX        | End Bit Left side                  | No                   | 8             | 302.0          | P             | 1440.65           |
| <b>Size 500HM</b> |                                    |                      |               |                |               |                   |
| 4MLWR6BU306       | Wing shroud upper WR6.00           | No                   | 16            | 196.2          | P             | 2846.11           |
| 4MBWH10PLL175     | Wing shroud lower left Whisler 10  | No                   | 8             | 203.3          | P             | 2274.70           |
| 4MBWH10PLL240-S   | Wing shroud lower left Whisler 10  | No                   | 8             | 339.2          | P             | 3539.49           |
| 4MBWH10PLR175     | Wing shroud lower right Whisler 10 | No                   | 8             | 203.3          | P             | 2274.70           |
| 4MBWH10PLR240-S   | Wing shroud lower right Whisler 10 | No                   | 8             | 339.0          | P             | 3539.49           |
| 4MBWH10PU175      | Wing shroud upper Whisler 10       | No                   | 16            | 168.3          | P             | 1871.89           |
| 4MBWH10PU240      | Wing shroud upper Whisler 10       | No                   | 8             | 278.3          | P             | 2479.96           |
| 4MBWH12BLL230A    | Wing shroud lower left Whisler 12  | Yes                  | 1             | 370.0          | P             | 3088.11           |
| 4MBWH12BLL385A    | Wing shroud lower left Whisler 12  | No                   | 8             | 354.9          | P             | 2957.23           |
| 4MBWH12BLR230A    | Wing shroud lower right Whisler 12 | Yes                  | 1             | 370.0          | P             | 3088.11           |
| 4MBWH12BLR385A    | Wing shroud lower right Whisler 12 | No                   | 8             | 354.9          | P             | 2957.23           |
| 4MBWH12BUL230A    | Wing shroud upper left Whisler 12  | Yes                  | 1             | 346.0          | P             | 3009.89           |
| 4MBWH12BUL385A    | Wing shroud upper left Whisler 12  | No                   | 16            | 436.0          | P             | 3778.93           |
| 4MBWH12BUR230A    | Wing shroud upper right Whisler 12 | Yes                  | 1             | 346.0          | P             | 3009.89           |
| 4MBWH12BUR385A    | Wing shroud upper right Whisler 12 | No                   | 16            | 436.0          | P             | 3778.93           |
| 4MBWH12LL         | Wing shroud lower left Whisler 12  | No                   | 8             | 866.0          | P             | 6803.31           |
| 4MBWH12LR         | Wing shroud lower right Whisler 12 | No                   | 8             | 866.0          | P             | 6803.31           |
| 4MBWH12U          | Wing shroud upper Whisler 12       | No                   | 16            | 429.0          | P             | 3489.91           |



|                    |                                             | In Stock<br>(Yes/No) | Min.<br>Batch | Weight<br>(Lb) | Disc.<br>Code | Price<br>List USD |
|--------------------|---------------------------------------------|----------------------|---------------|----------------|---------------|-------------------|
| 2MWH10PCWS         | C-Clamp conventional wing shroud WH10       | No                   | 384           | 2.3            | P             | 38.71             |
| 2MWH10PCWS-240     | C-Clamp conv. wing shroud 240 WH10          | No                   | 384           | 2.1            | P             | 38.71             |
| 2MWH10PWW51        | Wedge std. Conventional wing shroud WH10    | No                   | 320           | 2.4            | P             | 37.31             |
| 2MWH10PWW51-240    | Wedge std. Conv. wing shroud 240 WH10       | No                   | 320           | 3.5            | P             | 37.31             |
| 2MWH12BCWS         | C-Clamp conventional wing shroud WH12       | Yes                  | 1             | 4.1            | P             | 124.57            |
| 2MWH12BWWS1        | Wedge std. Conventional wing shroud WH12    | Yes                  | 1             | 4.1            | P             | 110.51            |
| 2MWH12CLS          | C-Clamp conventional shroud WH12            | Yes                  | 1             | 16.4           | P             | 213.76            |
| 2MWH12WS           | Wedge std. conventional shroud WH12         | Yes                  | 1             | 21.8           | P             | 256.16            |
| C2 WS10 P28        | Conventional Wing Shroud 2P WH10 P&H2800    | No                   | 1             | 5.5            | P             | 76.01             |
| C2 WS12 BU         | Conventional Wing Shroud 2P WH12 CAT7495 HR | No                   | 1             | 9.2            | P             | 235.03            |
| C2 WS8 P28         | Conventional Wing Shroud 2P WH10 P&H2800    | No                   | 1             | 5.7            | P             | 76.01             |
| 3MBWH10PLL175      | Gauge Cage wing shroud lower left WH10      | No                   | 1             | 17.0           | P             | 3185.70           |
| 3MBWH10PLL240-S    | Gauge Cage lower wing left WH10             | No                   | 1             | 11.2           | P             | 2492.93           |
| 3MBWH10PLR175      | Gauge Cage wing shroud lower right WH10     | No                   | 1             | 17.0           | P             | 3185.70           |
| 3MBWH10PLR240-S    | Gauge Cage lower wing right WH10            | No                   | 1             | 11.2           | P             | 2492.93           |
| 3MBWH10PU175       | Gauge Cage wing shroud upper WH10           | No                   | 1             | 14.8           | P             | 2541.36           |
| 3MBWH10PU240       | Gauge Cage wing shroud upper WH10           | No                   | 1             | 13.0           | P             | 2209.89           |
| 3MBWH12BLL230      | Gauge Cage wing shroud lower left WH12      | Yes                  | 1             | 16.5           | P             | 3185.70           |
| 3MBWH12BLL385      | Gauge Cage wing shroud lower left WH12      | No                   | 1             | 11.0           | P             | 3185.70           |
| 3MBWH12BLR230      | Gauge Cage wing shroud lower right WH12     | Yes                  | 1             | 19.8           | P             | 3185.70           |
| 3MBWH12BLR385      | Gauge Cage wing shroud lower right WH12     | No                   | 1             | 11.0           | P             | 3185.70           |
| 3MBWH12BU230       | Gauge Cage wing shroud upper WH12           | Yes                  | 1             | 19.8           | P             | 2209.89           |
| 3MBWH12BU385       | Gauge Cage wing shroud upper WH12           | No                   | 1             | 16.3           | P             | 2209.89           |
| 3MBWH12LL          | Gauge Cage wing shroud lower left WH12      | No                   | 1             | 24.9           | P             | 3185.70           |
| 3MBWH12LR          | Gauge Cage wing shroud lower right WH12     | No                   | 1             | 24.9           | P             | 3185.70           |
| 3MBWH12U           | Gauge Cage wing shroud upper WH12           | No                   | 1             | 20.2           | P             | 2209.89           |
| <b>Lip Shrouds</b> |                                             |                      |               |                |               |                   |
| <b>Size</b>        | <b>45</b>                                   |                      |               |                |               |                   |
| 4ML45BLD           | Shroud Bolt-on Left 1.77x11.35              | Yes                  | 1             | 65.8           | P             | 475.84            |
| 4ML45BRD           | Shroud Bolt-on Right 1.77x11.35"            | Yes                  | 1             | 65.8           | P             | 475.84            |
| 4ML45BC            | Shroud Bolt-on Center 1.77x10.95"           | Yes                  | 1             | 59.2           | P             | 379.05            |
| <b>Size</b>        | <b>50</b>                                   |                      |               |                |               |                   |
| 4ML50BC-A          | Shroud Bolt-on Center 2x13.5"               | Yes                  | 1             | 83.0           | P             | 572.00            |
| 4ML50BLD-A         | Shroud Bolt-on Left 2x13.5"                 | Yes                  | 1             | 87.7           | P             | 598.38            |
| 4ML50BRD-A         | Shroud Bolt-on Right 2x13.5"                | Yes                  | 1             | 87.7           | P             | 598.38            |
| 4ML50BC312         | Shroud Bolt-on Center 2x12.3"               | Yes                  | 1             | 74.6           | P             | 506.44            |
| 4ML50BLD312        | Shroud Bolt-on Left 2x12.3"                 | Yes                  | 1             | 76.8           | P             | 523.77            |
| 4ML50BRD312        | Shroud Bolt-on Right 2x12.3"                | Yes                  | 1             | 76.8           | P             | 523.77            |
| 4ML50UC            | Shroud Weld-on lip 1.5-2x5.9"               | Yes                  | 1             | 15.0           | P             | 113.72            |
| 4ML50UC3           | Shroud Weld-on lip 1.5-2x11.8"              | Yes                  | 1             | 30.9           | P             | 246.82            |
| 4ML50UC5           | Shroud Weld-on lip 1.5-2x40"                | Yes                  | 1             | 119.2          | P             | 1040.52           |

**MTG**

# Price List 2025

|                   |                                              | In Stock<br>(Yes/No) | Min.<br>Batch | Weight<br>(Lb) | Disc.<br>Code | Price<br>List USD |
|-------------------|----------------------------------------------|----------------------|---------------|----------------|---------------|-------------------|
| <b>Size 70</b>    |                                              |                      |               |                |               |                   |
| 4ML70BCX-A        | Shourd Bolt-on Center 2.75x17"               | Yes                  | 1             | 218.0          | P             | 1453.49           |
| 4ML70BLDX-A       | Shroud Bolt-on Left 2.75x18"                 | Yes                  | 1             | 249.2          | P             | 1671.67           |
| 4ML70BRDX-A       | Shroud Bolt-on Right 2.75x18"                | Yes                  | 1             | 249.2          | P             | 1671.67           |
| 4ML70UC           | Shroud Weld-on lip 2.25-3x9.8"               | Yes                  | 1             | 46.1           | P             | 333.60            |
| 4ML70UC2          | Shroud Weld-on lip 2.25-3x10"                | No                   | 40            | 47.6           | P             | 306.13            |
| 4ML70UC3          | Shroud Weld-on lip 2.25-3x40"                | Yes                  | 1             | 186.5          | P             | 1457.10           |
| 4ML70ULD          | Shroud Weld-on lip 2.25-3x9"                 | No                   | 32            | 42.5           | P             | 288.68            |
| 4ML70URD          | Shroud Weld-on lip 2.25-3x9"                 | No                   | 32            | 42.5           | P             | 288.68            |
| <b>Size 90</b>    |                                              |                      |               |                |               |                   |
| 4ML90UC           | Shroud Weld-on lip 3.15-4x14"                | Yes                  | 1             | 69.6           | P             | 452.66            |
| 4ML90ULD          | Shroud Weld-on lip 3.15-4x14"                | Yes                  | 1             | 70.9           | P             | 536.38            |
| 4ML90URD          | Shroud Weld-on lip 3.15-4x14"                | Yes                  | 1             | 70.9           | P             | 536.38            |
| 4ML90UC2          | Shroud Weld-on lip 3.15-4x15"                | No                   | 12            | 137.5          | P             | 963.35            |
| 4ML90UC3          | Shroud Weld-on lip 3.15-4x22"                | No                   | 16            | 120.7          | P             | 1255.95           |
| 4ML90UC300        | Shroud Weld-on lip 3.15-4x12"                | No                   | 64            | 56.5           | P             | 365.30            |
| 4ML90ULD300       | Shroud Weld-on lip 3.15-4x12"                | No                   | 32            | 55.4           | P             | 427.09            |
| 4ML90URD300       | Shroud Weld-on lip 3.15-4x12"                | No                   | 32            | 55.4           | P             | 427.09            |
| <b>Size 100</b>   |                                              |                      |               |                |               |                   |
| 4ML100BCX440      | Shourd Bolt-on Center 3.95x17.30"            | No                   | 4             | 302.0          | P             | 1706.75           |
| 4ML100BCX622      | Shourd Bolt-on Center 3.95x24.50"            | No                   | 8             | 416.0          | P             | 2263.29           |
| 4ML100BLDX        | Shroud Bolt-on Left 3.95x17.32"              | No                   | 4             | 302.0          | P             | 1706.75           |
| 4ML100BRDX        | Shroud Bolt-on Right 3.95x17.32"             | No                   | 4             | 302.0          | P             | 1706.75           |
| <b>Size 120</b>   |                                              |                      |               |                |               |                   |
| 4ML120UC          | Shroud Weld-on lip 3.95-5x13"                | No                   | 32            | 79.1           | P             | 550.48            |
| 4ML120ULD         | Shroud Weld-on lip 3.95-5x13"                | No                   | 32            | 80.6           | P             | 562.73            |
| 4ML120URD         | Shroud Weld-on lip 3.95-5x13"                | No                   | 32            | 80.6           | P             | 562.73            |
| <b>Size 500HM</b> |                                              |                      |               |                |               |                   |
| 4MLWR6BC260       | Lip shroud WR6.00                            | No                   | 16            | 160.6          | P             | 2209.89           |
| 4MLWH10PC280-A    | Lip shroud center Whisler 10                 | No                   | 8             | 266.0          | P             | 3483.09           |
| 4MLWH12BC250      | Lip shroud center Whisler 12                 | Yes                  | 1             | 348.0          | P             | 2831.24           |
| 4MLWH12C255       | Lip shroud center Whisler 12                 | Yes                  | 1             | 412.0          | P             | 3367.67           |
| 4MLWH12C350       | Lip shroud center Whisler 12                 | No                   | 8             | 509.0          | P             | 4160.05           |
| 4MLWH12TZC350     | Lip shroud center Whisler 12                 | No                   | 4             | 654.0          | P             | 4160.05           |
| 2MWH10PCLS        | C-Clamp conventional lip shroud WH10 P&H     | No                   | 224           | 7.5            | P             | 74.63             |
| 2MWH10PWLS1       | Wedge std. conventional lip shroud WH10      | No                   | 224           | 7.3            | P             | 68.42             |
| 2MWH12BCLS        | C-Clamp conventional lip shroud WH12         | Yes                  | 1             | 11.4           | P             | 110.40            |
| 2MWH12BWLS1       | Wedge std. Conventional lip shroud WH12      | Yes                  | 1             | 13.0           | P             | 145.55            |
| C2 LS10 P28       | Conventional Lip SHhroud WH10 P&H2800        | No                   | 1             | 14.8           | P             | 143.06            |
| C2 LS12 BU        | Conventional Lip Shroud 2P CAT7495 HR/BI/BII | No                   | 1             | 25.4           | P             | 255.94            |



|                |                                       | In Stock<br>(Yes/No) | Min.<br>Batch | Weight<br>(Lb) | Disc.<br>Code | Price<br>List USD |
|----------------|---------------------------------------|----------------------|---------------|----------------|---------------|-------------------|
| 3MLWH10PC280   | Gauge Cage lip shroud WH10            | No                   | 1             | 21.9           | P             | 2532.76           |
| 3MLWH12BC250   | Gauge Cage lip shroud WH12            | Yes                  | 1             | 25.4           | P             | 2532.76           |
| 3MLWH12C350    | Gauge Cage lip shroud WH12            | No                   | 1             | 22.0           | P             | 2532.76           |
| 3MLWH12C255    | Gauge Cage lip shroud WH12            | No                   | 1             | 18.4           | P             | 2649.22           |
| 3MLWH12C255-R  | Gauge Cage lip shroud WH12            | No                   | 1             | 59.8           | P             | 13139.31          |
| 3MLWH12C255-WP | Gauge Cage lip shroud WH12 Wear Plate | No                   | 1             | 1.5            | P             | 642.80            |

**Lip Shrouds LHD****Size 38**

|                 |                                    |     |   |       |   |         |
|-----------------|------------------------------------|-----|---|-------|---|---------|
| 4MLHD38C1050-7A | Central shroud LHD 1.5" A          | Yes | 1 | 390.0 | P | 2946.01 |
| 4MLHD38L696-7A  | Left intermediate shroud LHD 1.5"  | Yes | 1 | 203.5 | P | 1483.39 |
| 4MLHD38LC189-7A | Left corner shroud LHD 1.5"        | Yes | 1 | 158.0 | P | 1141.31 |
| 4MLHD38R696-7A  | Right intermediate shroud LHD 1.5" | Yes | 1 | 203.5 | P | 1483.39 |
| 4MLHD38RC189-7A | Right corner shroud LHD 1.5"       | Yes | 1 | 158.0 | P | 1141.31 |
| 4MLHD38LCHD     | Left intermediate shroud LHD 1.5"  | Yes | 1 | 192.5 | P | 1389.52 |
| 4MLHD38RCHD     | Right intermediate shroud LHD 1.5" | Yes | 1 | 192.5 | P | 1389.52 |

**Conical (\*)****Size 18**

|       |                    |    |     |     |   |       |
|-------|--------------------|----|-----|-----|---|-------|
| MN18L | Tooth Long Size 18 | No | 512 | 2.0 | P | 29.06 |
|-------|--------------------|----|-----|-----|---|-------|

**Size 25**

|       |                        |    |     |     |   |       |
|-------|------------------------|----|-----|-----|---|-------|
| MN25S | Tooth Standard Size 25 | No | 336 | 4.1 | P | 59.99 |
|-------|------------------------|----|-----|-----|---|-------|

**Size 35**

|       |                        |    |     |     |   |       |
|-------|------------------------|----|-----|-----|---|-------|
| MN35S | Tooth Standard Size 35 | No | 288 | 7.4 | P | 82.94 |
|-------|------------------------|----|-----|-----|---|-------|

**Conical Ripper (\*)****Size 25RC**

|         |                          |    |     |      |   |       |
|---------|--------------------------|----|-----|------|---|-------|
| MNR25SC | Tooth Ripper Conical 25L | No | 224 | 13.0 | P | 88.56 |
|---------|--------------------------|----|-----|------|---|-------|



## PRODUCT CLAIM FORM

| <b>TO BE FILLED OUT BY THE RELEVANT DEALER</b>                                                                                                                                                                                                                                                                                                                                                                                                        | <b>DEALER:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                        | <b>DATE:</b>                                                                                                                                                                                                                                           |           |  |           |       |              |  |  |                 |  |  |             |  |  |               |  |  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--|-----------|-------|--------------|--|--|-----------------|--|--|-------------|--|--|---------------|--|--|
|                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <b>INVOLVED END USER:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                        |                                                                                                                                                                                                                                                        |           |  |           |       |              |  |  |                 |  |  |             |  |  |               |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <b>PART NUMBER:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                        |                                                                                                                                                                                                                                                        |           |  |           |       |              |  |  |                 |  |  |             |  |  |               |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <div style="text-align: center;"><b>TYPE OF INCIDENT</b><br/>(Mark the corresponding box)</div> <div style="display: flex; justify-content: space-between;"> <div> <b>FRACTURE</b> <input type="checkbox"/><br/> <b>ASSEMBLY PROBLEMS</b> <input type="checkbox"/><br/> <b>WELDING PROBLEMS</b> <input type="checkbox"/><br/> <b>OTHERS</b> <input type="checkbox"/> Specify:         </div> </div>                                                                                                                                                                     |                                        |                                                                                                                                                                                                                                                        |           |  |           |       |              |  |  |                 |  |  |             |  |  |               |  |  |
| <b>MANDATORY DATA</b>                                                                                                                                                                                                                                                                                                                                                                                                                                 | <b>SPECIFICATION OF THE USED CONFIGURATION</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                        |                                                                                                                                                                                                                                                        |           |  |           |       |              |  |  |                 |  |  |             |  |  |               |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 20%;"></th> <th style="width: 40%;">REFERENCE</th> <th style="width: 40%;">BRAND</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;"><b>TOOTH</b></td> <td></td> <td></td> </tr> <tr> <td style="text-align: center;"><b>ADAPTERS</b></td> <td></td> <td></td> </tr> <tr> <td style="text-align: center;"><b>PINS</b></td> <td></td> <td></td> </tr> <tr> <td style="text-align: center;"><b>OTHERS</b></td> <td></td> <td></td> </tr> </tbody> </table> |                                        |                                                                                                                                                                                                                                                        |           |  | REFERENCE | BRAND | <b>TOOTH</b> |  |  | <b>ADAPTERS</b> |  |  | <b>PINS</b> |  |  | <b>OTHERS</b> |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | REFERENCE                              | BRAND                                                                                                                                                                                                                                                  |           |  |           |       |              |  |  |                 |  |  |             |  |  |               |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <b>TOOTH</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                        |                                                                                                                                                                                                                                                        |           |  |           |       |              |  |  |                 |  |  |             |  |  |               |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <b>ADAPTERS</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                        |                                                                                                                                                                                                                                                        |           |  |           |       |              |  |  |                 |  |  |             |  |  |               |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <b>PINS</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                        |                                                                                                                                                                                                                                                        |           |  |           |       |              |  |  |                 |  |  |             |  |  |               |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <b>OTHERS</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                        |                                                                                                                                                                                                                                                        |           |  |           |       |              |  |  |                 |  |  |             |  |  |               |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <b>MACHINE DATA</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                        |                                                                                                                                                                                                                                                        |           |  |           |       |              |  |  |                 |  |  |             |  |  |               |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                       | BRAND:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                        | MODEL:                                                                                                                                                                                                                                                 |           |  |           |       |              |  |  |                 |  |  |             |  |  |               |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <b>WORKED TIME</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                        |                                                                                                                                                                                                                                                        |           |  |           |       |              |  |  |                 |  |  |             |  |  |               |  |  |
| HOURS WORKED WITH THE PART:                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | USUAL DURATION OF THE PART (IN HOURS): |                                                                                                                                                                                                                                                        |           |  |           |       |              |  |  |                 |  |  |             |  |  |               |  |  |
| <b>TYPE OF TERRAIN</b>                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                        |                                                                                                                                                                                                                                                        |           |  |           |       |              |  |  |                 |  |  |             |  |  |               |  |  |
| EXCAVATED MATERIAL (Granite,...): _____                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                        |                                                                                                                                                                                                                                                        |           |  |           |       |              |  |  |                 |  |  |             |  |  |               |  |  |
| <div style="display: flex; justify-content: space-between;"> <div>           IMPACT LEVEL:    HIGH <input type="checkbox"/>    MEDIUM <input type="checkbox"/>    LOW <input type="checkbox"/><br/>           ABRASION LEVEL:    HIGH <input type="checkbox"/>    MEDIUM <input type="checkbox"/>    LOW <input type="checkbox"/> </div> </div> <div style="text-align: center; font-size: small;">(Mark with a cross in the corresponding box)</div> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                        |                                                                                                                                                                                                                                                        |           |  |           |       |              |  |  |                 |  |  |             |  |  |               |  |  |
| <b>OPTIONAL DATA</b>                                                                                                                                                                                                                                                                                                                                                                                                                                  | <b>INCLUDE AT LEAST<br/>ONE PHOTOGRAPH OF<br/>THE INCIDENT</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                        | <div style="text-align: center; font-size: small;"> <b>IN CASE OF TOOTH<br/>FRACTURE:</b><br/>           IT IS ESSENTIAL TO ATTACH A<br/>           PHOTO SHOWING THE VIEW<br/>           OF THE FRACTURE IN THE<br/>           PICTURE         </div> |           |  |           |       |              |  |  |                 |  |  |             |  |  |               |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <div style="text-align: center;"><b>BUCKET DATA</b></div> <div style="display: flex; justify-content: space-between;"> <div>           BLADE: STRAIGHT <input type="checkbox"/>    DELTA <input type="checkbox"/>    SEMI-DELTA <input type="checkbox"/><br/>           LENGTH OF THE BLADE (m): _____<br/>           INCIDENT OCCURS IN A PARTICULAR POSITION OF THE BUCKET? (Indicate the position number): _____         </div> <div>           BLADE THICKNESS (mm): _____<br/>           Nº OF ADAPTERS: _____         </div> </div>                               |                                        |                                                                                                                                                                                                                                                        |           |  |           |       |              |  |  |                 |  |  |             |  |  |               |  |  |
| <b>TO BE FILLED OUT BY METALOGENIA</b>                                                                                                                                                                                                                                                                                                                                                                                                                | <b>IF YOU CHANGED YOUR T00TH SYSTEM RECENTLY<br/>(INFORMATION ABOUT PREVIOUSLY USED SYSTEM)</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                        |                                                                                                                                                                                                                                                        |           |  |           |       |              |  |  |                 |  |  |             |  |  |               |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                       | SYSTEM (Lateral pin,...): _____<br>BRAND: _____<br>ADAPTER REFERENCE: _____<br>TOOTH REFERENCE: _____<br>Any problem with this system ? (Pin fracture, ...): _____                                                                                                                                                                                                                                                                                                                                                                                                      |                                        |                                                                                                                                                                                                                                                        |           |  |           |       |              |  |  |                 |  |  |             |  |  |               |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <b>HAS THE PART BEEN SENT FOR ANALYSIS : YES <input type="checkbox"/> / NO <input type="checkbox"/></b><br>(CARRIAGE PAID)                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                        |                                                                                                                                                                                                                                                        |           |  |           |       |              |  |  |                 |  |  |             |  |  |               |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <b>DECISION ABOUT THE COMPLAINT</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                        | <b>AUTHORIZATION</b>                                                                                                                                                                                                                                   |           |  |           |       |              |  |  |                 |  |  |             |  |  |               |  |  |
| PART IN WARRANTY <input type="checkbox"/><br>NO CLAIM TO WARRANTY <input type="checkbox"/><br>OTHERS <input type="checkbox"/>                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | DATE:                                  | COMERCIAL                                                                                                                                                                                                                                              | MARKETING |  |           |       |              |  |  |                 |  |  |             |  |  |               |  |  |

REMARK: The fields which are indicated as "Optional data" can help us solve your claim in a shorter time. THANKS FOR YOUR COOPERATION



## CREDIT APPLICATION FORM

Customer Name: \_\_\_\_\_

Federal ID #: \_\_\_\_\_ Duns & Bradstreet #: \_\_\_\_\_

Shipping or Delivery Address: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_

Billing Address (if different): \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_

Phone(s): \_\_\_\_\_ Fax: \_\_\_\_\_

E-Mail(s): \_\_\_\_\_

Business Under Present Ownership Since: \_\_\_\_\_

Name of Owner(s), Partners, Officers:

Name \_\_\_\_\_ Title \_\_\_\_\_

Name \_\_\_\_\_ Title \_\_\_\_\_

Contact Names:

Parts / Orders: \_\_\_\_\_ Phone \_\_\_\_\_

Accounts Payable: \_\_\_\_\_ Phone \_\_\_\_\_

Bank References:

| Bank Name | Contact Person | Phone | Account | City, State |
|-----------|----------------|-------|---------|-------------|
|-----------|----------------|-------|---------|-------------|

|       |       |       |       |       |
|-------|-------|-------|-------|-------|
| _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ |

Business Credit References:

| Company Name | Contact Person | Phone | Fax | City, State |
|--------------|----------------|-------|-----|-------------|
|--------------|----------------|-------|-----|-------------|

|       |       |       |       |       |
|-------|-------|-------|-------|-------|
| _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ |

Financial Statement Attached: Yes \_\_\_\_\_ No \_\_\_\_\_

Signature \_\_\_\_\_ Date \_\_\_\_\_

Print Name \_\_\_\_\_ Title \_\_\_\_\_

Please, send the completed form to our Customer Service Department at [info.na@mtgcorp.com](mailto:info.na@mtgcorp.com)