



MTG

No limits innovation

2025 DEALER PRICE LIST

Effective: October 1st, 2025



GENERAL TERMS OF SALES

1. VALIDITY OF APPLICATION

The following conditions are valid for any commercial contract of products commercialized by Metalogenia S.A., Pol. La Armentera s/n, Par. 79 - 84, 22400 Monzón, Spain (hereinafter MTG).

2. PRICES, DISCOUNTS, AND FREIGHT

The suggested list prices for products commercialized by MTG are those found in the Price List and serve as the base price from which the dealer net price is calculated after applying the dealer discount. Please note that there are three discount codes: "C" for MTG Systems Construction products; "M" for MTG Systems Heavy-Construction/Mining products; "P" for MTG Plus (DRP – Direct replacement) products.

Dealer Classification	Product Lines
Construction Dealer	Access to MTG proprietary Construction Systems (not all Dealers have access to every system). Access to MTG Plus product lines.
Mining Dealer	Access to MTG proprietary Mining Systems (not all Dealers have access to every system). Access to MTG Plus product lines.
MTG Plus Dealer	Access to MTG Plus product lines.

MTG reserves the right to modify any price without any previous notice. All prices are in US dollars and incoterm Ex-Works Spain Warehouse. There are special freight allowance programs based on the size of the order and location of delivery. Please contact our Customer Service Department for additional information.

Items classified as "non-stock" are items that will not be stocked in MTG's warehouse. However, these items are available for purchase, but these items will have a longer lead time for delivery and minimum order quantity.

3. PAYMENTS

Payment can be made by the customer through (ACH) bank transfer to:

BANK BNP PARIBAS Sucursal en España
Address: C/ Emilio Vargas, nº 4
28043 Madrid, Spain
Account Number: ES6101490201530061030002
SWIFT Code: BNPAESMSXXX

Payment due date: Payment terms will be negotiated on a case-by-case basis. Please contact your Area Manager or Customer Service to obtain your specific terms.

4. CARRIAGE, DELIVERY & PACKAGING

All orders will be delivered Incoterm Ex-Works from our warehouse in Spain. MTG will provide the packaging for transportation and it is the responsibility of the customer to dispose of or recycle it. Any damage occurring to the items while in transport is not the responsibility of MTG.

5. RETURN OF PRODUCTS

A "Product Return Application Form" needs to be filled out for the return of any product. This form has to be emailed to MTG's Customer Service department for return authorization. MTG will study product returns if requested within 15 days of the invoice date of the products to be returned. MTG reserves the right to deny any devolution. Any product accepted for return



will be charged a 20% restocking fee and this cost will be subtracted from the credit note. All transportation costs for any return will be paid by the customer. All returns must be handled in the following manner:

- All returns must be shipped prepaid to MTG Spain warehouse. Any material shipped collect will be refused.
- All returns must have an Authorized Product Return application form provided by MTG Customer Service.
- To accelerate the return process, please include the Product Return application form on your returned package.

5.1 Annual Dealer Return Policy / Purification Stock

Any dealer may return 3% of the current year net purchases, except products “not-stock”, in an annual stock purification return if a new order is placed for the same amount returned (in USD). MTG must be contacted to request an Authorized Product Return application form before November 30th. Customer may only return items once per year. Returns of products bought during previous years will not be accepted. Credits issued are material (products) credits and will be balanced with a new purchase order submitted by the customer at the same time of the product return request – no checks will be issued on credit balances. Prices of the returned products are based on the price paid by customer and are subject to a 20% handling charge. All items must be shipped prepaid to MTG’s Spain warehouse and have a return authorization number.

Returns will not be accepted on material that: a) has been welded or altered in any manner; b) has been subjected to misuse, misapplication, or used on excessively worn adapters or lips; c) has not been invoiced to the company making the return; d) has been factory modified or specialized.

5.2 Return of items ordered in error or refused by customer

The return authorization of these items must be requested within 15 days of the date of invoicing. Products must be shipped prepaid to MTG and have an authorized Product Return Authorization form. Products returned are subject to a 20% handling charge. MTG must be supplied with original invoice numbers and dates.

5.3 Unauthorized Returns

Unauthorized returns will be treated as an annual dealer return; items are subject to the same restrictions outlined in section 5.1, but are subject to an 80% restocking charge.

6. WARRANTIES

All MTG products have been subjected to very strict quality control measures during the manufacturing process in order to offer the highest quality product. Nevertheless, if any manufacturing defect is detected, please fill out the “ISC-046 Product Warranty Application Form” (located in the back of the price list) including a photograph of the part. The complete form can be sent to MTG by fax or mail. E-mails with complete information (including pictures) are encouraged. Customer should keep all warranty-replaced parts until the Regional Manager in charge has inspected them.

- The warranty is null and void in cases of misuse, negligence, accident, overload, welding and incorrect installation.
- The warranty refers only and exclusively to the replacement of a product in case of manufacturing defects.
- The warranty is valid for six months after the receipt of the goods.
- All warranty-replaced parts will stay property of MTG and in every case MTG will be able to ask for the return of any broken part. If an analysis should be necessary, MTG will pay for the transportation costs.

7. CREDIT LINE

Customers are required to fill out the “ISC-311 Credit Application Form” located in the back of this price list to apply for a credit line. Additional financial information might be needed to set up or to increase a credit line.



Price List 2025

		In Stock (Yes/No)	Min. Batch	Weight (Lb)	Disc. Code	Price List USD
MTG Systems CoMet						
Size	5					
1MO5FC	Adapt CoMet Weld Flush	Yes	1	2.2	C	29.81
1MO5UC	Adapt CoMet Weld-UC	Yes	1	1.9	C	25.14
MO5L	Tooth CoMet Long Size 5	Yes	1	1.6	C	12.38
MO5U	Tooth CoMet Universal Size 5	Yes	1	1.6	C	13.87
MO5V	Tooth CoMet Vector Size 5	Yes	1	1.6	P	16.63
2MO5P	Pin Comet Size 5	Yes	1	0.1	C	8.46
Size	8					
1MO8FC	Adapt CoMet Weld Flush	Yes	1	4.0	C	47.70
1MO8UC	Adapt CoMet Weld-UC	Yes	1	3.5	C	37.28
1MO8WC	Adapt CoMet Weld-Center	Yes	1	3.7	C	42.78
MO8F	Tooth CoMet Flared Size 8	Yes	1	2.4	C	35.45
MO8L	Tooth CoMet Long Size 8	Yes	1	2.0	C	23.62
MO8U	Tooth CoMet Universal Size 8	Yes	1	2.1	C	23.65
MO8V	Tooth CoMet Vector Size 8	Yes	1	2.0	C	26.26
MO8W	Tooth CoMet D. Vector Size 8	Yes	1	2.3	C	31.47
2MO8P	Pin Comet Size 8	Yes	1	0.1	C	9.49
Size	10					
1MO10FC	Adapt CoMet Weld Flush	Yes	1	8.9	C	99.65
1MO10UC	Adapt CoMet Weld-UC	Yes	1	5.3	C	62.15
1MO10WC	Adapt CoMet Weld-Center	Yes	1	6.0	C	87.19
MO10F	Tooth CoMet Flared Size 10	Yes	1	4.1	C	72.65
MO10L	Tooth CoMet Long Size 10	Yes	1	4.9	C	49.08
MO10U	Tooth CoMet Universal Size 10	Yes	1	4.9	C	52.66
MO10V	Tooth CoMet Vector Size 10	Yes	1	3.6	C	44.77
MO10W	Tooth CoMet D. Vector Size 10	Yes	1	3.8	C	55.70
2MO10P	Pin Comet Size 10	Yes	1	0.1	C	11.65
Size	15					
1MO15FC	Adapt CoMet Weld Flush	Yes	1	13.3	C	135.01
1MO15UC	Adapt CoMet Weld-UC	Yes	1	9.2	C	87.81
1MO15WC	Adapt CoMet Weld-Center	Yes	1	11.3	C	123.21
MO15F	Tooth CoMet Flared Size 15	Yes	1	8.7	C	104.94
MO15L	Tooth CoMet Long Size 15	Yes	1	6.2	C	74.98
MO15U	Tooth CoMet Universal Size 15	Yes	1	6.0	C	73.99
MO15V	Tooth CoMet Vector Size 15	Yes	1	5.7	C	65.32
MO15W	Tooth CoMet D. Vector Size 15	Yes	1	7.2	C	88.42
2MO15P	Pin Comet Size 15	Yes	1	0.1	C	15.73

(*) Certain names, trade marks or commercial names mentioned may correspond to companies other than Metalogenia, and are quoted by way of reference.



Price List 2025

		In Stock (Yes/No)	Min. Batch	Weight (Lb)	Disc. Code	Price List USD
MTG Systems VeeMet						
Size	20					
1MV20FC	Adapt VeeMet Flush	Yes	1	19.8	C	217.15
1MV20UC	Adapt VeeMet Weld-UC	Yes	1	12.9	C	166.66
1MV20WC32	Adapt VeeMet Weld-Center	Yes	1	18.6	C	192.58
1MV20WC35	Adapt VeeMet Weld-Center	Yes	1	18.3	C	192.58
1MV20WC40	Adapt VeeMet Weld-Center	Yes	1	18.2	C	192.58
MV20A	Tooth VeeMet Abrasion Size 20	Yes	1	18.2	C	150.09
MV20E	Tooth VeeMet Extra Size 20	Yes	1	11.2	C	108.29
MV20F	Tooth VeeMet Flared 20	Yes	1	13.2	C	153.40
MV20L	Tooth VeeMet Long Size 20	Yes	1	11.1	C	97.94
MV20U	Tooth VeeMet Universal Size 20	Yes	1	11.1	C	96.90
MV20V	Tooth VeeMet Vector Size 20	Yes	1	8.1	C	96.49
MV20W	Tooth VeeMet D. Vector Size 20	Yes	1	11.3	C	127.42
2MV20P1	Pin VeeMet Size 20	Yes	1	0.2	C	28.65
2MV20R	Retainer VeeMet Size 20	Yes	1	0.0	C	11.49
3MT38-12	Removal Tool 3/8" - 1/2"	Yes	1	5.4	P	66.77
Size	30					
1MV30FC	Adapt VeeMet Flush	Yes	1	26.0	C	256.77
1MV30WC40	Adapt VeeMet Weld-Center	Yes	1	24.1	C	250.70
1MV30WC45	Adapt VeeMet Weld-Center	Yes	1	24.3	C	250.70
1MV30WN	Adapt VeeMet Weld-on Nose	Yes	1	10.9	C	155.73
MV30A	Tooth VeeMet Abrasion Size 30	Yes	1	25.4	C	181.40
MV30E	Tooth VeeMet Extra Size 30	Yes	1	15.0	C	129.73
MV30F	Tooth VeeMet Flared 30	Yes	1	20.2	C	193.63
MV30L	Tooth VeeMet Long Size 30	Yes	1	15.8	C	122.22
MV30U	Tooth VeeMet Universal Size 30	Yes	1	14.8	C	119.83
MV30V	Tooth VeeMet Vector Size 30	Yes	1	12.5	C	115.79
MV30W	Tooth VeeMet D. Vector Size 30	Yes	1	16.3	C	149.46
2MV30P1	Pin VeeMet Size 30	Yes	1	0.3	C	31.93
2MV30R	Retainer VeeMet Size 30	Yes	1	0.0	C	13.82
3MT38-12	Removal Tool 3/8" - 1/2"	Yes	1	5.4	P	66.77
Size	40					
1MV40FC	Adapt VeeMet Flush	Yes	1	37.1	C	381.77
1MV40WC40	Adapt VeeMet Weld-Center	Yes	1	34.6	C	336.70
1MV40WC45	Adapt VeeMet Weld-Center	Yes	1	35.9	C	336.70
1MV40WC50	Adapt VeeMet Weld-Center	Yes	1	33.0	C	336.70
MV40A	Tooth VeeMet Abrasion Size 40	Yes	1	35.1	C	244.03
MV40AV	Tooth VeeMet Abrasion Vector 40	Yes	1	26.9	C	190.49
MV40E	Tooth VeeMet Extra Size 40	Yes	1	23.6	C	182.26
MV40F	Tooth VeeMet Flared 40	Yes	1	27.6	C	226.84
MV40L	Tooth VeeMet Long Size 40	Yes	1	20.5	C	170.00
MV40U	Tooth VeeMet Universal Size 40	Yes	1	20.5	C	162.28
MV40V	Tooth VeeMet Vector Size 40	Yes	1	16.7	C	164.30
MV40W	Tooth VeeMet D. Vector Size 40	Yes	1	22.3	C	214.78

**MTG**

Price List 2025

		In Stock (Yes/No)	Min. Batch	Weight (Lb)	Disc. Code	Price List USD
4MV40M	Mechanical Wear Cap VeeMet 40	Yes	1	4.9	C	40.87
2MV40P1	Pin VeeMet Size 40	Yes	1	0.3	C	38.77
2MV40R	Retainer VeeMet Size 40	Yes	1	0.0	C	15.59
3MT38-12	Removal Tool 3/8" - 1/2"	Yes	1	5.4	P	66.77
Size 50						
1MV50FC	Adapt VeeMet Flush	Yes	1	54.6	C	447.21
1MV50WC50	Adapt VeeMet Weld-Center	Yes	1	48.0	C	447.21
1MV50WC60	Adapt VeeMet Weld-Center	Yes	1	48.0	C	447.21
1MV50WLD50	Adapt VeeMet Weld-Left	Yes	1	50.0	C	447.21
1MV50WRD50	Adapt VeeMet Weld-Right	Yes	1	50.0	C	447.21
1MV50WLD60	Adapt VeeMet Weld-Left	Yes	1	49.5	C	447.21
1MV50WRD60	Adapt VeeMet Weld-Right	Yes	1	49.5	C	447.21
1MV50WN	Adapt VeeMet Weld-on Nose	Yes	1	21.5	C	286.13
MV50A	Tooth VeeMet Abrasion Size 50	Yes	1	49.5	C	375.43
MV50AV	Tooth VeeMet Abrasion Vector 50	Yes	1	38.5	C	288.55
MV50AX	Tooth VeeMet Abrasion HD Size 50	Yes	1	61.8	C	441.28
MV50E	Tooth VeeMet Extra Size 50	Yes	1	30.9	C	216.58
MV50EX	Tooth VeeMet Extra HD Size 50	Yes	1	38.4	C	293.34
MV50F	Tooth VeeMet Flared 50	Yes	1	37.1	C	367.03
MV50L	Tooth VeeMet Long Size 50	Yes	1	28.0	C	208.32
MV50U	Tooth VeeMet Universal Size 50	Yes	1	28.9	C	203.03
MV50V	Tooth VeeMet Vector Size 50	Yes	1	24.2	C	221.32
MV50W	Tooth VeeMet D. Vector Size 50	Yes	1	31.5	C	299.30
4MV50HD	Bottom Leg VeeMet Size 50	Yes	1	8.8	C	67.63
4MV50M	Mechanical Wear Cap VeeMet Size 50	Yes	1	5.5	C	51.08
2MV50P1	Pin VeeMet Size 50	Yes	1	1.5	C	45.91
2MV50R	Retainer VeeMet Size 50	Yes	1	0.0	C	19.45
3MT38-12	Removal Tool 3/8" - 1/2"	Yes	1	5.4	P	66.77
Size 60						
1MV60WC50	Adapt VeeMet Weld-Center	Yes	1	74.8	C	599.06
1MV60WC60	Adapt VeeMet Weld-Center	Yes	1	71.5	C	599.06
1MV60WC65	Adapt VeeMet Weld-Center	Yes	1	74.6	C	599.06
1MV60WC70	Adapt VeeMet Weld-Center	Yes	1	73.5	C	599.06
1MV60WLD65	Adapt VeeMet Weld-Left	Yes	1	74.6	C	599.06
1MV60WRD65	Adapt VeeMet Weld-Right	Yes	1	74.6	C	599.06
MV60A	Tooth VeeMet Abrasion Size 60	Yes	1	71.3	C	463.52
MV60AV	Tooth VeeMet Abrasion Vector 60	Yes	1	54.6	C	371.98
MV60AX	Tooth VeeMet Abrasion HD Size 60	Yes	1	83.0	C	567.83
MV60E	Tooth VeeMet Extra Size 60	Yes	1	45.8	C	324.02
MV60EV	Tooth VeeMet Extra Vector Size 60	Yes	1	36.5	C	321.99
MV60EX	Tooth VeeMet Extra HD Size 60	Yes	1	54.8	C	397.77
MV60F	Tooth VeeMet Flared 60	Yes	1	57.1	C	504.45
MV60PR	Tooth VMet Pentratio Rock Size 60	Yes	1	27.5	C	317.08
MV60U	Tooth VeeMet Universal Size 60	Yes	1	40.2	C	277.35
MV60V	Tooth VeeMet Vector Size 60	Yes	1	34.5	C	319.35
MV60W	Tooth VeeMet D. Vector Size 60	Yes	1	46.0	C	398.68

**MTG**

Price List 2025

		In Stock (Yes/No)	Min. Batch	Weight (Lb)	Disc. Code	Price List USD
4MV60HD	Bottom Leg VeeMet Size 60	Yes	1	11.3	C	67.63
4MV60M	Mechanical Wear Cap VeeMet Size 60	Yes	1	6.1	C	94.91
2MV60P1	Pin VeeMet Size 60	Yes	1	1.7	C	64.48
2MV60R	Retainer VeeMet Size 60	Yes	1	0.0	C	21.93
3MT38-12	Removal Tool 3/8" - 1/2"	Yes	1	5.4	P	66.77
Size	80					
1MV80WC65	Adapt VeeMet Weld-Center	Yes	1	92.0	C	1054.25
1MV80WC70	Adapt VeeMet Weld-Center	Yes	1	92.0	C	1054.25
1MV80WC80	Adapt VeeMet Weld-Center	Yes	1	90.0	C	1054.25
1MV80WLD70	Adapt VeeMet Weld-Left	Yes	1	93.3	C	1054.25
1MV80WRD70	Adapt VeeMet Weld-Right	Yes	1	93.3	C	1054.25
1MV80WLD80	Adapt VeeMet Weld-Left	Yes	1	91.5	C	1054.25
1MV80WRD80	Adapt VeeMet Weld-Right	Yes	1	91.5	C	1054.25
MV80A	Tooth VeeMet Abrasion Size 80	Yes	1	89.7	C	520.86
MV80AV	Tooth VeeMet Abrasion Vector 80	Yes	1	70.9	C	490.61
MV80AX	Tooth VeeMet Abrasion HD Size 80	Yes	1	110.3	C	625.04
MV80E	Tooth VeeMet Extra Size 80	Yes	1	59.2	C	413.48
MV80EV	Tooth VeeMet Extra Vector Size 80	Yes	1	48.0	C	392.78
MV80EX	Tooth VeeMet Extra HD Size 80	Yes	1	65.8	C	444.64
MV80PR	Tooth VeeMet Penetration Rock Size 80	Yes	1	37.1	C	309.57
MV80V	Tooth VeeMet Vector Size 80	Yes	1	44.0	C	371.67
MV80W	Tooth VeeMet D. Vector Size 80	Yes	1	60.5	C	455.86
4MV80HD	Bottom Leg VeeMet Size 80	Yes	1	14.4	C	98.74
4MV80M	Mechanical Wear Cap VeeMet Size 80	Yes	1	10.8	C	105.21
2MV80P1	Pin VeeMet Size 80	Yes	1	1.9	C	87.87
2MV80R	Retainer VeeMet Size 80	Yes	1	0.0	C	26.87
3MT12-34	Removal Tool 1/2" - 3/4"	Yes	1	6.0	P	66.62
Size	130					
1MV130WC70	Adapt VeeMet Weld-Center	Yes	1	127.9	M	1528.18
1MV130WC80	Adapt VeeMet Weld-Center	Yes	1	123.0	M	1528.18
1MV130WC90	Adapt VeeMet Weld-Center	Yes	1	122.7	M	1528.18
1MV130WLD80	Adapt VeeMet Weld-Left	Yes	1	125.0	M	1528.18
1MV130WRD80	Adapt VeeMet Weld-Right	Yes	1	125.0	M	1528.18
1MV130WN	Adapt VeeMet Weld-on Nose	Yes	1	49.5	M	746.62
MV130A	Tooth VeeMet Abrasion Size 130	Yes	1	132.0	M	716.36
MV130AV	Tooth VeeMet Abrasion Vector 130	Yes	1	94.7	M	581.25
MV130AX	Tooth VeeMet Abrasion HD Size 130	Yes	1	151.6	M	877.69
MV130E	Tooth VeeMet Extra Size 130	Yes	1	72.8	M	454.34
MV130EV	Tooth VeeMet Extra Vector Size 130	Yes	1	65.5	M	456.75
MV130EX	Tooth VeeMet Extra HD Size 130	Yes	1	86.3	M	545.48
MV130PR	Tooth VeeMet Penetration Rock Size 130	Yes	1	49.4	M	351.28
MV130V	Tooth VeeMet Vector Size 130	Yes	1	58.5	M	475.28
MV130W	Tooth VeeMet D. Vector Size 130	Yes	1	79.3	M	531.31

**MTG**

Price List 2025

		In Stock (Yes/No)	Min. Batch	Weight (Lb)	Disc. Code	Price List USD
4MV130HD	Bottom Leg VeeMet Size 130	Yes	1	18.6	M	130.04
4MV130M	Mechanical Wear Cap VeeMet Size 130	Yes	1	14.5	M	134.46
4MV130ML	Mechanical Corner Wear Cap VeeMet	Yes	1	42.5	M	423.32
2MV130P1	Pin VeeMet Size 130	Yes	1	2.2	M	111.94
2MV130R	Retainer VeeMet Size 130	Yes	1	0.0	M	36.58
3MT12-34	Removal Tool 1/2" - 3/4"	Yes	1	6.0	P	66.62
Size 190						
1MV190WC90	Adapt VeeMet Weld-Center	Yes	1	173.5	M	2212.70
1MV190WC100	Adapt VeeMet Weld-Center	Yes	1	169.0	M	2212.70
1MV190WL90	Adapt VeeMet Left Corner	Yes	1	385.0	M	3055.43
1MV190WR90	Adapt VeeMet Right Corner	Yes	1	385.0	M	3055.43
1MV190WLD90	Adapt VeeMet Weld-Left	Yes	1	176.3	M	2212.70
1MV190WRD90	Adapt VeeMet Weld-Right	Yes	1	176.3	M	2212.70
1MV190WS90	Adapt Veemet Weld Straddle	Yes	1	177.5	M	2212.70
1MV190WS100	Adapt Veemet Weld Straddle	Yes	1	174.0	M	2212.70
1MV190WN	Adapt VeeMet Weld-on Nose	Yes	1	65.7	M	1000.47
MV190A	Tooth VeeMet Abrasion Size 190	Yes	1	174.3	M	944.37
MV190AV	Tooth VeeMet Abrasion Vector 190	Yes	1	127.7	M	720.50
MV190E	Tooth VeeMet Extra Size 190	Yes	1	106.3	M	578.77
MV190EV	Tooth VeeMet Extra Vector Size 190	Yes	1	87.5	M	559.82
MV190EX	Tooth VeeMet Extra HD Size 190	Yes	1	117.3	M	603.87
MV190PR	Tooth VeeMet Penetration Rock Size 190	Yes	1	67.5	M	452.24
MV190V	Tooth VeeMet Vector Size 190	Yes	1	82.2	M	519.10
MV190W	Tooth VeeMet D. Vector Size 190	Yes	1	108.2	M	831.57
4MV190HD	Bottom Leg VeeMet Size 190	Yes	1	27.5	M	176.22
4MV190M	Mechanical Wear Cap VeeMet	Yes	1	18.5	M	227.47
4MV190ML	Mechanical Corner Wear Cap VeeMet	Yes	1	57.0	M	562.83
4MV190MS	Mechanical Straddle Wear Cap VeeMet	Yes	1	15.3	M	227.47
4MV190CCHD-B	Bottom shroud Cast Corner VeeMet	Yes	1	28.0	M	281.40
4MV190CCHD-L	Lateral shroud Cast Corner VeeMet	Yes	1	22.0	M	181.66
1MV190/500WB	Weldable Stopper Lower VeeMet 190/500	Yes	1	1.7	M	50.35
2MV190P1	Pin VeeMet Size 190	Yes	1	4.9	M	118.54
2MV190R	Retainer VeeMet Size 190	Yes	1	0.0	M	44.87
3MT12-34	Removal Tool 1/2" - 3/4"	Yes	1	6.0	P	66.62
Size 250						
1MV250WC100	Adapt VeeMet Weld-Center	Yes	1	248.5	M	2724.20
1MV250WC120	Adapt VeeMet Weld-Center	Yes	1	241.5	M	2724.20
1MV250WL120	Adapt VeeMet Left Corner	Yes	1	553.0	M	4432.22
1MV250WR120	Adapt VeeMet Right Corner	Yes	1	553.0	M	4432.22
1MV250WLD100	Adapt VeeMet Weld-Left	Yes	1	248.5	M	2724.20
1MV250WRD100	Adapt VeeMet Weld-Right	Yes	1	248.5	M	2724.20
1MV250WS100	Adapt VeeMet Straddle	Yes	1	257.0	M	2724.20
1MV250WN	Adapt VeeMet Weld-on Nose	Yes	1	89.4	M	1453.81

**MTG**

Price List 2025

		In Stock (Yes/No)	Min. Batch	Weight (Lb)	Disc. Code	Price List USD
MV250A	Tooth VeeMet Abrasion Size 250	Yes	1	230.5	M	1095.00
MV250AV	Tooth VeeMet Abrasion Vector 250	Yes	1	161.3	M	754.96
MV250E	Tooth VeeMet Extra Size 250	Yes	1	125.0	M	641.13
MV250EV	Tooth VeeMet Extra Vector Size 250	Yes	1	120.5	M	621.24
MV250EX	Tooth VeeMet Extra HD Size 250	Yes	1	150.3	M	775.62
MV250PR	Tooth VeeMet Penetration Rock Size 250	Yes	1	93.3	M	545.90
MV250V	Tooth VeeMet Vector Size 250	Yes	1	108.0	M	576.06
4MV250HD	Bottom Leg VeeMet Size 250	Yes	1	40.5	M	234.48
4MV250M	Mechanical Wear Cap VeeMet	Yes	1	27.5	M	277.63
4MV250ML	Mechanical Corner Wear Cap VeeMet	Yes	1	75.3	M	744.36
4MV250MS	Mechanical Straddle Wear Cap VeeMet	Yes	1	25.6	M	277.63
4MV250/500CCHD-B	Bottom shroud Cast Corner VeeMet	Yes	1	55.0	M	478.38
4MV250/500CCHD-L	Lateral shroud Cast Corner VeeMet	Yes	1	38.5	M	264.70
1MV190/500WB	Weldable Stopper Lower VeeMet 190/500	Yes	1	1.7	M	50.35
2MV250P1	Pin VeeMet Size 250	Yes	1	5.4	M	124.66
2MV250R	Retainer VeeMet Size 250	Yes	1	0.0	M	50.58
3MV250	Mechanical Corner Wear Cap VeeMet	No	1	7.4	M	1554.73
3MT12-34	Removal Tool 1/2" - 3/4"	Yes	1	6.0	P	66.62
Size 500						
1MV500WC100	Adapt VeeMet Weld-Center	No	8	353.3	M	3542.17
1MV500WC120	Adapt VeeMet Weld-Center	Yes	1	348.0	M	3542.17
1MV500WC140	Adapt VeeMet Weld-Center	Yes	1	337.0	M	3542.17
1MV500WL140	Adapt VeeMet Left Corner	Yes	1	815.0	M	5121.15
1MV500WR140	Adapt VeeMet Right Corner	Yes	1	815.0	M	5121.15
1MV500WS120	Adapt Veemet Weld Straddle	Yes	1	362.3	M	3613.00
1MV500WS140	Adapt Veemet Weld Straddle	Yes	1	337.2	M	3613.00
1MV500WN	Adapt VeeMet Weld-on Nose	Yes	1	122.5	M	1926.92
MV500AV	Tooth VeeMet Vector Size 500	No	16	214.4	M	1044.32
MV500E	Tooth VeeMet Extra Size 500	Yes	1	184.5	M	1005.15
MV500EV	Tooth VeeMet Extra Vector Size 500	Yes	1	162.5	M	980.07
MV500EX	Tooth VeeMet Extra HD Size 500	Yes	1	203.4	M	1184.32
MV500PR	Tooth VeeMet Penetration Rock Size 500	Yes	1	131.5	M	964.59
MV500V	Tooth VeeMet Vector Size 500	Yes	1	156.0	M	970.56
4MV500HD	Bottom Leg VeeMet Size 500	Yes	1	57.0	M	424.93
4MV500M	Mechanical Wear Cap VeeMet	Yes	1	36.5	M	398.45
4MV500ML	Mechanical Corner Wear Cap VeeMet	Yes	1	123.0	M	887.54
4MV500MS	Mechanical Straddle Wear Cap VeeMet	Yes	1	35.0	M	398.45
4MV250/500CCHD-B	Bottom shroud Cast Corner VeeMet	Yes	1	55.0	M	478.38
4MV250/500CCHD-L	Lateral shroud Cast Corner VeeMet	Yes	1	38.5	M	264.70
1MV190/500WB	Weldable Stopper Lower VeeMet 190/500	Yes	1	1.7	M	50.35
2MV500P1	Pin VeeMet Size 500	Yes	1	6.9	M	139.91
2MV500P2	Pin VeeMet Size 500	Yes	1	3.5	M	83.95
2MV500R	Retainer VeeMet Size 500	Yes	1	0.1	M	53.15
3MV500	Mechanical Corner Wear Cap VeeMet	No	1	6.0	M	1566.08
3MT12-34	Removal Tool 1/2" - 3/4"	Yes	1	6.0	P	66.62



Price List 2025

		In Stock (Yes/No)	Min. Batch	Weight (Lb)	Disc. Code	Price List USD
MTG Systems StarMet						
Size	15					
1MA15FC	Adapt StarMet Weld Flush 1.00-1.30" Lip	No	200	11.1	C	150.51
1MA15UC	Adapt StarMet Weld-UC	No	224	8.0	C	93.79
1MA15WC32	Adapt StarMet Weld-Center 1.25" Lip	Yes	1	10.8	C	119.69
1MA15WN	Adapt StarMet Weld-on Nose	No	224	4.9	C	63.60
MA15E	Tooth StarMet Extra Size 15	Yes	1	7.3	C	83.38
MA15F	Tooth StarMet Flared Size15	No	336	7.6	C	103.24
MA15L	Tooth StarMet Long Size 15	No	1	6.1	C	74.98
MA15U	Tooth StarMet Universal Size 15	Yes	1	6.9	C	73.99
MA15V	Tooth StarMet Vector Size 15	No	336	5.4	C	65.32
MA15W	Tooth StarMet D. Vector Size 15	No	192	6.1	C	88.42
2MA15/20R	Retainer StarMet Size 15/20	No	1	0.0	C	7.58
2MA15PR	Pin & Retainer StarMet Size 15	Yes	1	0.1	C	12.83
3MT38-12	Removal Tool 3/8" - 1/2"	Yes	1	5.4	P	66.77
Size	20					
1MA20FC	Adapt StarMet Weld Flush 1.40-1.50" Lip	No	125	17.2	C	212.90
1MA20UC	Adapt StarMet Weld-UC	No	96	15.9	C	163.39
1MA20WC32	Adapt StarMet Weld-Center 1.25" Lip	No	128	17.0	C	188.80
1MA20WC35	Adapt StarMet Weld-Center 1.40" Lip	Yes	1	17.9	C	192.01
1MA20WC40	Adapt StarMet Weld-Center 1.50" Lip	Yes	1	17.8	C	184.03
1MA20WN	Adapt StarMet Weld-on Nose	No	192	6.1	C	102.11
MA20A	Tooth StarMet Abrasion Size 20	No	144	17.0	C	147.15
MA20E	Tooth StarMet Extra Size 20	Yes	1	11.2	C	106.17
MA20F	Tooth StarMet Flared Size 20	No	160	13.2	C	150.39
MA20L	Tooth StarMet Long Size 20	Yes	1	10.9	C	96.03
MA20U	Tooth StarMet Universal Size 20	Yes	1	10.7	C	94.99
MA20V	Tooth StarMet Vector Size 20	No	192	8.9	C	94.60
MA20W	Tooth StarMet D. Vector Size 20	No	144	11.2	C	124.91
2MA15/20R	Retainer StarMet Size 15/20	No	1	0.0	C	7.58
2MA20PR	Pin & Retainer StarMet Size 20	Yes	1	0.2	C	28.09
3MT38-12	Removal Tool 3/8" - 1/2"	Yes	1	5.4	P	66.77
Size	30					
1MA30FC	Adapt StarMet Weld Flush 1.50-1.75"Lip	Yes	1	23.6	C	251.74
1MA30UC	Adapt StarMet Weld-UC	No	60	21.8	C	232.98
1MA30WC40	Adapt StarMet Weld-Center 1.50" Lip	Yes	1	22.4	C	245.78
1MA30WC45	Adapt StarMet Weld-Center 1.75" Lip	No	100	22.4	C	245.78
1MA30WN	Adapt StarMet Weld-on Nose	No	192	9.1	C	152.67
MA30A	Tooth StarMet Abrasion Size 30	Yes	1	23.6	C	177.84
MA30E	Tooth StarMet Extra Size 30	Yes	1	15.1	C	127.19
MA30F	Tooth StarMet Flared Size 30	No	96	19.0	C	189.83
MA30L	Tooth StarMet Long Size 30	Yes	1	14.7	C	119.83
MA30U	Tooth StarMet Universal Size 30	Yes	1	14.5	C	117.48
MA30V	Tooth StarMet Vector Size 30	Yes	1	11.4	C	113.52
MA30W	Tooth StarMet D. Vector Size 30	No	1	15.0	C	146.54



Price List 2025

		In Stock (Yes/No)	Min. Batch	Weight (Lb)	Disc. Code	Price List USD
2MA30/40R	Retainer StarMet Size 30/40	No	1	0.0	C	13.55
2MA30/40R-HS	Retainer StarMet HS Size 30/40	No	1	0.0	C	20.56
2MA30P-HS	Pin StarMet HS Size 30	No	1	0.2	C	38.87
2MA30PR	Pin & Retainer StarMet Size 30	Yes	1	0.3	C	31.30
3MT38-12	Removal Tool 3/8" - 1/2"	Yes	1	5.4	P	66.77
Size	40					
1MA40FC	Adapt StarMet Weld Flush 1.75-2.00"Lip	Yes	1	34.8	C	374.29
1MA40WC40	Adapt StarMet Weld-Center 1.50" Lip	Yes	1	31.2	C	336.28
1MA40WC45	Adapt StarMet Weld-Center 1.75" Lip	Yes	1	30.9	C	330.10
1MA40WC50	Adapt StarMet Weld-Center 2.00" Lip	Yes	1	30.6	C	323.68
1MA40WN	Adapt StarMet Weld-on Nose	No	160	12.5	C	191.34
MA40A	Tooth StarMet Abrasion Size 40	Yes	1	33.4	C	239.25
MA40D	Tooth StarMet Delta Size 40	No	80	25.6	C	186.76
MA40E	Tooth StarMet Extra Size 40	Yes	1	22.4	C	178.69
MA40ES	Tooth StarMet Extra Short Size 40	No	240	14.8	C	106.24
MA40F	Tooth StarMet Flared Size 40	No	64	26.8	C	222.40
MA40L	Tooth StarMet Long Size 40	Yes	1	21.7	C	166.67
MA40S	Tooth StarMet Standard Size 40	No	80	18.3	C	142.13
MA40U	Tooth StarMet Universal Size 40	Yes	1	20.3	C	159.10
MA40V	Tooth StarMet Vector Size 40	Yes	1	17.1	C	161.07
MA40W	Tooth StarMet D. Vector Size 40	No	80	23.6	C	210.57
4MA40M	Mechanical Wear Cap StarMet	Yes	1	4.1	C	40.08
2MA30/40R	Retainer StarMet Size 30/40	No	1	0.0	C	13.55
2MA30/40R-HS	Retainer StarMet HS Size 30/40	No	1	0.0	C	20.56
2MA40P-HS	Pin StarMet HS Size 40	No	1	0.4	C	46.63
2MA40PR	Pin & Retainer StarMet Size 40	Yes	1	0.4	C	38.01
3MT38-12	Removal Tool 3/8" - 1/2"	Yes	1	5.4	P	66.77
Size	50					
1MA50FC	Adapt StarMet Weld Flush 1.75-2.00"Lip	No	48	45.6	C	438.45
1MA50WC45	Adapt StarMet Weld-Center 1.75" Lip	No	48	41.8	C	438.45
1MA50WC50	Adapt StarMet Weld-Center 2.00" Lip	Yes	1	40.6	C	438.45
1MA50WC60	Adapt StarMet Weld-Center 2.25" Lip	Yes	1	40.3	C	438.45
1MA50WC65	Adapt StarMet Weld-Center 2.50" Lip	No	55	40.3	C	438.45
1MA50WLD50	Adapt StarMet Weld-Left 2.00" Lip	No	48	41.8	C	438.45
1MA50WRD50	Adapt StarMet Weld-Right 2.00" Lip	No	48	41.8	C	438.45
1MA50WN	Adapt StarMet Weld-on Nose	No	160	17.1	C	280.52

**MTG**

Price List 2025

		In Stock (Yes/No)	Min. Batch	Weight (Lb)	Disc. Code	Price List USD
MA50A	Tooth StarMet Abrasion Size 50	Yes	1	52.7	C	368.07
MA50AX	Tooth StarMet Abrasion HD Size 50	No	1	61.9	C	432.63
MA50D	Tooth StarMet Delta Size 50	No	64	38.6	C	282.89
MA50E	Tooth StarMet Extra Size 50	Yes	1	27.5	C	212.34
MA50EX	Tooth StarMet Extra HD Size 50	Yes	1	37.9	C	287.60
MA50F	Tooth StarMet Flared Size 50	No	1	37.8	C	359.84
MA50I	Tooth StarMet Impact Size 50	Yes	1	24.1	C	237.75
MA50L	Tooth StarMet Long Size 50	No	64	27.6	C	204.24
MA50S	Tooth StarMet Standard Size 50	No	64	25.6	C	183.55
MA50U	Tooth StarMet Universal Size 50	Yes	1	27.3	C	199.04
MA50V	Tooth StarMet Vector Size 50	Yes	1	22.1	C	216.99
MA50VC	Tooth StarMet Vector Coal Size 50	No	80	21.8	C	209.92
MA50W	Tooth StarMet D. Vector Size 50	Yes	1	30.7	C	293.43
4MA50/60HD	Bottom Leg StarMet Size 50/60	Yes	1	9.1	C	66.30
4MA50M	Mechanical Wear Cap StarMet	Yes	1	4.3	C	50.08
2MA50/60R	Retainer StarMet Size 50/60	Yes	1	0.0	C	19.06
2MA50/60R-HS	Retainer StarMet HS Size 50/60	No	1	0.0	C	24.44
2MA50P-HS	Pin StarMet HS Size 50	No	1	1.5	C	54.42
2MA50PR	Pin & Retainer StarMet Size 50	Yes	1	1.5	C	45.01
3MT38-12	Removal Tool 3/8" - 1/2"	Yes	1	5.4	P	66.77
Size 60						
1MA60FC	Adapt StarMet Weld Flush 2.25-2.50" Lip	No	24	66.0	C	587.31
1MA60WC50	Adapt StarMet Weld-Center 2.00" Lip	No	36	65.5	C	587.31
1MA60WC60	Adapt StarMet Weld-Center 2.25" Lip	Yes	1	63.6	C	587.31
1MA60WC65	Adapt StarMet Weld-Center 2.50" Lip	No	35	62.4	C	587.31
1MA60WC70	Adapt StarMet Weld-Center 2.75" Lip	Yes	1	61.8	C	587.31
1MA60WLD65	Adapt StarMet Weld-Left 2.50" Lip	No	24	63.7	C	587.31
1MA60WRD65	Adapt StarMet Weld-Right 2.50" Lip	No	24	63.7	C	587.31
1MA60WLD70	Adapt StarMet Weld-Left 2.75" Lip	No	24	64.2	C	587.31
1MA60WRD70	Adapt StarMet Weld-Right 2.75" Lip	No	24	64.2	C	587.31
1MA60WN	Adapt StarMet Weld-on Nose	No	64	27.3	C	346.60
MA60A	Tooth StarMet Abrasion Size 60	Yes	1	64.3	C	454.44
MA60AX	Tooth StarMet Abrasion HD Size 60	Yes	1	79.9	C	556.70
MA60E	Tooth StarMet Extra Size 60	Yes	1	43.6	C	317.66
MA60EX	Tooth StarMet Extra HD Size 60	Yes	1	52.0	C	389.97
MA60F	Tooth StarMet Flared Size 60	No	1	54.8	C	494.55
MA60H	Tooth StarMet Heavy Size 60	No	64	66.0	C	471.78
MA60I	Tooth StarMet Impact Size 60	Yes	1	35.9	C	317.08
MA60L	Tooth StarMet Long Size 60	No	48	42.5	C	301.69
MA60U	Tooth StarMet Universal Size 60	No	60	38.5	C	271.90
MA60V	Tooth StarMet Vector Size 60	Yes	1	34.7	C	313.09
MA60W	Tooth StarMet D. Vector Size 60	No	1	43.6	C	390.87
4MA50/60HD	Bottom Leg StarMet Size 50/60	Yes	1	9.1	C	66.30
4MA60M	Mechanical Wear Cap StarMet	Yes	1	9.2	C	93.05

**MTG**

Price List 2025

		In Stock (Yes/No)	Min. Batch	Weight (Lb)	Disc. Code	Price List USD
2MA50/60R	Retainer StarMet Size 50/60	Yes	1	0.0	C	19.06
2MA50/60R-HS	Retainer StarMet HS Size 50/60	No	1	0.0	C	24.44
2MA60P-HS	Pin StarMet HS Size 60	No	1	1.7	C	77.46
2MA60PR	Pin & Retainer StarMet Size 60	Yes	1	1.8	C	63.22
3MT38-12	Removal Tool 3/8" - 1/2"	Yes	1	5.4	P	66.77

Size	120					
1MA120WC65	Adapt StarMet Weld-Center 2.50" Lip	No	24	128.5	M	1498.21
1MA120WC70	Adapt StarMet Weld-Center 2.75" Lip	No	20	127.0	M	1498.21
1MA120WC80	Adapt StarMet Weld-Center 3.00" Lip	Yes	1	126.5	M	1498.21
1MA120WC90	Adapt StarMet Weld-Center 3.50" Lip	Yes	1	124.5	M	1498.21
1MA120WL90	Adapt StarMet Left Corner 3.50" Lip	No	8	260.0	M	2813.84
1MA120WR90	Adapt StarMet Right Corner 3.50" Lip	No	8	260.0	M	2813.84
1MA120WLD70	Adapt StarMet Weld-Left 2.75" Lip	No	1	123.8	M	1498.21
1MA120WRD70	Adapt StarMet Weld-Right 2.75" Lip	No	1	123.8	M	1498.21
1MA120WLD80	Adapt StarMet Weld-Left 3.00" Lip	No	24	127.7	M	1498.21
1MA120WRD80	Adapt StarMet Weld-Right 3.00" Lip	No	24	127.7	M	1498.21
1MA120WN	Adapt StarMet Weld-on Nose	No	48	52.9	M	731.98
MA120A	Tooth StarMet Abrasion Size 120	Yes	1	106.4	M	702.32
MA120AX1	Tooth StarMet Abrasion HD Size 120	No	36	142.5	M	860.48
MA120D	Tooth StarMet Delta Size 120	Yes	1	80.7	M	569.85
MA120E1	Tooth StarMet Extra Size 120	Yes	1	63.0	M	445.43
MA120EX	Tooth StarMet Extra HD Size 120	Yes	1	74.8	M	534.77
MA120H1	Tooth StarMet Heavy Size 120	No	24	106.3	M	743.43
MA120I	Tooth StarMet Impact Size 120	Yes	1	52.0	M	374.98
MA120P	Tooth StarMet Penetration Size 120	Yes	1	49.4	M	344.39
MA120U	Tooth StarMet Universal Size 120	Yes	1	54.5	M	393.43
MA120V	Tooth StarMet Vector Size 120	Yes	1	51.5	M	465.96
MA120W	Tooth StarMet D. Vector Size 120	Yes	1	69.3	M	520.89
4MA120HD-A	Bottom Leg StarMet Size 120 HD	Yes	1	20.2	M	127.49
4MA120M	Mechanical Wear Cap StarMet	Yes	1	12.7	M	131.83
4MA120M-A	Mechanical Reinforced Wear Cap StarMet	No	120	18.5	M	189.54
4MA120MS	Mechanical Wear Cap StarMet	No	96	13.1	M	131.83
2MA120P-HS	Pin StarMet HS Size 120	No	50	1.8	M	114.50
2MA120PR	Pin & Retainer StarMet Size 120	Yes	1	1.9	M	109.74
2MA120R	Retainer StarMet Size 120	No	1	0.0	M	35.86
2MA120R-HS	Retainer StarMet HS Size 120	No	1	0.0	M	27.87
3MA120	Gauge adapter Size 120	No	1	4.9	M	1490.80
3MT12-34	Removal Tool 1/2" - 3/4"	Yes	1	6.0	P	66.62

**MTG**

Price List 2025

In Stock (Yes/No)	Min. Batch	Weight (Lb)	Disc. Code	Price List USD
----------------------	------------	----------------	---------------	-------------------

Size 180

1MA180WC80	Adapt StarMet Weld-Center 3.00" Lip	No	15	173.5	M	2169.31
1MA180WC90	Adapt StarMet Weld-Center 3.50" Lip	Yes	1	170.5	M	2169.31
1MA180WC100	Adapt StarMet Weld-Center 4.00" Lip	No	64	166.5	M	2169.31
1MA180WL90	Adapt StarMet Left Corner 3.5" plate	No	8	341.0	M	2995.52
1MA180WR90	Adapt StarMet Right Corner 3.5" plate	No	8	341.0	M	2995.52
1MA180WLD80	Adapt StarMet Weld-Left 3.00" Lip	No	8	175.6	M	2169.31
1MA180WRD80	Adapt StarMet Weld-Right 3.00" Lip	No	8	175.6	M	2169.31
1MA180WLD90	Adapt StarMet Weld-Left 3.50" Lip	No	8	174.1	M	2169.31
1MA180WRD90	Adapt StarMet Weld-Right 3.50" Lip	No	8	174.1	M	2169.31
1MA180WN	Adapt StarMet Weld-on Nose	No	48	70.0	M	980.86
1MA180WS90	Adapt StarMet Weld Straddle 3.50" Lip	No	15	166.5	M	2169.31
1MA180WS100	Adapt StarMet Weld Straddle 3.95" Lip	No	8	172.4	M	2169.31
MA180A	Tooth StarMet Abrasion Size 180	Yes	1	153.5	M	925.85
MA180C	Tooth StarMet Coal Size 180	No	24	63.6	M	514.33
MA180D	Tooth StarMet Delta Size 180	Yes	1	110.3	M	706.38
MA180E1	Tooth StarMet Extra Size 180	Yes	1	94.0	M	567.43
MA180EX	Tooth StarMet Extra HD Size 180	Yes	1	110.3	M	592.03
MA180I	Tooth StarMet Impact Size 180	No	24	79.9	M	468.42
MA180P	Tooth StarMet Penetration Size 180	No	35	72.8	M	443.38
MA180U	Tooth StarMet Universal Size 180	No	32	75.1	M	445.33
MA180V	Tooth StarMet Vector Size 180	Yes	1	75.2	M	508.93
MA180W	Tooth StarMet D. Vector Size 180	No	1	89.8	M	815.27
4MA180HD-A	Bottom Leg StarMet Size 180 HD	Yes	1	27.4	M	172.76
4MA180M	Mechanical Wear Cap StarMet	Yes	1	18.5	M	223.01
4MA180M-A	Mechanical Reinforced Wear Cap StarMet	No	80	28.8	M	312.09
4MA180MS	Mechanical Wear Cap StarMet Straddle	No	96	17.0	M	223.01
2MA180/240R	Retainer StarMet Size 180/240	No	1	0.0	M	43.99
2MA180/240R-HS	Retainer StarMet HS Size 180/240	No	1	0.0	M	34.69
2MA180P-HS	Pin StarMet HS Size 180	No	1	2.1	M	124.00
2MA180PR	Pin & Retainer StarMet Size 180	Yes	1	2.2	M	116.22
3MA180	Gauge adapter Size 180	No	1	5.5	M	1507.51
3MT12-34	Removal Tool 1/2" - 3/4"	Yes	1	6.0	P	66.62

Size 240

1MA240WC100	Adapt StarMet Weld-Center 4.00" Lip	Yes	1	270.5	M	2670.79
1MA240WC120	Adapt StarMet Weld-Center 4.75" Lip	Yes	1	259.5	M	2670.79
1MA240WL100	Adapt StarMet Left Corner 4.00" plate	No	4	531.9	M	4345.31
1MA240WR100	Adapt StarMet Right Corner 4.00" plate	No	4	531.9	M	4345.31
1MA240WL120	Adapt StarMet Left Corner 4.75" plate	No	10	541.7	M	4345.31
1MA240WR120	Adapt StarMet Right Corner 4.75" plate	No	10	541.7	M	4345.31
1MA240WLD100	Adapt StarMet Weld-Left 4.00" Lip	No	8	270.5	M	2670.79
1MA240WRD100	Adapt StarMet Weld-Right 4.00" Lip	No	8	270.5	M	2670.79
1MA240WN	Adapt StarMet Weld-on Nose	No	32	102.5	M	1425.31
1MA240WS100	Adapt StarMet Weld Straddle 4.00" Lip	No	32	275.0	M	2670.79
1MA240WS120	Adapt StarMet Weld Straddle 4 3/4" Lip	No	8	275.0	M	2670.79

**MTG**

Price List 2025

		In Stock (Yes/No)	Min. Batch	Weight (Lb)	Disc. Code	Price List USD
MA240A	Tooth StarMet Abrasion Size 240	Yes	1	206.6	M	1073.53
MA240D	Tooth StarMet Delta Size 240	Yes	1	128.3	M	740.15
MA240E1	Tooth StarMet Extra Size 240	Yes	1	112.3	M	628.57
MA240EX	Tooth StarMet Extra HD Size 240	Yes	1	136.0	M	760.40
MA240H1	Tooth StarMet Heavy Size 240	No	16	211.0	M	1154.77
MA240P	Tooth StarMet Penetration Size 240	Yes	1	89.7	M	535.20
MA240V	Tooth StarMet Vector Size 240	Yes	1	99.0	M	564.76
4MA240/500CC HD-L	Cast Corner Lateral shroud StarMet	Yes	1	40.2	M	259.52
4MA240/500CCHD-B-A	Cast Corner bottom shroud StarMet	Yes	1	65.5	M	468.99
4MA240HD	Bottom Leg StarMet Size 240	No	65	36.6	M	229.88
4MA240M	Mechanical Wear Cap StarMet	Yes	1	24.3	M	272.18
4MA240M70L	Mechanical Wear Cap StarMet	No	1	75.1	M	729.76
4MA240M-A	Mechanical Reinforced Wear Cap StarMet	No	48	35.0	M	331.12
2MA180/240R	Retainer StarMet Size 180/240	No	1	0.0	M	43.99
2MA180/240R-HS	Retainer StarMet HS Size 180/240	No	1	0.0	M	34.69
2MA240P-HS	Pin StarMet HS Size 240	No	25	3.4	M	138.63
2MA240PR	Pin & Retainer StarMet Size 240	Yes	1	3.5	M	122.21
1MA240/500LWB-B	Weldable Base StarMet 240/500 F	No	1	8.8	M	100.70
3MA240	Gauge adapter Size 240	No	1	5.4	M	1524.24
3MT12-34	Removal Tool 1/2" - 3/4"	Yes	1	6.0	P	66.62
Size 500						
1MA500WC100	Adapt StarMet Weld-Center 4.00" Lip	No	8	401.0	M	3472.71
1MA500WC120	Adapt StarMet Weld-Center 4.75" Lip	No	8	391.5	M	3472.71
1MA500WC130	Adapt StarMet Weld-Center 5.00" Lip	No	8	384.5	M	3472.71
1MA500WC140	Adapt StarMet Weld-Center 5.50" Lip	Yes	1	362.5	M	3472.71
1MA500WL140	Adapt StarMet Left Corner 5.50" plate	No	4	739.5	M	5020.73
1MA500WR140	Adapt StarMet Right Corner 5.50" plate	No	4	739.5	M	5020.73
1MA500WN	Adapt StarMet Weld-on Nose	No	32	144.7	M	1889.13
1MA500WS120	Adapt StarMet Weld Straddle 4.75" Lip	No	8	358.8	M	3542.15
1MA500WS140	Adapt StarMet Weld Straddle 5.50" Lip	No	1	363.0	M	3542.15
MA500E1	Tooth StarMet Extra Size 500	Yes	1	172.2	M	985.44
MA500EX	Tooth StarMet Extra HD Size 500	Yes	1	203.1	M	1161.10
MA500EXX	Tooth StarMet Extra X HD Size 500	No	8	289.3	M	1655.30
MA500P	Tooth StarMet Penetration Size 500	Yes	1	152.0	M	945.68
MA500RS	Tooth StarMet RS Size 500	Yes	1	202.0	M	1232.11
MA500RSP	Tooth StarMet P Size 500	No	8	208.6	M	1390.51
MA500RSS	Tooth StarMet S Size 500	No	1	195.5	M	1185.22
MA500RSX	Tooth StarMet RSX Size 500	Yes	1	264.0	M	1659.83
MA500V	Tooth StarMet Vector Size 500	Yes	1	144.6	M	951.53
4MA240/500CC HD-L	Cast Corner Lateral shroud StarMet	Yes	1	40.2	M	259.52
4MA240/500CCHD-B-A	Cast Corner bottom shroud StarMet	Yes	1	65.5	M	468.99
4MA500HD-A	Bottom Leg StarMet Size 500 HD	Yes	1	64.2	M	416.60
4MA500M	Mechanical Wear Cap StarMet	Yes	1	40.3	M	390.64
4MA500M90L	Mechanical Wear Cap StarMet	Yes	1	89.7	M	870.15
4MA500M-A	Mechanical Reinforced Wear Cap StarMet	Yes	1	64.2	M	682.58
4MA500MS-A	Mechanical Wear Cap StarMet Straddle	Yes	1	36.5	M	390.64



Price List 2025

		In Stock (Yes/No)	Min. Batch	Weight (Lb)	Disc. Code	Price List USD
2MA500PR	Pin & Retainer StarMet Size 500	Yes	1	4.1	M	137.17
2MA500R	Retainer StarMet Size 500	No	1	0.1	M	46.21
1MA240/500LWB-B	Weldable Base StarMet 240/500 F	No	1	8.8	M	100.70
3MA500	Gauge adapter Size 500	No	1	7.3	M	1535.38
3MT12-34	Removal Tool 1/2" - 3/4"	Yes	1	6.0	P	66.62

**MTG**

Price List 2025

		In Stock (Yes/No)	Min. Batch	Weight (Lb)	Disc. Code	Price List USD
MTG Systems VeeMet RS						
Size	600					
1MV600BK600P-0	Adapt VeeMet Berkeley 6.00" P	Yes	1	943.0	M	9133.83
1MV600BK600X-0	Adapt VeeMet Berkeley 600 HD	No	4	988.5	M	8874.67
1MV600WH10P-0	Adapt VeeMet Whisler 600 P	No	4	759.5	M	7557.36
1MV600WH10X-0	Adapt VeeMet Whisler 600 P	Yes	1	839.0	M	7656.95
1MV600WH12P-0	Adapt VeeMet Whisler 600 P	No	1	864.0	M	8067.04
1MV600WH12X-0	Adapt VeeMet Whisler 600 P	Yes	1	919.0	M	8260.32
MV600RS	Tooth VeeMet Rope Shovel Size 600	Yes	1	223.2	M	1379.96
MV600RSS	Tooth VeeMet Rope Shovel Short Size 600	No	16	211.0	M	1422.27
MV600RSX	Tooth VeeMet Rope Shovel HD Size 600	Yes	1	278.5	M	1825.81
MV600RSP	Tooth VeeMet Rope Shovel Pen Size 600	No	16	212.5	M	1390.01
4MV600WH12M360X	Mechanical Wear Cap VeeMet Whisler M360X	Yes	1	163.3	M	1561.02
4MV600WH12MP	Mechanical Wear Cap VeeMet HP Whisler	Yes	1	79.0	M	670.16
4MV600WH12MX	Mechanical Wear Cap VeeMet Whisler X	Yes	1	100.7	M	941.85
C2 AD W12/WR6	Conventional adapter 2p. WH12/WR6	No	1	140.9	M	877.75
CR AD W10	Conventional Ratchet Adapter 3P WH10	No	1	186.4	M	893.66
CR AD W12/WR6	Conventional Ratchet Adapter 3P WH12	No	1	193.0	M	798.12
MNT-RH-NUT10	Mounting Bolt RH WH10	Yes	1	4.2	M	523.96
MNT-RH-NUT12	Mounting Bolt RH WH12	Yes	1	3.5	M	523.96
RHAD BK6	Hammerless Ratchet Adapter 3p BK6	No	1	117.2	M	1769.22
RHAD BK6-2	Hammerless Ratchet Adapter 2 3p BK6	No	1	117.2	M	1829.24
RHAD WH10	Hammerless Ratchet Adapter 3p WH10	No	1	77.3	M	1754.56
RHAD WH10-2	Hammerless Ratchet Adapter 2 3p WH10	No	1	82.2	M	1816.96
RHAD WH12	Hammerless Ratchet Adapter 3p WH12	No	1	117.2	M	1769.22
RHAD WH12-2	Hammerless Ratchet Adapter 2 3p WH12	No	1	117.2	M	1829.24
RHAD10W2	Wedge Oversized Ratchet Ham. Adapter WH10	No	1	24.2	M	525.48
RHAD12W2	Wedge Oversized Ratchet Ham. Adapter WH12	Yes	1	28.8	M	570.17
2MV500P2	Pin VeeMet Size 500	Yes	1	3.5	M	83.95
2MV500R	Retainer VeeMet Size 500	Yes	1	0.1	M	53.15
1MV600BR	Adapt VeeMet RS ST Base	Yes	1	28.1	M	424.28
2MV600P1	Pin VeeMet Size 600	Yes	1	6.0	M	150.88
3MA500BK600	Gauge Cage lip adapter BK6.00	No	1	28.0	M	2459.11
3MA500WH10	Gauge Cage lip adapter WH10	No	1	30.7	M	2459.11
3MA500WH12	Gauge Cage lip adapter WH12	No	1	27.6	M	2557.47
3MA500WH12X	Gauge Cage lip adapter WH12 HD	No	1	38.5	M	2640.23
3MT12-34	Removal Tool 1/2" - 3/4"	Yes	1	6.0	P	66.62

**MTG**

Price List 2025

		In Stock (Yes/No)	Min. Batch	Weight (Lb)	Disc. Code	Price List USD
MTG Systems StarMet Rope Shovels						
Size	500HM					
1MA500BK600-0A	Adapt StarMet Berkeley 6.00 A	No	8	826.0	M	7873.99
1MA500BK600X-0A	Adapt StarMet Berkeley 6.00 HD A	Yes	1	977.5	M	8700.66
1MA500WH10-0	Adapt StarMet Whisler 10	No	4	679.0	M	6336.57
1MA500WH10X-0	Adapt StarMet Whisler 10 HD	No	8	839.0	M	7431.67
1MA500WH12-0	Adapt StarMet Whisler 12	Yes	1	781.5	M	6954.34
1MA500WH12-5	Adapt StarMet Whisler 12	No	4	781.5	M	6954.34
1MA500WH12X-0	Adapt StarMet Whisler 12 HD	Yes	1	912.0	M	8098.36
1MA500WH12X-5	Adapt StarMet Whisler 12 HD	No	4	915.2	M	8098.36
MA500RS	Tooth StarMet RS Size 500	Yes	1	202.0	M	1232.11
MA500RSP	Tooth StarMet P Size 500	No	8	208.6	M	1390.51
MA500RSS	Tooth StarMet S Size 500	No	1	195.5	M	1185.22
MA500RSX	Tooth StarMet RSX Size 500	Yes	1	264.0	M	1659.83
4MA500WH12M	Mechanical Wear Cap StarMet Whisler	No	24	81.0	M	670.16
4MA500WH12MX	Mechanical Wear Cap StarMet Whisler HD	Yes	1	114.0	M	941.85
C2 AD W12/WR6	Conventional adapter 2p. WH12/WR6	No	1	140.9	M	877.75
CR AD W10	Conventional Ratchet Adapter 3P WH10	No	1	186.4	M	893.66
CR AD W12/WR6	Conventional Ratchet Adapter 3P WH12	No	1	193.0	M	798.12
MNT-RH-NUT10	Mounting Bolt RH WH10	Yes	1	4.2	M	523.96
MNT-RH-NUT12	Mounting Bolt RH WH12	Yes	1	3.5	M	523.96
RHAD BK6	Hammerless Ratchet Adapter 3p BK6	No	1	117.2	M	1769.22
RHAD BK6-2	Hammerless Ratchet Adapter 2 3p BK6	No	1	117.2	M	1829.24
RHAD WH10	Hammerless Ratchet Adapter 3p WH10	No	1	77.3	M	1754.56
RHAD WH10-2	Hammerless Ratchet Adapter 2 3p WH10	No	1	82.2	M	1816.96
RHAD WH12	Hammerless Ratchet Adapter 3p WH12	No	1	117.2	M	1769.22
RHAD WH12-2	Hammerless Ratchet Adapter 2 3p WH12	No	1	117.2	M	1829.24
RHAD10W2	Wedge Oversized Ratchet Ham. Adapter WH10	No	1	24.2	M	525.48
RHAD12W2	Wedge Oversized Ratchet Ham. Adapter WH12	Yes	1	28.8	M	570.17
1MA500BST	RS Adapter ST Base	Yes	1	31.5	M	410.33
3MA500BK600	Gauge Cage lip adapter BK6.00	No	1	28.0	M	2459.11
3MA500WH10	Gauge Cage lip adapter WH10	No	1	30.7	M	2459.11
3MA500WH12	Gauge Cage lip adapter WH12	No	1	27.6	M	2557.47
3MA500WH12X	Gauge Cage lip adapter WH12 HD	No	1	38.5	M	2640.23
3MA500WH10X	Gauge Cage lip adapter WH10 HD	No	1	37.0	M	2838.21
3MT12-34	Removal Tool 1/2" - 3/4"	Yes	1	6.0	P	66.62



Price List 2025

		In Stock (Yes/No)	Min. Batch	Weight (Lb)	Disc. Code	Price List USD
MTG Systems TwinMet Cast Lip						
Size	1					
1MT1CL116	Cast Lip TwinMet 116" 5 Pos.	No	1	7498.1	M	93081.12
1MT1CL122	Cast Lip TwinMet 122" 5 Pos.	No	1	7788.7	M	99092.14
1MT1CL136	Cast Lip TwinMet 136" 5 Pos.	No	1	8253.7	M	97735.17
1MT1CL140	Cast Lip TwinMet 140" 6 Pos.	No	1	9045.0	M	112247.03
1MT1CL144	Cast Lip TwinMet 144" 6 Pos.	No	1	8983.0	M	123849.96
Size	3					
1MT3CL148	Cast Lip TwinMet 148" 5 Pos.	No	1	10541.6	M	146173.71
Size	5					
1MT5CL148	Cast Lip TwinMet 148" 5 Pos.	No	1	13568.6	M	176090.70
1MT5CL163	Cast Lip TwinMet 163" 5 Pos.	No	1	14919.6	M	183408.27
1MT5CL169	Cast Lip TwinMet 169" 6 Pos.	No	1	15860.4	M	197824.57
1MT5CL185	Cast Lip TwinMet 185" 6 Pos.	No	1	16922.0	M	206355.21
1MT5CL201	Cast Lip TwinMet 201" 6 Pos.	No	1	18022.0	M	223030.22
Size	7					
1MT7CL169	Cast Lip TwinMet 169" 5 Pos.	No	1	19456.6	M	220583.58
1MT7CL201	Cast Lip TwinMet 201" 6 Pos.	No	1	23605.4	M	255432.39

**MTG**

Price List 2025

		In Stock (Yes/No)	Min. Batch	Weight (Lb)	Disc. Code	Price List USD
MTG Systems TwinMet						
Size	1					
1MT1WC140	Adapt TwinMet Weld-Center	Yes	1	364.5	M	5092.06
1MT1WL140	Adapt TwinMet Left Corner	No	4	837.0	M	11397.55
1MT1WR140	Adapt TwinMet Right Corner	No	4	837.0	M	11397.55
1MT1WN	TwinMet weld-on nose 1	Yes	1	179.5	M	1904.71
MT1E	Tooth TwinMet Extra Size 1	Yes	1	209.0	M	1501.62
MT1EX	Tooth TwinMet Extra HD Size 1	Yes	1	254.5	M	1737.73
MT1V	Tooth TwinMet Vector Size 1	No	16	186.5	M	1266.28
MT1PR	Tooth TwinMet Pentratio Rock Size 1	Yes	1	174.0	M	1229.27
4MT1-3CCHD-B	Bottom Weldable Shroud TwinMet CC 1-3	No	24	99.0	M	651.80
4MT1-3CCHD-L	Lateral Weldable Shroud TwinMet CC 1-3	No	40	61.0	M	365.83
4MT1HD	Bottom Weldable Shroud TwinMet Adapt 3	No	32	66.3	M	419.94
4MT1M	Mechanical Wear Cap TwinMet	Yes	1	41.9	M	410.93
4MT1ML	Mechanical Lower Wear Cap TwinMet Size 1	Yes	1	102.3	M	792.22
1MT1-3ML-WB	TwinMet Weldable Base Corner Wearcap	Yes	1	0.3	M	133.97
2MT1-3ML	TwinMet Locking Corner Wearcap	Yes	1	0.3	M	373.56
2MJ1 STR	Retainer TwinMet	Yes	1	0.0	M	96.61
2MT1P	Pin tooth TwinMet	Yes	1	2.2	M	190.66
2MT1PSE	Pin tooth TwinMet	Yes	1	2.2	M	175.37
3MT1WN	TwinMet nose 1 gauge	Yes	1	15.2	M	4169.21
Size	2					
MT2EX	Tooth TwinMet Extra HD Size 2	Yes	1	157.5	M	1458.92
MT2U	Tooth TwinMet Universal Size 2	No	16	121.0	M	979.65
MT2W	Tooth TwinMet Doble Vector Size 2	No	12	119.0	M	979.75
2MJ2 STR	Retainer TwinMet	Yes	1	0.0	M	99.86
2MT2P	Pin tooth TwinMet	Yes	1	3.4	M	139.11
2MT2PSE	Pin tooth TwinMet Self Extracting	Yes	1	3.4	M	177.16
Size	3					
1MT3WC140	Adapt TwinMet Weld-Center	No	8	554.5	M	8738.72
1MT3WC160	Adapt TwinMet Weld-Center	Yes	1	554.5	M	8857.93
1MT3WL160	Adapt TwinMet Left Corner	No	4	1266.5	M	14539.38
1MT3WR160	Adapt TwinMet Right Corner	No	4	1266.5	M	14539.38
1MT3WN	TwinMet weld-on nose 3	Yes	1	254.6	M	3331.78
5MT32	TwinMet Intermediate Adapter 3/2	Yes	1	298.5	M	3141.43
5MT32FS	TwinMet Intermediate Adapter 3/2	No	8	347.8	M	3674.35
4MT1-3CCHD-B	Bottom Weldable Shroud TwinMet CC 1-3	No	24	99.0	M	651.80
4MT1-3CCHD-L	Lateral Weldable Shroud TwinMet CC 1-3	No	40	61.0	M	365.83
4MT3HD	Bottom Weldable Shroud TwinMet Adapt 3	No	24	85.0	M	548.75
4MT3M	Mechanical Wear Cap TwinMet	Yes	1	72.0	M	531.87
4MT3ML	Mechanical Lower Wear Cap TwinMet	Yes	1	148.5	M	976.41

**MTG**

Price List 2025

		In Stock (Yes/No)	Min. Batch	Weight (Lb)	Disc. Code	Price List USD
1MT1-3ML-WB	TwinMet Weldable Base Corner Wearcap	Yes	1	0.3	M	133.97
2MT1-3ML	TwinMet Locking Corner Wearcap	Yes	1	0.3	M	373.56
2MJ3 STR	Retainer TwinMet	Yes	1	0.0	M	109.49
2MT3P	Pin tooth TwinMet	Yes	1	4.0	M	220.27
2MT3PSE	Pin tooth TwinMet	Yes	1	4.0	M	219.96
3MT3WN	TwinMet nose 3 gauge	No	1	21.6	M	4174.91
Size	4					
MT4EX	Tooth TwinMet Extra HD Size 4	Yes	1	227.0	M	1519.19
MT4I	Tooth TwinMet Impact Size 4	No	16	152.2	M	1131.11
MT4P	Tooth TwinMet Penetration Size 4	No	12	174.0	M	1264.34
MT4U	Tooth TwinMet Universal Size 4	Yes	1	175.6	M	1264.34
MT4W	Tooth TwinMet Vector Size 4	Yes	1	173.5	M	1264.34
MT4WD	Tooth TwinMet D. Vector Size 4	No	12	172.1	M	1037.29
2MJ4 STR	Retainer TwinMet	Yes	1	0.0	M	94.76
2MT4P	Pin tooth TwinMet	Yes	1	3.7	M	161.56
2MT4PSE	Pin tooth TwinMet	Yes	1	3.7	M	177.16
3MJ	Tool (1")	Yes	1	5.6	M	160.83
Size	5					
1MT5WN	TwinMet weld-on nose 5	Yes	1	318.3	M	3064.50
5MT54	TwinMet Intermediate Adapter 5/4	Yes	1	378.5	M	4479.35
5MT54X	TwinMet Intermediate Adapter HD 5/4	No	16	528.6	M	5831.95
5MT56	TwinMet Intermediate Adapter 5/6	Yes	1	568.0	M	6117.90
5MT56FS	TwinMet Front Shovel Int Adapter 5/6	No	4	622.3	M	6779.30
MT5U	Tooth TwinMet Universal Size 5	No	8	593.0	M	3511.04
2MJ5 STR	Retainer TwinMet	Yes	1	0.0	M	145.01
2MT5P	Pin tooth TwinMet	Yes	1	7.2	M	347.60
2MT5PSE	Pin tooth TwinMet	Yes	1	6.2	M	376.14
3MT5WN	TwinMet nose 5 gauge	Yes	1	32.0	M	4391.32
3MJ	Tool (1")	Yes	1	5.6	M	160.83
Size	6					
MT6EX	Tooth TwinMet Extra HD Size 6 Diap	Yes	1	289.3	M	1943.12
MT6P	Tooth TwinMet Penetration Size 6	No	8	222.9	M	1482.48
MT6U	Tooth TwinMet Universal Size 6	No	8	217.8	M	1468.54
MT6W	Tooth TwinMet Vector Size 6	No	12	203.1	M	1348.39
2MJ4 STR	Retainer TwinMet	Yes	1	0.0	M	94.76
2MT4P	Pin tooth TwinMet	Yes	1	3.7	M	161.56
2MT4PSE	Pin tooth TwinMet	Yes	1	3.7	M	177.16
3MJ	Tool (1")	Yes	1	5.6	M	160.83

**MTG**

Price List 2025

		In Stock (Yes/No)	Min. Batch	Weight (Lb)	Disc. Code	Price List USD
Size 7						
1MT7WN	TwinMet weld-on nose 7	Yes	1	429.0	M	3899.76
5MT74	TwinMet Intermediate Adapter 7/4	Yes	1	491.0	M	5307.57
5MT76	TwinMet Intermediate Adapter 7/6 Oct	Yes	1	584.0	M	5570.29
2MJ5 STR	Retainer TwinMet	Yes	1	0.0	M	145.01
2MT5P	Pin tooth TwinMet	Yes	1	7.2	M	347.60
2MT5PSE	Pin tooth TwinMet	Yes	1	6.2	M	376.14
3MT7WN	TwinMet nose 7 gauge	Yes	1	33.1	M	4319.01
3MJ	Tool (1")	Yes	1	5.6	M	160.83
Size 10						
5MJ10-2	Retrofit intermediate adapter Square	Yes	1	287.4	M	3023.56
2MJ3 STR	Retainer TwinMet	Yes	1	0.0	M	109.49
2MT3P	Pin tooth TwinMet	Yes	1	4.0	M	220.27
2MT10P-S	Sleeve Retrofit Pin TwinMet Size 10	Yes	1	5.6	M	252.47
3MJ10WN	Retrofit nose gauge Size 10	Yes	1	10.9	M	4346.21
Size 30						
5MJ30-4	Retrofit intermediate adapter Square	Yes	1	412.0	M	4333.06
5MT30-4	Retrofit intermediate adapter Oct.	Yes	1	413.8	M	4333.06
5MT30-4X	Retrofit intermediate adapter HD Oct.	No	16	500.0	M	5732.16
5MT30-6	Retrofit intermediate adapter Oct.	No	16	541.5	M	5658.04
5MT30-4-NT	Retrofit intermediate adapter Oct.	No	16	413.8	M	4333.06
MJ30U	Retrofit Solid tooth TwinMet Size 30 Sq.	No	8	577.8	M	4247.04
MT30U	Retrofit Solid tooth TwinMet Size Oct. 30	No	8	567.5	M	4247.04
2MJ30 STR	Retainer TwinMet PR Locking Size 30	Yes	1	0.0	M	145.01
2MT30P HD	Locking Cardan Size 30	Yes	1	18.5	M	2808.89
2MT30P1	Retrofit Pin TwinMet Size 30	Yes	1	5.5	M	262.38
2MT30P-S	Sleeve Retrofit Pin TwinMet Size 30	Yes	1	10.7	M	407.97
R30DPN	Locking Retrofit Size 30	Yes	1	18.4	M	1608.91
3MJ30WN	Retrofit square nose gauge Size 30	Yes	1	13.2	M	4611.23
3MT30WN	TwinMet nose 30 gauge	No	1	31.3	M	4917.49
3MJ	Tool (1")	Yes	1	5.6	M	160.83
Size 45						
5MJ45-6	Retrofit intermediate adapter Square	No	8	528.8	M	5856.43
5MT45-6	Retrofit intermediate adapter Oct.	No	8	536.5	M	5856.43
5MT45-6X	Retrofit intermediate adapter HD Oct.	No	4	724.5	M	6351.88
2MJ5 STR	Retainer TwinMet	Yes	1	0.0	M	145.01
2MT5P	Pin tooth TwinMet	Yes	1	7.2	M	347.60
2MT5PSE	Pin tooth TwinMet	Yes	1	6.2	M	376.14
2MT45P-S	Pin sleeve	Yes	1	15.2	M	407.97
R45DPN	Locking Retrofit Size 45	No	1	26.9	M	1938.66
3MJ	Tool (1")	Yes	1	5.6	M	160.83



Price List 2025

		In Stock (Yes/No)	Min. Batch	Weight (Lb)	Disc. Code	Price List USD
MTG Systems ProMet Lip						
Size	1					
4MX1CL116T-P	Lip Shroud Cast Lip Terra 116" Penetration	Yes	1	375.5	M	3718.90
4MX1CL136T-P	Lip Shroud Cast Lip Terra 136" Penetration	Yes	1	522.2	M	4455.78
4MX1MCLT	Mech. Wearcap Promet Cast Lip Terra 1	Yes	1	59.8	M	713.98
4MX1CL116T-X	Lip Shroud Cast Lip Terra 116" HD	No	4	502.8	M	4875.01
4MX1CL122T-P	Lip Shroud Cast Lip Terra 122" Penetration	Yes	4	431.8	M	3845.71
4MX1CL140-144T-P	Lip Shroud Cast Lip Terra 140/144" Penetration	Yes	1	368.0	M	3838.56
4MX1CL136T-X	Lip Shroud Cast Lip Terra 136" HD	No	4	668.2	M	5810.23
2MX70-90-B	Mechanical locking ProMet III Size 70-90	Yes	1	2.1	C	133.10
1MX1CLT-WB	Weldable Base Promet Cast Lip Terra 1	Yes	1	8.0	M	341.80
2MX100-140-B	Mech. locking ProMet III Size 100-140	Yes	1	3.8	M	146.35
1MX1/3MCLT-WB	Weld. Base Promet Cast Lip Terra Wearcap	Yes	1	12.7	M	232.20
3MX1-116T	Cast Lip Terra 116" Shroud gauge	No	1	18.4	M	1654.57
3MX1-122T	Cast Lip Terra 122" Shroud gauge	No	1	19.9	M	1661.60
3MX1-136T	Cast Lip Terra 136" Shroud gauge	Yes	1	21.7	M	1691.14
3MX1-140-144T	Cast Lip Terra 140"/144" Shroud gauge	Yes	1	17.1	M	1733.86
Size	3					
4MX3CL148T-P	Lip Shroud Cast Lip TwinMet 148"	No	12	608.0	M	5754.83
4MX3CL148T-X	Lip Shroud Cast Lip TwinMet 148"	Yes	1	803.5	M	7657.16
4MX3MCLT	Promet Cast Lip TwinMet Mech. Wearcap 3	Yes	1	69.7	M	1192.54
1MX1CLT-WB	Weldable Base Promet Cast Lip Terra 1	Yes	1	8.0	M	341.80
1MX1/3MCLT-WB	Weld. Base Promet Cast Lip Terra Wearcap	Yes	1	12.7	M	232.20
2MY5/7CLT	Pin ProMet	Yes	1	4.2	M	595.63
Size	5					
4MX5CL148T-P	Lip Shroud Cast Lip Terra 148" Penetration	Yes	1	648.0	M	6260.41
4MX5CL148T-X	Lip Shroud Cast Lip Terra 148" HD	No	4	940.5	M	8263.80
4MX5CL163T-P	Lip Shroud Cast Lip Terra 163" Penetration	Yes	1	793.0	M	6818.24
4MX5CL169T	Lip Shroud Cast Lip Terra 169"	No	4	639.0	M	6199.28
4MX5CL169T-P	Lip Shroud Cast Lip Terra 169" Penetration	No	4	529.0	M	5445.16
4MX5CL169T-X	Lip Shroud Cast Lip Terra 169" TERRA	Yes	1	694.0	M	6394.50
4MX5CL185T-X	Lip Shroud Cast Lip Terra 185" HD	Yes	1	970.0	M	9013.56
4MX5CL201T-X	Lip Shroud Cast Lip Terra 201" HD TERRA	Yes	1	1080.0	M	9947.80
4MX5CL148H	Lip Shroud Cast Lip HD 148"	No	4	760.0	M	7252.38
4MX5CL148H-X	Lip Shroud Cast Lip HD 148"	No	4	1049.0	M	8184.62
4MX5CL169H	Lip Shroud Cast Lip HD 169"	No	4	669.9	M	6375.38
4MX5CL201H	Lip Shroud Cast Lip HD 201"	No	4	884.2	M	7778.20
4MX5/7MCLT-2	Mech. Wearcap Promet Cast Lip Terra 5/7	Yes	1	155.5	M	1861.38

**MTG**

Price List 2025

		In Stock (Yes/No)	Min. Batch	Weight (Lb)	Disc. Code	Price List USD
1MX70-90MB-A	Mechanical Base ProMet II Size 70-90	Yes	1	2.0	C	19.79
1MX70-90WB-B	Weldable Base Promet III 70/90	Yes	1	3.6	C	57.62
1MX5/7CLT-WB	Weld-on Base Lip Shroud Cast Lip Terra	Yes	1	18.4	M	638.06
1MX5/7MCLT-STP	Stopper ProMet Wearcap Cast Lip Stopper	Yes	1	8.1	M	205.11
1MX5WB-CL	Weld-on Base Lip Shroud Cast Lip HD	Yes	1	28.0	M	416.58
2MX5/7CLT	Locking Lip Shroud Terra	Yes	1	14.6	M	675.16
2MX5/7MCLT	Wear Cap Locking Cast Lip Terra	Yes	1	7.3	M	561.02
2MX5CLH	Locking Lip Shroud HD	Yes	1	12.7	M	703.17
1MX5/7MCLT-WB-B	Weldable Base Promet WearCap Cast Lip	Yes	1	10.6	M	609.64
3MX5-201T	Cast Lip Terra 201" Shroud gauge	No	1	25.4	M	2355.97
3MX5-148T-R	Cast Lip Terra 148" Shroud gauge	No	1	27.7	M	1739.19
3MX5-163T	Cast Lip Terra 163" Shroud gauge	No	1	25.6	M	2097.74
3MX5-169T-R	Cast Lip Terra 169" Shroud gauge	No	1	25.5	M	1969.13
Size 7						
4MX7CL169T-P	Lip Shroud Cast Lip Terra 169" Penetration	Yes	1	873.3	M	7856.64
4MX7CL201T-P	Lip Shroud Cast Lip Terra 201" Penetration	No	10	850.0	M	7507.21
4MX7CL201T-X	Lip Shroud Cast Lip Terra 201" HD	Yes	1	1104.0	M	9232.98
4MX7CL169T-X	Lip Shroud Cast Lip Terra 169" HD	No	4	1093.0	M	9269.80
4MX7CL201H	Lip Shroud Cast Lip HD 201"	No	10	937.4	M	8941.00
4MX5/7MCLT-2	Mech. Wearcap Promet Cast Lip Terra 5/7	Yes	1	155.5	M	1861.38
1MX5/7CLT-WB	Weld-on Base Lip Shroud Cast Lip Terra	Yes	1	18.4	M	638.06
1MX5/7MCLT-STP	Stopper ProMet Wearcap Cast Lip Stopper	Yes	1	8.1	M	205.11
1MX5WB-CL	Weld-on Base Lip Shroud Cast Lip HD	Yes	1	28.0	M	416.58
2MX5/7CLT	Locking Lip Shroud Terra	Yes	1	14.6	M	675.16
2MX5/7MCLT	Wear Cap Locking Cast Lip Terra	Yes	1	7.3	M	561.02
2MX5CLH	Locking Lip Shroud HD	Yes	1	12.7	M	703.17
1MX5/7MCLT-WB-B	Weldable Base Promet WearCap Cast Lip	Yes	1	10.6	M	609.64
3MX7-169T-R	Cast Lip Terra 169" Shroud gauge	No	1	31.1	M	2197.24
3MX7-201T-R	Cast Lip Terra 201" Shroud gauge	No	1	30.7	M	2140.87
Size 50						
4MXL50C345-A	Mech. Lip Shroud Promet 1.97x13.59"	Yes	1	94.8	C	651.02
4MXL50L345-15A	Mech.Lip Shroud Promet Left 1.97x14 15°	Yes	1	97.3	C	651.02
4MXL50R345-15A	Mech.Lip Shroud Promet Right 1.97x14 15°	Yes	1	97.3	C	651.02
1MX50-60WB-B	Weldable Base Promet 50/60	Yes	1	2.1	C	47.71
2MXY40-60-B	Pin ProMet Size 40-60	Yes	1	2.2	C	123.17
Size 70						
4MX70C240-A	Mech. Lip Shroud ProMet 2.75x9.5"	Yes	1	88.0	C	974.77
4MX70L240-14A	Mech. Lip Shroud ProMet Left 2.75x9.5" 14	Yes	1	88.0	C	974.77
4MX70R240-14A	Mech. Lip Shroud ProMet Right 2.75x9.5" 1	Yes	1	88.0	C	974.77
4MXL70C450-A	Mech. Lip Shroud ProMet 2.75x17.72"	No	1	218.0	M	1406.47
4MXL70L450-10A	Mech. Lip Shroud ProMet Left 2.75x18" 10°	No	1	218.0	M	1406.47
4MXL70L450-15A	Mech. Lip Shroud ProMet Left 2.75x18" 15°	No	16	218.0	M	1406.47
4MXL70R450-10A	Mech. Lip Shroud ProMet Right 2.75x18"10°	No	1	218.0	M	1406.47
4MXL70R450-15A	Mech. Lip Shroud ProMet Right 2.75x18"15°	No	16	218.0	M	1406.47

**MTG**

Price List 2025

		In Stock (Yes/No)	Min. Batch	Weight (Lb)	Disc. Code	Price List USD
1MX70-90WB-B	Weldable Base Promet III 70/90	Yes	1	3.6	C	57.62
2MX70-90-B	Mechanical locking ProMet III Size 70-90	Yes	1	2.1	C	133.10
3MT12-34	Removal Tool 1/2" - 3/4"	Yes	1	6.0	P	66.62
Size	75					
4MXL75C380-A	Mech. Lip Shroud Promet 2.75x14.95"	No	8	196.3	M	1444.01
4MXL75L380-15A	Mech. Lip Shroud Promet Left 2.75x15" 15º	No	8	194.0	M	1444.01
4MXL75R380-15A	Mech. Lip Shroud Promet Right 2.75x15" 15º	No	8	194.0	M	1444.01
4MXL75C425-A	Mech. Lip Shroud ProMet 2.75x16.73"	Yes	1	220.0	M	1470.09
4MXL75L455-15A	Mech. Lip Shroud ProMet Left 2.75x17" 15º	Yes	1	233.0	M	1470.09
4MXL75R455-15A	Mech. Lip Shroud ProMet Right 2.75x17" 15º	Yes	1	233.0	M	1470.09
1MX70-90WB-B	Weldable Base Promet III 70/90	Yes	1	3.6	C	57.62
2MX70-90-B	Mechanical locking ProMet III Size 70-90	Yes	1	2.1	C	133.10
3MT12-34	Removal Tool 1/2" - 3/4"	Yes	1	6.0	P	66.62
Size	80					
4MX80C235-A	Mech. Lip Shroud ProMet 3.00x9.25"	Yes	1	97.0	M	995.15
4MX80L235-14A	Mech. Lip Shroud ProMet Left 3.00x9.25"	Yes	1	97.0	M	995.15
4MX80R235-14A	Mech. Lip Shroud ProMet Right 3.00x9.25"	Yes	1	97.0	M	995.15
4MX80C300-A	Mech. Lip Shroud ProMet 3.00x11.80"	Yes	1	116.0	M	1207.75
4MX80L300-14A	Mech. Lip Shroud ProMet Left 3.00x12" 14	Yes	1	117.1	M	1207.75
4MX80R300-14A	Mech. Lip Shroud ProMet Right 3.00x12" 14	Yes	1	117.1	M	1207.75
1MX70-90WB-B	Weldable Base Promet III 70/90	Yes	1	3.6	C	57.62
2MX70-90-B	Mechanical locking ProMet III Size 70-90	Yes	1	2.1	C	133.10
3MT12-34	Removal Tool 1/2" - 3/4"	Yes	1	6.0	P	66.62
Size	90					
4MX90C240-A	Mech. Lip Shroud ProMet 3.5x9.45"	Yes	1	101.0	M	1064.75
4MX90L240-14A	Mech. Lip Shroud ProMet Left 3.5x10" 14º	Yes	1	104.5	M	1064.75
4MX90R240-14A	Mech. Lip Shroud ProMet Right 3.5x10" 14º	Yes	1	104.5	M	1064.75
4MX90C320-A	Mech. Lip Shroud ProMet 3.5x12.60"	Yes	1	121.0	M	1224.42
4MX90L320-14A	Mech. Lip Shroud ProMet Left 3.5x13" 14º	Yes	1	123.0	M	1224.42
4MX90R320-14A	Mech. Lip Shroud ProMet Right 3.5x13" 14º	Yes	1	123.0	M	1224.42
4MX90C360-A	Mech. Lip Shroud ProMet 3.5x14.17"	Yes	1	136.0	M	1317.06
4MX90L360-14A	Mech. Lip Shroud ProMet Left 3.5x14" 14º	Yes	1	136.0	M	1317.06
4MX90R360-14A	Mech. Lip Shroud ProMet Right 3.5x14" 14º	Yes	1	136.0	M	1317.06
4MXL90C435-A	Mech. Lip Shroud Promet 3.5x17"	No	8	305.5	M	2521.56
4MXL90L435-15A	Mech. Lip Shroud Promet Left 3.5x17" 15º	No	8	308.0	M	2521.56
4MXL90R435-15A	Mech. Lip Shroud Promet Right 3.5x17" 15º	No	8	308.0	M	2521.56
1MX70-90WB-B	Weldable Base Promet III 70/90	Yes	1	3.6	C	57.62
2MX70-90-B	Mechanical locking ProMet III Size 70-90	Yes	1	2.1	C	133.10
3MT12-34	Removal Tool 1/2" - 3/4"	Yes	1	6.0	P	66.62

**MTG**

Price List 2025

In Stock (Yes/No)	Min. Batch	Weight (Lb)	Disc. Code	Price List USD
----------------------	------------	----------------	---------------	-------------------

Size 100

4MX100C290-A	Mech. Lip Shroud ProMet 4.00x11.42"	Yes	1	178.0	M	1568.81
4MX100L290-15A	Mech. Lip Shroud ProMet Left 4x11" 15°	Yes	1	178.0	M	1568.81
4MX100R290-15A	Mech. Lip Shroud ProMet Right 4x11" 15°	Yes	1	178.0	M	1568.81
4MX100C345-A	Mech. Lip Shroud ProMet 4.00x13.58"	Yes	1	205.4	M	1698.94
4MX100L345-15A	Mech. Lip Shroud ProMet Left 4x14" 15°	Yes	1	206.5	M	1698.94
4MX100R345-15A	Mech. Lip Shroud ProMet Right 4x14" 15°	Yes	1	206.5	M	1698.94
4MX100C410-A	Mech. Lip Shroud ProMet 4.00x16.14"	Yes	1	220.0	M	1796.76
4MX100L410-10A	Mech. Lip Shroud ProMet Left 4x16" 10°	Yes	1	228.5	M	1796.76
4MX100L410-15A	Mech. Lip Shroud ProMet Left 4x16" 15°	Yes	1	220.0	M	1796.76
4MX100R410-10A	Mech. Lip Shroud ProMet Right 4x16" 10°	Yes	1	228.5	M	1796.76
4MX100R410-15A	Mech. Lip Shroud ProMet Right 4x16" 15°	Yes	1	220.0	M	1796.76
4MXL100C410-A	Mech. Lip Shroud ProMet 4.00x16"	Yes	1	416.0	M	3054.60
4MXL100L410-15A	Mech. Lip Shroud ProMet Left 4x16" 15°	Yes	1	416.0	M	3054.60
4MXL100R410-15A	Mech. Lip Shroud ProMet Right 4x16" 15°	Yes	1	416.0	M	3054.60
4MXL100C440-A	Mech. Lip Shroud ProMet 4.00x17"	Yes	1	440.0	M	3733.40
4MXL100L440-15A	Mech. Lip Shroud ProMet Left 4.0x17 15°	Yes	1	440.0	M	3733.40
4MXL100L440-20A	Mech. Lip Shroud ProMet Left 4.0x17 20°	No	4	410.0	M	3733.40
4MXL100R440-15A	Mech. Lip Shroud ProMet Right 4x17" 15°	Yes	1	440.0	M	3733.40
4MXL100R440-20A	Mech. Lip Shroud ProMet Right 4x17" 20°	No	4	410.0	M	3733.40
4MXL100C622-A	Mech. Lip Shroud ProMet 4.00x24.5"	No	4	645.0	M	4664.67
2MX100-140-B	Mech. locking ProMet III Size 100-140	Yes	1	3.8	M	146.35
1MX100-140WB-B	Weldable Base Promet III 100/140	Yes	1	6.0	M	75.22
3MT12-34	Removal Tool 1/2" - 3/4"	Yes	1	6.0	P	66.62

Size 120

4MX120C325-A	Mech. Lip Shroud ProMet 4.75x13"	Yes	1	251.0	M	1716.51
4MX120L325-15A	Mech. Lip Shroud ProMet Left 4.8x13" 15°	Yes	1	249.0	M	1716.51
4MX120R325-15A	Mech. Lip Shroud ProMet Right 4.8x13" 15°	Yes	1	249.0	M	1716.51
4MX120C380-A	Mech. Lip Shroud ProMet 4.75x15"	Yes	1	275.0	M	1920.74
4MX120L380-11A	Mech. Lip Shroud ProMet Left 4.8x15" 11°	No	8	267.4	M	1920.74
4MX120L380-15A	Mech. Lip Shroud ProMet Left 4.8x15" 15°	Yes	1	273.0	M	1920.74
4MX120R380-11A	Mech. Lip Shroud ProMet Right 4.8x15" 11°	No	8	267.4	M	1920.74
4MX120R380-15A	Mech. Lip Shroud ProMet Right 4.8x15" 15°	Yes	1	273.0	M	1920.74
4MX120C395-A	Mech. Lip Shroud ProMet 4.75x15.5"	No	8	297.0	M	2550.53
4MX120L395-22A	Mech. Lip Shroud ProMet Left 4.8x15.5" 22°	No	8	299.0	M	2550.53
4MX120R395-22A	Mech. Lip Shroud ProMet Right 4.8x15.5" 22°	No	8	299.0	M	2550.53
4MX120C410-A	Mech. Lip Shroud ProMet 4.75x16"	No	8	288.0	M	2050.89
4MX120L410-15A	Mech. Lip Shroud ProMet Left 4.8x16" 15°	No	8	286.0	M	2050.89
4MX120R410-15A	Mech. Lip Shroud ProMet Right 4.8x16" 15°	No	8	286.0	M	2050.89
4MX120C440-A	Mech. Lip Shroud ProMet 4.75x17"	No	1	288.0	M	2159.55
4MX120L440-11A	Mech. Lip Shroud ProMet Left 4.8x17" 11°	No	1	267.4	M	2159.55
4MX120R440-11A	Mech. Lip Shroud ProMet Right 4.8x17" 11°	No	1	267.4	M	2159.55
4MX120C535-A	Mech. Lip Shroud ProMet 4.75x21"	No	8	343.0	M	2280.92
4MX120L535-15A	Mech. Lip Shroud ProMet Left 4.8x21" 15°	No	8	341.0	M	2280.92
4MX120R535-15A	Mech. Lip Shroud ProMet Right 4.8x21" 15°	No	8	341.0	M	2280.92
2MX100-140-B	Mech. locking ProMet III Size 100-140	Yes	1	3.8	M	146.35
1MX100-140WB-B	Weldable Base Promet III 100/140	Yes	1	6.0	M	75.22
3MT12-34	Removal Tool 1/2" - 3/4"	Yes	1	6.0	P	66.62

**MTG**

Price List 2025

In Stock (Yes/No)	Min. Batch	Weight (Lb)	Disc. Code	Price List USD
----------------------	------------	----------------	---------------	-------------------

Size 140

4MX140C420-A	Mech. Lip Shroud ProMet 5.50x17"	Yes	1	357.0	M	3150.20
4MX140L420-11A	Mech. Lip Shroud ProMet Left 5.5x17" 11°	Yes	1	356.5	M	3150.20
4MX140R420-11A	Mech. Lip Shroud ProMet Right 5.5x17" 11°	Yes	1	356.5	M	3150.20
4MX140C465-A	Mech. Lip Shroud ProMet 5.50x18"	Yes	1	399.0	M	3354.02
4MX140L465-11A	Mech. Lip Shroud ProMet Left 5.5x18" 11°	Yes	1	399.0	M	3354.02
4MX140R465-11A	Mech. Lip Shroud ProMet Right 5.5x18" 11°	Yes	1	399.0	M	3354.02
4MX140C490-A	Mech. Lip Shroud ProMet 5.50x19"	Yes	1	414.0	M	3483.71
4MX140L490-11A	Mech. Lip Shroud ProMet Left 5.5x19" 11°	No	4	414.0	M	3483.71
4MX140R490-11A	Mech. Lip Shroud ProMet Right 5.5x19" 11°	No	4	414.0	M	3483.71
4MX140C575-A	Mech. Lip Shroud ProMet 5.50x23"	No	8	437.5	M	3872.87
4MX140L575-11A	Mech. Lip Shroud ProMet Left 5.5x23" 11°	Yes	1	437.5	M	3872.87
4MX140R575-11A	Mech. Lip Shroud ProMet Right 5.5x23" 11°	Yes	1	437.5	M	3872.87
2MX100-140-B	Mech. locking ProMet III Size 100-140	Yes	1	3.8	M	146.35
1MX100-140WB-B	Weldable Base Promet III 100/140	Yes	1	6.0	M	75.22
3MT12-34	Removal Tool 1/2" - 3/4"	Yes	1	6.0	P	66.62

Size 160

4MX160C520FS-B	MTG PROT PROMET 160 520FS- 14B	No	4	570.0	M	5744.87
4MX160L520FS-14B	Mech. Lip Shroud ProMet Left	No	4	575.0	M	5744.87
4MX160R520FS-14B	Mech. Lip Shroud ProMet Right	No	4	575.0	M	5744.87
4MX160C430-B	Mech. Lip Shroud ProMet 6.00x17	No	4	456.0	M	3469.00
4MX160L450-14B	Mech. Lip Shroud ProMet Left 6.00x17.7" 14°	No	4	476.0	M	3653.20
4MX160R450-14B	Mech. Lip Shroud ProMet Right 6.00x17.7" 14°	No	4	476.0	M	3653.20
4MX160L570-14B	Mech. Lip Shroud ProMet Left 6.00x22" 14°	No	4	593.0	M	4277.96
4MX160R570-14B	Mech. Lip Shroud ProMet Right 6.00x22" 14°	No	4	593.0	M	4277.96
1MY5/7CLT-WB	Weldable Base CL Terra &160 Lip S	Yes	1	6.0	M	286.02
2MY5/7CLT	Pin ProMet	Yes	1	4.2	M	595.63

Size BK600

4MXBK600C260-A	Mech. Lip Shroud ProMet BK6.00	No	8	205.3	M	2089.67
4MXBK600CC260-A	Mech. Lip Shroud ProMet BK6.00	No	1	211.8	M	2048.10
1MXWR6-WB	Weldable Base ProMet BK6.00	Yes	1	7.2	M	667.84
2MXWR6	Locking Lip Shroud ProMet BK6.00	Yes	1	4.0	M	823.91
3MXBK600	Gauge Berkeley Shroud	No	1	9.4	M	2145.63



Price List 2025

		In Stock (Yes/No)	Min. Batch	Weight (Lb)	Disc. Code	Price List USD
MTG Systems ProMet Lateral						
Size	1					
4MY1CLT	Lower Wing shroud Cast Lip Terra 1	Yes	1	137.2	M	1184.45
2MX70-90-B	Mechanical locking ProMet III Size 70-90	Yes	1	2.1	C	133.10
1MY1CLT-WB	Weldable Base Promet Cast Lip Terra 1	Yes	1	3.6	M	134.55
1MY1CLT-WBX	Stopper Promet Cast Lip Terra 1	Yes	1	20.5	M	616.28
Size	3					
4MY3CLT	Lower Wing shroud Cast Lip Terra 3	Yes	1	211.9	M	1851.12
1MY5/7CLT-WB	Weldable Base CL Terra &160 Lip S	Yes	1	6.0	M	286.02
2MY5/7CLT	Pin ProMet	Yes	1	4.2	M	595.63
Size	5					
4MY5CLT	Lower Wing shroud Cast Lip Terra 5	Yes	1	285.5	M	2450.94
4MY5CLH	Lower Wing shroud Cast Lip HD 5	No	8	198.2	M	1707.14
1MY5/7CLT-WB	Weldable Base CL Terra &160 Lip S	Yes	1	6.0	M	286.02
2MY5/7CLT	Pin ProMet	Yes	1	4.2	M	595.63
3MY5/7T	Cast Lip Terra Wing Shroud gauge	Yes	1	13.0	M	2191.19
Size	7					
4MY7CLT	Lower Wing shroud Cast Lip Terra 7	Yes	1	329.5	M	2450.94
4MY7CLT-2	Lower Wing shroud Cast Lip Terra 7	Yes	1	354.0	M	2695.91
1MY5/7CLT-WB	Weldable Base CL Terra &160 Lip S	Yes	1	6.0	M	286.02
2MY5/7CLT	Pin ProMet	Yes	1	4.2	M	595.63
3MY5/7T	Cast Lip Terra Wing Shroud gauge	Yes	1	13.0	M	2191.19
Size	30					
4MY30U480	Mech. Lateral Shroud ProMet 1.18x18.90"	Yes	1	33.4	C	320.02
1MY30/60UWB	Weldable Base ProMet 30/60	Yes	1	2.3	C	47.93
2MY30/40UP	Pin ProMet Size 30/40	Yes	1	0.3	C	44.11
2MY30/60UR	Retainer ProMet Size 30/60	Yes	1	0.0	C	10.60
3MT38-12	Removal Tool 3/8" - 1/2"	Yes	1	5.4	P	66.77
Size	40					
4MY40U480	Mech. Lateral Shroud ProMet 1.57x18.90"	Yes	1	32.9	C	320.02
4MY40U480X-S	Mech. Lateral Shroud ProMet 1.57x18.90"	Yes	1	56.6	C	485.42

**MTG**

Price List 2025

		In Stock (Yes/No)	Min. Batch	Weight (Lb)	Disc. Code	Price List USD
1MY30/60UWB	Weldable Base ProMet 30/60	Yes	1	2.3	C	47.93
1MY40/50WB-B	Weldable Base ProMet 40/50	Yes	1	2.9	C	43.47
1MY40/50WBX2-S	Stopper ProMet 40/50	Yes	1	6.7	C	135.59
1MY40/50WBX-S	Stopper ProMet 40/50	Yes	1	2.2	C	61.07
2MY30/40UP	Pin ProMet Size 30/40	Yes	1	0.3	C	44.11
2MY30/60UR	Retainer ProMet Size 30/60	Yes	1	0.0	C	10.60
2MX40-60-B	Pin ProMet Size 40-60	Yes	1	2.2	C	123.17
3MT38-12	Removal Tool 3/8" - 1/2"	Yes	1	5.4	P	66.77
Size 50						
4MY50U600	Mech. Lateral Shroud ProMet 1.97x23.62"	Yes	1	63.0	C	589.60
4MYL50U1000	Mech. Lateral Shroud ProMet 1.97x39.57"	Yes	1	135.6	C	1067.93
4MY50U600X-S	Mech. Lateral Shroud ProMet 1.97x23.62"	Yes	1	95.5	C	785.57
1MY30/60UWB	Weldable Base ProMet 30/60	Yes	1	2.3	C	47.93
1MY40/50WB-B	Weldable Base ProMet 40/50	Yes	1	2.9	C	43.47
1MY40/50WBX2-S	Stopper ProMet 40/50	Yes	1	6.7	C	135.59
1MY40/50WBX-S	Stopper ProMet 40/50	Yes	1	2.2	C	61.07
2MY30/60UR	Retainer ProMet Size 30/60	Yes	1	0.0	C	10.60
2MY50/60UP	Pin ProMet Size 50/60	Yes	1	0.4	C	67.72
2MX40-60-B	Pin ProMet Size 40-60	Yes	1	2.2	C	123.17
3MT38-12	Removal Tool 3/8" - 1/2"	Yes	1	5.4	P	66.77
Size 60						
4MY60U600	Mech. Lateral Shroud ProMet 2.35x23.62"	Yes	1	62.5	C	589.60
4MYL60U1000	Mech. Lateral Shroud ProMet 2.35x39.57"	Yes	8	133.6	C	1052.61
4MY60U550X	Mech. Lateral Shroud ProMet 2.35x21.65"	Yes	1	126.3	M	1078.04
1MY30/60UWB	Weldable Base ProMet 30/60	Yes	1	2.3	C	47.93
1MY60/80UWBX	Weldable Base ProMet 60/80	Yes	1	16.6	M	244.51
2MY30/60UR	Retainer ProMet Size 30/60	Yes	1	0.0	C	10.60
2MY50/60UP	Pin ProMet Size 50/60	Yes	1	0.4	C	67.72
2MY60/80URX	Retainer ProMet Size 60/80	Yes	1	0.0	M	46.26
2MY60/65UPX	Pin ProMet Size 60/65	Yes	1	2.2	M	87.08
3MT38-12	Removal Tool 3/8" - 1/2"	Yes	1	5.4	P	66.77
Size 65						
4MY65U550X	Mech. Lateral Shroud ProMet 2.55x21.65"	Yes	1	127.0	M	1078.04
1MY60/80UWBX	Weldable Base ProMet 60/80	Yes	1	16.6	M	244.51
2MY60/80URX	Retainer ProMet Size 60/80	Yes	1	0.0	M	46.26
2MY60/65UPX	Pin ProMet Size 60/65	Yes	1	2.2	M	87.08
3MT12-34	Removal Tool 1/2" - 3/4"	Yes	1	6.0	P	66.62
Size 70						
4MY70U550X	Mech. Lateral Shroud ProMet 2.75x21.65"	Yes	1	167.0	M	1335.79

**MTG**

Price List 2025

		In Stock (Yes/No)	Min. Batch	Weight (Lb)	Disc. Code	Price List USD
1MY60/80UWBX	Weldable Base ProMet 60/80	Yes	1	16.6	M	244.51
2MY60/80URX	Retainer ProMet Size 60/80	Yes	1	0.0	M	46.26
2MY70/80UPX	Pin ProMet Size 70/80	Yes	1	3.4	M	87.08
3MT12-34	Removal Tool 1/2" - 3/4"	Yes	1	6.0	P	66.62
Size 75						
4MY75U550X	Mech. Lateral Shroud ProMet 2.95x21.65"	Yes	1	159.5	M	1335.79
1MY60/80UWBX	Weldable Base ProMet 60/80	Yes	1	16.6	M	244.51
2MY60/80URX	Retainer ProMet Size 60/80	Yes	1	0.0	M	46.26
2MY70/80UPX	Pin ProMet Size 70/80	Yes	1	3.4	M	87.08
3MT12-34	Removal Tool 1/2" - 3/4"	Yes	1	6.0	P	66.62
Size 80						
4MY80U550X	Mech. Lateral Shroud ProMet 3.15x21.65"	Yes	1	164.5	M	1335.79
4MY80U550X-S	Mech. Lateral Shroud ProMet 3.15x21.65"	Yes	1	200.0	M	2743.79
1MY60/80UWBX	Weldable Base ProMet 60/80	Yes	1	16.6	M	244.51
1MY80/140WBX2-S	Weldable Base Promet 80/140	Yes	1	33.0	M	756.15
1MY80/140WBX-S	Weldable Base Promet 80/140	Yes	1	17.0	M	396.75
1MY5/7CLT-WB	Weldable Base CL Terra &160 Lip S	Yes	1	6.0	M	286.02
2MY60/80URX	Retainer ProMet Size 60/80	Yes	1	0.0	M	46.26
2MY5/7CLT	Pin ProMet	Yes	1	4.2	M	595.63
2MY70/80UPX	Pin ProMet Size 70/80	Yes	1	3.4	M	87.08
3MT12-34	Removal Tool 1/2" - 3/4"	Yes	1	6.0	P	66.62
Size 90						
4MY90U626X	Mech. Lateral Shroud ProMet 3.58x24.65"	Yes	1	259.8	M	2155.39
4MY90U626X-S	Mech. Lateral Shroud ProMet 3.58x24.65"	Yes	1	291.0	M	3274.48
1MY80/140WBX2-S	Weldable Base Promet 80/140	Yes	1	33.0	M	756.15
1MY80/140WBX-S	Weldable Base Promet 80/140	Yes	1	17.0	M	396.75
1MY90UWBX	Weldable Base ProMet 90	Yes	1	32.8	M	322.16
1MY5/7CLT-WB	Weldable Base CL Terra &160 Lip S	Yes	1	6.0	M	286.02
2MY5/7CLT	Pin ProMet	Yes	1	4.2	M	595.63
2MY90/140URX	Retainer ProMet Size 90/140	Yes	1	0.0	M	46.26
2MY90UPX	Pin ProMet II Size 90	Yes	1	4.2	M	90.98
3MT12-34	Removal Tool 1/2" - 3/4"	Yes	1	6.0	P	66.62
Size 120						
4MY120U760X	Mech. Lateral Shroud ProMet 4.72x29.92"	Yes	1	403.0	M	3271.39
4MY120U760X-S	Mech. Lateral Shroud ProMet 4.72x29.92"	Yes	1	413.5	M	4053.61

**MTG**

Price List 2025

		In Stock (Yes/No)	Min. Batch	Weight (Lb)	Disc. Code	Price List USD
1MY80/140WBX2-S	Weldable Base Promet 80/140	Yes	1	33.0	M	756.15
1MY80/140WBX-S	Weldable Base Promet 80/140	Yes	1	17.0	M	396.75
1MY120/140UWBX	Weldable Base ProMet 120/140	Yes	1	47.4	M	536.97
1MY5/7CLT-WB	Weldable Base CL Terra &160 Lip S	Yes	1	6.0	M	286.02
3MY120	Gauge Promet Wing 120	No	1	2.0	M	567.18
2MY5/7CLT	Pin ProMet	Yes	1	4.2	M	595.63
2MY90/140URX	Retainer ProMet Size 90/140	Yes	1	0.0	M	46.26
2MY120UPX	Pin ProMet II Size 120	Yes	1	5.6	M	109.24
Size 140						
4MY140U700X-S	Mech. Lateral Shroud Promet 5.50x27.55"	No	4	417.5	M	4568.88
4MY140U800X	Mech. Lateral Shroud ProMet 5.50x31.50"	No	16	429.8	M	2967.65
4MY140U800X-S	Mech. Lateral Shroud Promet 5.50x31.50"	Yes	1	462.8	M	4290.55
1MY80/140WBX2-S	Weldable Base Promet 80/140	Yes	1	33.0	M	756.15
1MY80/140WBX-S	Weldable Base Promet 80/140	Yes	1	17.0	M	396.75
1MY120/140UWBX	Weldable Base ProMet 120/140	Yes	1	47.4	M	536.97
1MY5/7CLT-WB	Weldable Base CL Terra &160 Lip S	Yes	1	6.0	M	286.02
2MY5/7CLT	Pin ProMet	Yes	1	4.2	M	595.63
2MY90/140URX	Retainer ProMet Size 90/140	Yes	1	0.0	M	46.26
2MY140UPX	Pin ProMet II Size 140	Yes	1	6.8	M	117.17
Size 30/50						
4MX30/50LA	Mech. Lateral Shroud ProMet 1.18x1.97"	No	60	24.0	C	347.26
4MX30/50LS	Mech. Lateral Shroud ProMet 1.18x1.97"	No	72	25.5	C	363.05
1MX30/50WBL	Mechanical Base ProMet Size 30/50	No	384	3.7	C	47.89
2MX30/50PL	Pin ProMet Size 30/50	Yes	1	0.2	C	44.15
2MX30/80RL	Retainer ProMet Size 30/80	Yes	1	0.0	C	10.64
3MT38-12	Removal Tool 3/8" - 1/2"	Yes	1	5.4	P	66.77
Size 60/80						
4MX60/80LA	Mech. Lateral Shroud ProMet 2.36x3.15"	No	24	55.2	C	676.98
4MX60/80LS	Mech. Lateral Shroud ProMet 2.36x3.15"	No	24	61.9	C	830.11
1MX60/80WBL	Weldable Base ProMet 60/80	Yes	1	7.4	C	78.15
2MX30/80RL	Retainer ProMet Size 30/80	Yes	1	0.0	C	10.64
2MX60/80PL	Pin ProMet Size 60/80	No	1	0.3	C	53.44
3MT12-34	Removal Tool 1/2" - 3/4"	Yes	1	6.0	P	66.62
Size BK600						
4MYBK600M318-A	Mech. Lateral Shroud ProMet BK6.00	No	8	252.5	M	2601.03
4MYBK600U306-A	Mech. Lateral Shroud ProMet BK6.00	No	8	240.0	M	2601.03
1MXWR6-WB	Weldable Base ProMet BK6.00	Yes	1	7.2	M	667.84
2MXWR6	Locking Lip Shroud ProMet BK6.00	Yes	1	4.0	M	823.91
3MXBK600	Gauge Berkeley Shroud	No	1	9.4	M	2145.63



Price List 2025

		In Stock (Yes/No)	Min. Batch	Weight (Lb)	Disc. Code	Price List USD
MTG Systems RipMet						
Size	45					
1ME45WA	Adapt RipMet Weld-on Size 45	No	12	153.5	C	2509.35
1ME45WN	Adapt RipMet Weld-on Nose Size 45	No	48	39.7	C	662.48
ME45AX	Tooth RipMet Abrasion HD Size 45	No	48	35.1	C	232.95
ME45I	Tooth RipMet Impact Size 45	Yes	1	33.1	C	224.20
ME45PX	Tooth RipMet Penetration HD Size 45	Yes	1	31.4	C	224.20
ME45S	Tooth RipMet Standard Size 45	No	48	38.5	C	227.60
ME45V	Tooth RipMet Vector Size 45	No	48	31.4	C	207.50
4ME45S2	Shroud RipMet Size 45	No	40	33.1	C	456.48
2ME45/55B	Weldable Base RipMet Size 45/55	No	1	0.3	C	14.85
2ME45PR	Pin & Retainer RipMet Size 45	Yes	1	1.5	C	106.53
3MT12-34	Removal Tool 1/2" - 3/4"	Yes	1	6.0	P	66.62
Size	50					
1ME50WA	Adapt RipMet Weld-on Size 50	No	8	327.3	C	5283.24
1ME50WN	Adapt RipMet Weld-on Nose Size 50	No	24	97.0	C	1567.22
ME50AX	Tooth RipMet Abrasion HD Size 50	Yes	1	64.3	C	386.04
ME50I	Tooth RipMet Impact Size 50	Yes	1	61.1	C	365.02
ME50PX	Tooth RipMet Penetration HD Size 50	Yes	1	54.7	C	365.02
ME50S	Tooth RipMet Standard Size 50	Yes	1	69.7	C	378.47
ME50V	Tooth RipMet Vector Size 50	Yes	1	56.6	C	378.78
4ME50S2-A	Shroud RipMet Size 50	Yes	1	84.2	C	655.30
2ME45/55B	Weldable Base RipMet Size 45/55	No	1	0.3	C	14.85
2ME50PR	Pin & Retainer RipMet Size 50	Yes	1	2.1	C	112.84
3MT12-34	Removal Tool 1/2" - 3/4"	Yes	1	6.0	P	66.62
Size	55					
1ME55WN	Adapt RipMet Weld-on Nose Size 55	Yes	1	135.6	C	2194.11
ME55AX	Tooth RipMet Abrasion HD Size 55	Yes	1	98.9	C	517.01
ME55I	Tooth RipMet Impact Size 55	Yes	1	90.9	C	503.48
ME55P	Tooth RipMet Penetration Size 55	No	24	101.9	C	517.01
ME55V	Tooth RipMet Vector Size 55	No	24	103.0	C	529.98
4ME55S2	Shroud RipMet Size 55	Yes	1	126.4	C	1264.30
2ME45/55B	Weldable Base RipMet Size 45/55	No	1	0.3	C	14.85
2ME55PR	Pin & Retainer RipMet Size 55	Yes	1	3.7	C	133.18
3MT12-34	Removal Tool 1/2" - 3/4"	Yes	1	6.0	P	66.62

**MTG**

Price List 2025

		In Stock (Yes/No)	Min. Batch	Weight (Lb)	Disc. Code	Price List USD
MTG Systems KingMet						
Size	5					
1MG5FC	Adapt KingMet Weld Flush 0.50-0.75" Lip	Yes	1	2.2	C	29.81
1MG5UC	Adapt KingMet Weld-UC 0.50-0.75" Lip	Yes	1	2.0	C	25.14
1MG5WN	Adapt KingMet Weld-on Nose	No	896	1.7	C	21.15
MG5L	Tooth KingMet Long Size 5	Yes	1	1.6	C	12.38
MG5U	Tooth KingMet Universal Size 5	Yes	1	1.6	C	13.87
MG5V	Tooth KingMet Vector Size 5	Yes	1	1.6	C	16.63
2MG5/8MR	Metal Ret. KingMet Size 5/8	No	1	0.0	C	4.00
2MG5/8R	Retainer KingMet Size 5/8	Yes	1	0.0	C	3.06
2MG5P	Pin & Retainer KingMet Size 5	Yes	1	0.0	C	9.49
2MG5PMR	Pin & Metal Ret. KingMet Size 5	No	1	0.0	C	10.41
3MG5/15O	Removal Tool KingMet Size 5/15	No	1	2.0	C	78.90
Size	8					
1MG8FC	Adapt KingMet Weld Flush 0.50-0.75" Lip	Yes	1	4.1	C	47.70
1MG8UC	Adapt KingMet Weld-UC 0.50-1.00" Lip	Yes	1	3.6	C	37.28
1MG8WC	Adapt KingMet Weld-Center 1.00" Lip	No	500	4.0	C	42.78
1MG8WN	Adapt KingMet Weld-on Nose	No	704	2.2	C	34.81
MG8F	Tooth KingMet Flared Size 8	No	448	3.4	C	33.76
MG8L	Tooth KingMet Long Size 8	Yes	1	2.1	C	23.62
MG8U	Tooth KingMet Universal Size 8	Yes	1	2.1	C	23.65
MG8V	Tooth KingMet Vector Size 8	Yes	1	2.0	C	26.26
MG8W	Tooth KingMet D. Vector Size 8	No	256	2.4	C	31.47
2MG5/8MR	Metal Ret. KingMet Size 5/8	No	1	0.0	C	4.00
2MG5/8R	Retainer KingMet Size 5/8	Yes	1	0.0	C	3.06
2MG8P	Pin & Retainer KingMet Size 80	Yes	1	0.0	C	9.49
2MG8PMR	Pin & Metal Ret. KingMet Size 8	No	1	0.0	C	10.41
3MG5/15O	Removal Tool KingMet Size 5/15	No	1	2.0	C	78.90
Size	10					
1MG10FC	Adapt KingMet Weld Flush 0.75-1.00" Lip	No	240	9.2	C	99.65
1MG10FC2	Adapt KingMet Weld Flush 1.00-1.25" Lip	No	144	8.0	C	99.65
1MG10UC	Adapt KingMet Weld-UC 0.75-1.25" Lip	No	512	5.6	C	62.15
1MG10WC	Adapt KingMet Weld-Center 1.00" Lip	Yes	1	8.7	C	87.19
1MG10WN	Adapt KingMet Weld-on Nose	No	560	3.7	C	54.50
MG10E	Tooth KingMet Extra Size 10	No	256	4.1	C	56.97
MG10F	Tooth KingMet Flared Size 10	No	336	5.3	C	69.19
MG10L	Tooth KingMet Long Size 10	Yes	1	4.9	C	49.08
MG10U	Tooth KingMet Universal Size 10	Yes	1	4.9	C	52.66
MG10V	Tooth KingMet Vector Size 10	No	352	3.6	C	44.77
MG10W	Tooth KingMet D. Vector Size 10	Yes	1	4.9	C	55.70
2MG10/15MR	Metal Ret. KingMet Size 10/15	No	1	0.0	C	6.07
2MG10/15PR	Pin & Retainer KingMet Size 10/15	Yes	1	0.1	C	11.65
3MG5/15O	Removal Tool KingMet Size 5/15	No	1	2.0	C	78.90

**MTG**

Price List 2025

		In Stock (Yes/No)	Min. Batch	Weight (Lb)	Disc. Code	Price List USD
Size 15						
1MG15FC	Adapt KingMet Weld Flush 1.00-1.25" Lip	No	120	14.5	C	149.06
1MG15WC	Adapt KingMet Weld-Center 1.25" Lip	No	190	11.2	C	113.94
1MG15WC3	Adapt KingMet Weld-Center 1.40" Lip	No	144	11.1	C	113.94
1MG15WN	Adapt KingMet Weld-on Nose	No	336	6.0	C	101.20
MG15A	Tooth KingMet Abrasion Size 15	No	160	14.4	C	127.85
MG15E	Tooth KingMet Extra Size 15	No	1	7.3	C	78.47
MG15F	Tooth KingMet Flared Size 15	No	240	8.7	C	99.95
MG15L	Tooth KingMet Long Size 15	Yes	1	7.3	C	69.98
MG15S	Tooth KingMet Standard Size 15	No	336	5.5	C	63.58
MG15U	Tooth KingMet Universal Size 15	Yes	1	6.0	C	70.12
MG15V	Tooth KingMet Vector Size 15	No	280	5.4	C	63.39
MG15W	Tooth KingMet D. Vector Size 15	No	168	7.3	C	78.47
2MG10/15MR	Metal Ret. KingMet Size 10/15	No	1	0.0	C	6.07
2MG10/15PR	Pin & Retainer KingMet Size 10/15	Yes	1	0.1	C	11.65
2MG10/15RR	Retainer KingMet Size 10/15	No	10	0.0	C	4.65
3MG5/15O	Removal Tool KingMet Size 5/15	No	1	2.0	C	78.90
Size 20						
1MG20FC	Adapt KingMet Weld Flush 1.40-1.55" Lip	No	48	21.5	C	204.20
1MG20UC	Adapt KingMet Weld-UC 1.00-1.40" Lip	No	128	16.7	C	153.60
1MG20WC	Adapt KingMet Weld-Center 1.40" Lip	No	115	19.7	C	187.91
1MG20WC2	Adapt KingMet Weld-Center 1.50" Lip	No	96	20.1	C	183.92
MG20A	Tooth KingMet Abrasion Size 20	No	120	18.2	C	143.93
MG20E	Tooth KingMet Extra Size 20	Yes	1	12.5	C	107.74
MG20F	Tooth KingMet Flared Size 20	No	120	13.0	C	137.35
MG20L	Tooth KingMet Long Size 20	Yes	1	12.5	C	117.54
MG20S	Tooth KingMet Standard Size 20	No	252	9.2	C	90.73
MG20U	Tooth KingMet Universal Size 20	Yes	1	10.9	C	96.98
MG20V	Tooth KingMet Vector Size 20	Yes	1	9.3	C	100.32
MG20W	Tooth KingMet D. Vector Size 20	No	96	12.5	C	136.79
2MG20/30RR	Retainer KingMet Size 20/30	No	10	0.0	C	9.77
2MG20PR	Pin & Retainer KingMet Size 20	Yes	1	0.1	C	25.51
3MG20/40O	Removal Tool KingMet Size 20/40	No	1	2.9	C	71.13
Size 30						
1MG30UC	Adapt KingMet Weld-UC 1.25-1.75" Lip	No	60	26.0	C	230.55
1MG30WC	Adapt KingMet Weld-Center 1.50" Lip	No	80	26.8	C	246.39
1MG30WL	Adapt KingMet Corner-L 1.40-1.75" Lip	No	48	36.4	C	338.61
1MG30WN HS	Adapt KingMet Weld-on Nose HS	No	160	16.6	C	180.23



Price List 2025

		In Stock (Yes/No)	Min. Batch	Weight (Lb)	Disc. Code	Price List USD
MG30A	Tooth KingMet Abrasion Size 30	Yes	1	24.1	C	177.24
MG30E	Tooth KingMet Extra Size 30	Yes	1	18.3	C	142.46
MG30F	Tooth KingMet Flared Size 30	No	1	19.9	C	182.62
MG30H	Tooth KingMet Heavy Size 30	No	120	22.3	C	165.62
MG30L	Tooth KingMet Long Size 30	No	120	16.4	C	133.04
MG30U	Tooth KingMet Universal Size 30	Yes	1	14.8	C	116.20
MG30V	Tooth KingMet Vector Size 30	Yes	1	13.9	C	124.25
MG30W	Tooth KingMet D. Vector Size 30	Yes	1	17.9	C	158.34
2MG20/30RR	Retainer KingMet Size 20/30	No	10	0.0	C	9.77
2MG30/80R HS	Retainer KingMet HS Size 30/80	No	1	0.0	C	18.68
2MG30P HS	Pin KingMet HS Size 30	No	1	0.1	C	27.59
2MG30PR	Pin & Retainer KingMet Size 30	Yes	1	0.1	C	28.44
3MG20/40O	Removal Tool KingMet Size 20/40	No	1	2.9	C	71.13
Size 40						
1MG40WC7	Adapt KingMet Weld-Center 2.00" Lip	No	48	36.6	C	371.26
1MG40WN HS	Adapt KingMet Weld-on Nose HS	No	96	24.2	C	238.93
MG40A	Tooth KingMet Abrasion Size 40	No	48	36.5	C	245.38
MG40E	Tooth KingMet Extra Size 40	Yes	1	26.8	C	189.13
MG40F	Tooth KingMet Flared Size 40	No	1	28.8	C	227.71
MG40S	Tooth KingMet Standard Size 40	No	80	20.2	C	166.47
MG40U	Tooth KingMet Universal Size 40	Yes	1	21.9	C	169.02
MG40V	Tooth KingMet Vector Size 40	No	80	19.8	C	176.52
MG40W	Tooth KingMet D. Vector Size 40	No	60	25.6	C	218.67
4MG40M	Mechanical Wear Cap KingMet	No	224	3.8	C	34.51
2MG30/80R HS	Retainer KingMet HS Size 30/80	No	1	0.0	C	18.68
2MG40/55MR	Metal Ret. KingMet Size 40/55	No	1	0.0	C	20.92
2MG40/55RR	Retainer KingMet Size 40/55	No	1	0.0	C	16.26
2MG40PR	Pin & Retainer KingMet Size 40	No	1	0.2	C	34.57
3MG20/40O	Removal Tool KingMet Size 20/40	No	1	2.9	C	71.13
Size 55						
1MG55WC	Adapt KingMet Weld-Center 1.75" Lip	No	32	54.8	C	497.66
1MG55WC2 HS	Adapt KingMet Weld-Center HS 2.00" Lip	No	24	67.6	C	625.64
1MG55WC5	Adapt KingMet Weld-Center 2.25" Lip	No	32	56.6	C	497.66
1MG55WN HS	Adapt KingMet Weld-on Nose HS	No	72	34.5	C	285.48
MG55A	Tooth KingMet Abrasion Size 55	No	36	50.8	C	332.76
MG55E	Tooth KingMet Extra Size 55	Yes	1	35.9	C	240.89
MG55F	Tooth KingMet Flared Size 55	No	1	39.8	C	322.05
MG55U	Tooth KingMet Universal Size 55	No	64	31.3	C	220.14
MG55V	Tooth KingMet Vector Size 55	Yes	1	27.5	C	247.54
MG55W	Tooth KingMet D. Vector Size 55	Yes	1	36.5	C	287.91
4MG55M	Mechanical Wear Cap KingMet	No	168	7.5	C	68.79

**MTG**

Price List 2025

		In Stock (Yes/No)	Min. Batch	Weight (Lb)	Disc. Code	Price List USD
2MG30/80R HS	Retainer KingMet HS Size 30/80	No	1	0.0	C	18.68
2MG40/55MR	Metal Ret. KingMet Size 40/55	No	1	0.0	C	20.92
2MG40/55RR	Retainer KingMet Size 40/55	No	1	0.0	C	16.26
2MG55P HS	Pin KingMet HS Size 55	No	1	0.4	C	41.70
2MG55PMR	Pin & Metal Ret. KingMet Size 55	No	10	0.2	C	47.78
2MG55PR	Pin & Retainer KingMet Size 55	No	1	0.2	C	42.99
3MG55/80O	Removal Tool KingMet Size 55/80	No	1	2.1	C	111.31
Size 65						
MG65AX	Tooth KingMet Abrasion HD Size 65	No	1	79.1	C	519.32
MG65E	Tooth KingMet Extra Size 65	Yes	1	48.1	C	294.96
MG65F	Tooth KingMet Flared Size 65	No	32	62.5	C	504.19
MG65I	Tooth KingMet Impact Size 65	No	48	38.6	C	298.32
MG65V	Tooth KingMet Vector Size 65	No	48	37.2	C	325.63
MG65S	Tooth KingMet Standard Size 65	No	48	36.5	C	255.18
4MG65M	Mechanical Wear Cap KingMet	No	168	9.4	C	87.34
2MG30/80R HS	Retainer KingMet HS Size 30/80	No	1	0.0	C	18.68
2MG65/80RR	Retainer KingMet Size 65/80	No	10	0.0	C	23.36
2MG65P HS	Pin KingMet HS Size 65	No	500	1.6	C	52.92
2MG65PR	Pin & Retainer KingMet Size 65	No	1	0.3	C	54.50
3MG55/80O	Removal Tool KingMet Size 55/80	No	1	2.1	C	111.31
Size 80						
MG80E	Tooth KingMet Extra Size 80	No	24	62.3	C	367.61
MG80F	Tooth KingMet Flared Size 80	No	1	69.4	C	512.79
MG80P	Tooth KingMet Penetration Size 80	No	32	44.3	C	363.69
MG80U	Tooth KingMet Universal Size 80	No	32	50.1	C	336.83
MG80V	Tooth KingMet Vector Size 80	No	32	45.8	C	395.04
MG80W	Tooth KingMet D. Vector Size 80	No	24	59.2	C	446.91
4MG80M	Mechanical Wear Cap KingMet	No	168	11.3	C	103.15
2MG65/80RR	Retainer KingMet Size 65/80	No	10	0.0	C	23.36
2MG80PR	Pin & Retainer KingMet Size 80	No	1	0.4	C	62.92
3MG55/80O	Removal Tool KingMet Size 55/80	No	1	2.1	C	111.31
Size 125						
MG125E	Tooth KingMet Extra Size 125	No	24	83.7	M	472.08
MG125V	Tooth KingMet Vector Size 125	No	24	60.6	M	481.19
MG125W	Tooth KingMet D. Vector Size 125	No	12	82.2	M	516.29
4MG125M	Mechanical Wear Cap KingMet	No	96	16.3	M	213.58
2MG125PR	Pin & Retainer KingMet Size 125	No	1	1.5	M	106.17
3MG125/500T	Removal Tool KingMet Size 125/500	No	1	3.8	M	148.74



Price List 2025

		In Stock (Yes/No)	Min. Batch	Weight (Lb)	Disc. Code	Price List USD
Side-Pin Caterpillar (*)						
Size 20						
MC20L	Tooth Long Size 20	No	576	2.3	P	22.47
MC20S	Tooth Standard Size 20	Yes	1	2.2	P	22.43
MC20V	Tooth Vector Size 20	No	384	2.1	P	25.93
MC20W	Tooth D. Vector Size 20	No	256	3.4	P	31.99
R8E6208	Pin Size 20	No	1	0.0	P	1.94
R8E6209	Retainer Size 20	No	1	0.0	P	2.96
Size 22						
MC22S	Tooth Standard Size 22	No	320	4.1	P	31.85
Size 25						
MC25S	Tooth Standard Size 25	Yes	1	5.6	P	41.24
R8E6258	Pin Size 25	No	1	0.1	P	2.63
R8E6259	Retainer Size 22-25-30	Yes	1	0.0	P	3.08
Size 30						
MC30A	Tooth Abrasion Size 30	No	144	15.0	P	99.11
MC30E	Tooth Extra Size 30	Yes	1	12.5	P	66.72
MC30F	Tooth Flared Size 30	No	200	11.2	P	70.65
MC30L	Tooth Long Size 30	Yes	1	11.2	P	75.50
MC30S	Tooth Standard Size 30	Yes	1	9.2	P	50.00
MC30V	Tooth Vector Size 30	No	256	9.3	P	60.96
MC30W	Tooth D. Vector Size 30	Yes	1	11.1	P	69.88
R107-3308	Pin Size 30	Yes	1	0.1	P	2.63
R8E6259	Retainer Size 22-25-30	Yes	1	0.0	P	3.08
Size 35						
MC35A1	Tooth Abrasion Size 35	Yes	1	23.5	P	124.71
MC35E1	Tooth Extra Size 35	Yes	1	15.1	P	94.68
MC35F1	Tooth Flared Size 35	No	128	17.1	P	102.86
MC35H1	Tooth Heavy Size 35	No	120	19.8	P	103.92
MC35L1	Tooth Long Size 35	Yes	1	14.8	P	77.37
MC35S1	Tooth Standard Size 35	Yes	1	12.8	P	68.20
MC35U1	Tooth Universal Size 55	No	252	13.2	P	69.99
MC35V1	Tooth Vector Size 35	Yes	1	12.6	P	78.98
MC35W1	Tooth D. Vector Size 35	Yes	1	15.0	P	92.74
MC35W11	Tooth D. Vector HD Size 35	No	96	13.2	P	91.80
2MC35P	Pin Size 35	No	10	0.2	P	12.88
2MC35R	Retainer Size 35	No	1	0.0	P	3.61
2MC35/40C	Plug Size 35-40	No	1	0.0	P	22.99
R8E6358	Pin Size 35	Yes	1	0.2	P	4.10
R8E6359	Retainer Size 35-45	Yes	1	0.0	P	3.67
3MT38-12	Removal Tool 3/8" - 1/2"	Yes	1	5.4	P	66.77



Price List 2025

		In Stock (Yes/No)	Min. Batch	Weight (Lb)	Disc. Code	Price List USD
Size 40						
MC40A1	Tooth Abrasion Size 40	No	80	30.0	P	187.10
MC40E1	Tooth Extra Size 40	Yes	1	24.2	P	134.24
MC40V1	Tooth Vector Size 40	No	144	16.3	P	98.23
MC40W1	Tooth D. Vector Size 40	Yes	1	20.2	P	133.36
2MC40P	Pin Size 40	No	10	0.3	P	15.14
2MC40R	Retainer Size 40	No	20	0.4	P	3.67
2MC35/40C	Plug Size 35-40	No	1	0.0	P	22.99
3MT38-12	Removal Tool 3/8" - 1/2"	Yes	1	5.4	P	66.77
Size 46						
MC45A1	Tooth Abrasion Size 45	Yes	1	44.3	P	281.56
MC45AX1	Tooth Abrasion HD Size 45	No	48	51.3	P	311.38
MC45E1	Tooth Extra Size 45	Yes	1	32.8	P	193.39
MC45EX1	Tooth Extra HD Size 45	Yes	1	35.1	P	221.36
MC45F1	Tooth Flared Size 45	Yes	1	34.5	P	207.72
MC45IX1	Tooth Impact HD Size 45	No	64	23.8	P	144.17
MC45P1	Tooth Penetration Size 45	No	80	22.2	P	139.59
MC45S1	Tooth Standard Size 45	No	80	25.4	P	149.95
MC45V1	Tooth Vector Size 45	Yes	1	20.4	P	131.07
MC45W1	Tooth D. Vector Size 45	Yes	1	28.0	P	187.65
MC45WI1	Tooth D. Vector HD Size 45	No	32	31.3	P	219.65
2MC45P	Pin Size 45	Yes	1	0.4	P	22.56
2MC45R	Retainer Size 45	Yes	1	0.0	P	4.39
2MC45/55C	Plug Size 45-55	No	1	0.0	P	24.89
R8E0468	Pin Size 45	No	1	1.5	P	7.48
R8E8469	Retainer Size 45	No	1	0.1	P	7.21
3MT12-34	Removal Tool 1/2" - 3/4"	Yes	1	6.0	P	66.62
Size 55						
MC55A1	Tooth Abrasion Size 55	No	48	66.0	P	373.88
MC55E1	Tooth Extra Size 55	Yes	1	46.9	P	276.14
MC55U1	Tooth Universal Size 55	No	96	46.9	P	254.47
MC55V1	Tooth Vector Size 55	Yes	1	29.5	P	181.15
MC55W1	Tooth D. Vector Size 55	Yes	1	40.6	P	260.71
2MC55P	Pin Size 55	Yes	1	1.6	P	26.64
2MC55R	Retainer Size 55	Yes	20	0.0	P	5.62
2MC45/55C	Plug Size 45-55	No	1	0.0	P	24.89
R8E5559	Retainer Size 55	No	1	0.1	P	5.78
3MT12-34	Removal Tool 1/2" - 3/4"	Yes	1	6.0	P	66.62
Size 60						
MC60E1	Tooth Extra Size 60	Yes	1	87.8	P	477.33
MC60V1	Tooth Vector Size 60	No	24	58.6	P	348.41
MC60WI1	Tooth D. Vector HD Size 60	No	24	69.6	P	418.47

**MTG**

Price List 2025

		In Stock (Yes/No)	Min. Batch	Weight (Lb)	Disc. Code	Price List USD
2MC60/80C	Plug Size 60/80	No	1	0.0	P	25.56
2MC60P	Pin Size 60	No	25	2.0	P	42.77
2MC60R	Retainer Size 60	No	20	0.0	P	6.81
R6I6608	Pin Size 60	No	1	2.1	P	15.41
R6I6609	Retainer Size 60	No	1	0.1	P	8.99
3MT12-34	Removal Tool 1/2" - 3/4"	Yes	1	6.0	P	66.62

Size 70

2MC60/80C	Plug Size 60/80	No	1	0.0	P	25.56
2MC70/80R	Retainer Size 70/80	No	1	0.0	P	15.08
2MC70P	Pin Size 70	No	10	2.1	P	53.62
R4T4707	Retainer Size 70	No	1	0.2	P	16.21
R9U9616-G	Pin Size 70	No	1	2.2	P	22.65
3MT12-34	Removal Tool 1/2" - 3/4"	Yes	1	6.0	P	66.62

Ripper Caterpillar (*)**Size 35**

MR35A	Tooth Long Size 35	Yes	1	25.5	P	163.34
-------	--------------------	-----	---	------	---	--------

Size 45

MR45A	Tooth Abrasion Size 45	Yes	1	39.1	P	254.47
MR45I	Tooth Impact Size 45	Yes	1	33.0	P	212.19
MR45P	Tooth Penetration Size 45	Yes	1	34.8	P	228.69
R4T2479	Pin Size 45E,45,75,355,375A-3	No	1	0.4	P	18.14

Size 50

MR50AX	Tooth Abrasion HD Size 50	Yes	1	61.7	P	406.00
MR50I	Tooth Impact Size 50	Yes	1	59.8	P	391.66
MR50P	Tooth Penetration Size 50	Yes	1	64.1	P	425.06
MR50S	Tooth Standard Size 50	Yes	1	63.0	P	403.17
R6Y1202	Retainer Size 55	No	1	0.2	P	47.62
R6Y1204	Pin Size 55	No	1	1.9	P	26.13

Lateral Shrouds**Size 20**

4MB20UL	Bucket Protector 20 UL	No	128	8.7	P	52.92
---------	------------------------	----	-----	-----	---	-------

Size 25

4MB25UL	Bucket Protector 25 UL	No	128	10.8	P	70.54
---------	------------------------	----	-----	------	---	-------



Price List 2025

		In Stock (Yes/No)	Min. Batch	Weight (Lb)	Disc. Code	Price List USD
Size 30						
4MB30UL	Bucket Protector 30 UL	No	56	18.5	P	119.90
4MB30ULH	Bucket Protector 30 ULH	Yes	1	23.7	P	137.22
4MB30ULHX	Bucket Protector 30 ULHX	Yes	1	32.6	P	159.26
Size 70						
4MB70UL	Bucket Protector 70 UL	Yes	1	7.6	P	48.31
4MB70ULX	Bucket Protector 70 Heavy UL	Yes	1	16.6	P	101.65
Size 130						
4MB130ULH	Bucket Protector 130 ULH	Yes	1	45.7	P	240.37
Size 300						
4MB300ULH	Bucket Protector 300 ULH	Yes	1	88.0	P	476.96
4MB300ULHX	Bucket Protector 300 ULHX	No	16	85.0	P	506.87
Size 500						
4MB500ULH	Bucket Protector 500 ULH	Yes	1	181.5	P	989.18
Size ST						
4MB4541-RX	End Bit Right side	No	8	302.0	P	1352.44
4MB4542-LX	End Bit Left side	No	8	302.0	P	1352.44
Size 500HM						
4MLWR6BU306	Wing shroud upper WR6.00	No	16	196.2	P	2763.34
4MBWH10PLL175	Wing shroud lower left Whisler 10	No	8	203.3	P	2208.56
4MBWH10PLL240-S	Wing shroud lower left Whisler 10	No	8	339.2	P	3436.56
4MBWH10PLR175	Wing shroud lower right Whisler 10	No	8	203.3	P	2208.56
4MBWH10PLR240-S	Wing shroud lower right Whisler 10	No	8	339.0	P	3436.56
4MBWH10PU175	Wing shroud upper Whisler 10	No	16	168.3	P	1817.45
4MBWH10PU240	Wing shroud upper Whisler 10	No	8	278.3	P	2407.83
4MBWH12BLL230A	Wing shroud lower left Whisler 12	Yes	1	370.0	P	2998.30
4MBWH12BLL385A	Wing shroud lower left Whisler 12	No	8	354.9	P	2871.22
4MBWH12BLR230A	Wing shroud lower right Whisler 12	Yes	1	370.0	P	2998.30
4MBWH12BLR385A	Wing shroud lower right Whisler 12	No	8	354.9	P	2871.22
4MBWH12BUL230A	Wing shroud upper left Whisler 12	Yes	1	346.0	P	2922.36
4MBWH12BUL385A	Wing shroud upper left Whisler 12	No	16	436.0	P	3669.03
4MBWH12BUR230A	Wing shroud upper right Whisler 12	Yes	1	346.0	P	2922.36
4MBWH12BUR385A	Wing shroud upper right Whisler 12	No	16	436.0	P	3669.03
4MBWH12LL	Wing shroud lower left Whisler 12	No	8	866.0	P	6605.47
4MBWH12LR	Wing shroud lower right Whisler 12	No	8	866.0	P	6605.47
4MBWH12U	Wing shroud upper Whisler 12	No	16	429.0	P	3388.42

**MTG**

Price List 2025

		In Stock (Yes/No)	Min. Batch	Weight (Lb)	Disc. Code	Price List USD
2MWH10PCWS	C-Clamp conventional wing shroud WH10	No	384	2.3	P	37.59
2MWH10PCWS-240	C-Clamp conv. wing shroud 240 WH10	No	384	2.1	P	37.59
2MWH10PWW51	Wedge std. Conventional wing shroud WH10	No	320	2.4	P	36.23
2MWH10PWW51-240	Wedge std. Conv. wing shroud 240 WH10	No	320	3.5	P	36.23
2MWH12BCWS	C-Clamp conventional wing shroud WH12	Yes	1	4.1	P	120.95
2MWH12BWW51	Wedge std. Conventional wing shroud WH12	Yes	1	4.1	P	107.29
H2 WS10 P28	Hammerless Wing Shroud 240 WH8 P&H2800	No	1	13.1	P	588.93
H2 WS12 BU	Hammerless Wing Shroud CAT7495 HR/BI/BII	Yes	1	18.2	P	859.09
H2 WS8 P28	Hammerless Wing shroud H2 WH8P&H2800	No	1	14.5	P	680.89
H2 WS12 P41	Hammerless Wing shroud H2 P&H4100	No	1	2.0	P	1178.91
2MWH12CLS	C-Clamp conventional shroud WH12	Yes	1	16.4	P	207.55
2MWH12WS	Wedge std. conventional shroud WH12	Yes	1	21.8	P	248.71
C2 WS10 P28	Conventional Wing Shroud 2P WH10 P&H2800	No	1	5.5	P	73.81
C2 WS12 BU	Conventional Wing Shroud 2P WH12 CAT7495 HR	No	1	9.2	P	228.20
C2 WS8 P28	Conventional Wing Shroud 2P WH10 P&H2800	No	1	5.7	P	73.81
3MBWH10PLL175	Gauge Cage wing shroud lower left WH10	No	1	17.0	P	3093.06
3MBWH10PLL240-S	Gauge Cage lower wing left WH10	No	1	11.2	P	2420.44
3MBWH10PLR175	Gauge Cage wing shroud lower right WH10	No	1	17.0	P	3093.06
3MBWH10PLR240-S	Gauge Cage lower wing right WH10	No	1	11.2	P	2420.44
3MBWH10PU175	Gauge Cage wing shroud upper WH10	No	1	14.8	P	2467.46
3MBWH10PU240	Gauge Cage wing shroud upper WH10	No	1	13.0	P	2145.63
3MBWH12BLL230	Gauge Cage wing shroud lower left WH12	Yes	1	16.5	P	3093.06
3MBWH12BLL385	Gauge Cage wing shroud lower left WH12	No	1	11.0	P	3093.06
3MBWH12BLR230	Gauge Cage wing shroud lower right WH12	Yes	1	19.8	P	3093.06
3MBWH12BLR385	Gauge Cage wing shroud lower right WH12	No	1	11.0	P	3093.06
3MBWH12BU230	Gauge Cage wing shroud upper WH12	Yes	1	19.8	P	2145.63
3MBWH12BU385	Gauge Cage wing shroud upper WH12	No	1	16.3	P	2145.63
3MBWH12LL	Gauge Cage wing shroud lower left WH12	No	1	24.9	P	3093.06
3MBWH12LR	Gauge Cage wing shroud lower right WH12	No	1	24.9	P	3093.06
3MBWH12U	Gauge Cage wing shroud upper WH12	No	1	20.2	P	2145.63
Lip Shrouds						
Size	45					
4ML45BLD	Shroud Bolt-on Left 1.77x11.35	Yes	1	65.8	P	446.71
4ML45BRD	Shroud Bolt-on Right 1.77x11.35"	Yes	1	65.8	P	446.71
4ML45BC	Shourd Bolt-on Center 1.77x10.95"	Yes	1	59.2	P	355.84
Size	50					
4ML50BC-A	Shourd Bolt-on Center 2x13.5"	Yes	1	83.0	P	536.98
4ML50BLD-A	Shroud Bolt-on Left 2x13.5"	Yes	1	87.7	P	561.75
4ML50BRD-A	Shroud Bolt-on Right 2x13.5"	Yes	1	87.7	P	561.75
4ML50BC312	Shourd Bolt-on Center 2x12.3"	Yes	1	74.6	P	475.43
4ML50BLD312	Shroud Bolt-on Left 2x12.3"	Yes	1	76.8	P	491.71
4ML50BRD312	Shroud Bolt-on Right 2x12.3"	Yes	1	76.8	P	491.71
4ML50UC	Shroud Weld-on lip 1.5-2x5.9"	Yes	1	15.0	P	106.75
4ML50UC3	Shroud Weld-on lip 1.5-2x11.8"	Yes	1	30.9	P	231.72
4ML50UC5	Shroud Weld-on lip 1.5-2x40"	Yes	1	119.2	P	976.81

**MTG**

Price List 2025

In Stock (Yes/No)	Min. Batch	Weight (Lb)	Disc. Code	Price List USD
----------------------	------------	----------------	---------------	-------------------

Size 70

4ML70BCX-A	Shourd Bolt-on Center 2.75x17"	Yes	1	218.0	P	1364.50
4ML70BLDX-A	Shroud Bolt-on Left 2.75x18"	Yes	1	249.2	P	1569.33
4ML70BRDX-A	Shroud Bolt-on Right 2.75x18"	Yes	1	249.2	P	1569.33
4ML70UC	Shroud Weld-on lip 2.25-3x9.8"	Yes	1	46.1	P	313.17
4ML70UC2	Shroud Weld-on lip 2.25-3x10"	No	40	47.6	P	287.39
4ML70UC3	Shroud Weld-on lip 2.25-3x40"	Yes	1	186.5	P	1367.89
4ML70ULD	Shroud Weld-on lip 2.25-3x9"	No	32	42.5	P	271.00
4ML70URD	Shroud Weld-on lip 2.25-3x9"	No	32	42.5	P	271.00

Size 90

4ML90UC	Shroud Weld-on lip 3.15-4x14"	Yes	1	69.6	P	424.94
4ML90ULD	Shroud Weld-on lip 3.15-4x14"	Yes	1	70.9	P	503.54
4ML90URD	Shroud Weld-on lip 3.15-4x14"	Yes	1	70.9	P	503.54
4ML90UC2	Shroud Weld-on lip 3.15-4x15"	No	12	137.5	P	904.37
4ML90UC3	Shroud Weld-on lip 3.15-4x22"	No	16	120.7	P	1179.05
4ML90UC300	Shroud Weld-on lip 3.15-4x12"	No	64	56.5	P	342.93
4ML90ULD300	Shroud Weld-on lip 3.15-4x12"	No	32	55.4	P	400.94
4ML90URD300	Shroud Weld-on lip 3.15-4x12"	No	32	55.4	P	400.94

Size 100

4ML100BCX440	Shourd Bolt-on Center 3.95x17.30"	No	4	302.0	P	1602.26
4ML100BCX622	Shourd Bolt-on Center 3.95x24.50"	No	8	416.0	P	2124.72
4ML100BLDX	Shroud Bolt-on Left 3.95x17.32"	No	4	302.0	P	1602.26
4ML100BRDX	Shroud Bolt-on Right 3.95x17.32"	No	4	302.0	P	1602.26

Size 120

4ML120UC	Shroud Weld-on lip 3.95-5x13"	No	32	79.1	P	516.78
4ML120ULD	Shroud Weld-on lip 3.95-5x13"	No	32	80.6	P	528.27
4ML120URD	Shroud Weld-on lip 3.95-5x13"	No	32	80.6	P	528.27

Size 500HM

4MLWR6BC260	Lip shroud WR6.00	No	16	160.6	P	2145.63
4MLWH10PC280-A	Lip shroud center Whisler 10	No	8	266.0	P	3381.80
4MLWH12BC250	Lip shroud center Whisler 12	Yes	1	348.0	P	2748.91
4MLWH12C255	Lip shroud center Whisler 12	Yes	1	412.0	P	3269.73
4MLWH12C350	Lip shroud center Whisler 12	No	8	509.0	P	4039.08
4MLWH12TZC350	Lip shroud center Whisler 12	No	4	654.0	P	4039.08
2MWH10PCLS	C-Clamp conventional lip shroud WH10 P&H	No	224	7.5	P	72.46
2MWH10PWLS1	Wedge std. conventional lip shroud WH10	No	224	7.3	P	66.43
2MWH12BCLS	C-Clamp conventional lip shroud WH12	Yes	1	11.4	P	107.19
2MWH12BWLS1	Wedge std. Conventional lip shroud WH12	Yes	1	13.0	P	141.32
H2 LS10 P28	Hammerless Lip shroud WH10 P&H2800	Yes	1	16.3	P	675.65
H2 LS12 BU	Hammerless Lip shroud CAT7495 HR/B	Yes	1	48.2	P	990.25
H2 LS12 P41	Hammerless Lip shroud H2 P&H4100	Yes	1	47.4	P	1178.91
C2 LS10 P28	Conventional Lip SHhroud WH10 P&H2800	No	1	14.8	P	138.90
C2 LS12 BU	Conventional Lip Shroud 2P CAT7495 HR/BI/BI	No	1	25.4	P	248.50

**MTG**

Price List 2025

		In Stock (Yes/No)	Min. Batch	Weight (Lb)	Disc. Code	Price List USD
3MLWH10PC280	Gauge Cage lip shroud WH10	No	1	21.9	P	2459.11
3MLWH12BC250	Gauge Cage lip shroud WH12	Yes	1	25.4	P	2459.11
3MLWH12C350	Gauge Cage lip shroud WH12	No	1	22.0	P	2459.11
3MLWH12C255	Gauge Cage lip shroud WH12	No	1	18.4	P	2572.17
3MLWH12C255-R	Gauge Cage lip shroud WH12	No	1	59.8	P	12757.21
3MLWH12C255-WP	Gauge Cage lip shroud WH12 Wear Plate	No	1	1.5	P	624.11

Lip Shrouds LHD

Size 38

4MLHD38C1050-7A	Central shroud LHD 1.5" A	Yes	1	390.0	P	2765.63
4MLHD38L696-7A	Left intermediate shroud LHD 1.5"	Yes	1	203.5	P	1392.57
4MLHD38LC189-7A	Left corner shroud LHD 1.5"	Yes	1	158.0	P	1071.43
4MLHD38R696-7A	Right intermediate shroud LHD 1.5"	Yes	1	203.5	P	1392.57
4MLHD38RC189-7A	Right corner shroud LHD 1.5"	Yes	1	158.0	P	1071.43
4MLHD38LCHD	Left intermediate shroud LHD 1.5"	Yes	1	192.5	P	1304.44
4MLHD38RCHD	Right intermediate shroud LHD 1.5"	Yes	1	192.5	P	1304.44

Conical (*)

Size 18

MN18L	Tooth Long Size 18	No	512	2.0	P	27.28
-------	--------------------	----	-----	-----	---	-------

Size 25

MN25S	Tooth Standard Size 25	No	336	4.1	P	56.31
-------	------------------------	----	-----	-----	---	-------

Size 35

MN35S	Tooth Standard Size 35	No	288	7.4	P	77.86
-------	------------------------	----	-----	-----	---	-------

Conical Ripper (*)

Size 25RC

MNR25SC	Tooth Ripper Conical 25L	No	224	13.0	P	83.13
---------	--------------------------	----	-----	------	---	-------

PRODUCT CLAIM FORM

TO BE FILLED OUT BY THE RELEVANT DEALER	DEALER:		DATE:																
	INVOLVED END USER:																		
	PART NUMBER:																		
	<u>TYPE OF INCIDENT</u> (Mark the corresponding box) FRACTURE ☐ ASSEMBLY PROBLEMS ☐ WELDING PROBLEMS ☐ OTHERS ☐ Specify:																		
MANDATORY DATA	<u>SPECIFICATION OF THE USED CONFIGURATION</u>																		
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 20%;"></th> <th style="width: 40%;">REFERENCE</th> <th style="width: 40%;">BRAND</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">TOOTH</td> <td></td> <td></td> </tr> <tr> <td style="text-align: center;">ADAPTERS</td> <td></td> <td></td> </tr> <tr> <td style="text-align: center;">PINS</td> <td></td> <td></td> </tr> <tr> <td style="text-align: center;">OTHERS</td> <td></td> <td></td> </tr> </tbody> </table>					REFERENCE	BRAND	TOOTH			ADAPTERS			PINS			OTHERS		
		REFERENCE	BRAND																
	TOOTH																		
	ADAPTERS																		
	PINS																		
	OTHERS																		
	<u>MACHINE DATA</u>																		
	BRAND:		MODEL:																
	<u>WORKED TIME</u>																		
HOURS WORKED WITH THE PART:		USUAL DURATION OF THE PART (IN HOURS):																	
<u>TYPE OF TERRAIN</u>																			
EXCAVATED MATERIAL (Granite,...): _____																			
IMPACT LEVEL: HIGH ☐ MEDIUM ☐ LOW ☐ ABRASION LEVEL: HIGH ☐ MEDIUM ☐ LOW ☐ (Mark with a cross in the corresponding box)																			
OPTIONAL DATA	INCLUDE AT LEAST ONE PHOTOGRAPH OF THE INCIDENT		<u>IN CASE OF TOOTH FRACTURE:</u> IT IS ESSENTIAL TO ATTACH A PHOTO SHOWING THE VIEW OF THE FRACTURE IN THE PICTURE																
	<u>BUCKET DATA</u> BLADE: STRAIGHT ☐ DELTA ☐ SEMI-DELTA ☐ LENGTH OF THE BLADE (m): _____ INCIDENT OCCURS IN A PARTICULAR POSITION OF THE BUCKET? (Indicate the position number): _____ BLADE THICKNESS (mm): _____ Nº OF ADAPTERS: _____																		
TO BE FILLED OUT BY METALOGENIA	<u>IF YOU CHANGED YOUR T00TH SYSTEM RECENTLY</u> (INFORMATION ABOUT PREVIOUSLY USED SYSTEM)																		
	SYSTEM (Lateral pin,...): _____ BRAND: _____ ADAPTER REFERENCE: _____ TOOTH REFERENCE: _____ Any problem with this system ? (Pin fracture, ...): _____																		
	HAS THE PART BEEN SENT FOR ANALYSIS : YES ☐ / NO ☐ (CARRIAGE PAID)																		
	DECISION ABOUT THE COMPLAINT		AUTHORIZATION																
PART IN WARRANTY ☐ NO CLAIM TO WARRANTY ☐ OTHERS ☐		DATE:	COMERCIAL	MARKETING															

REMARK: The fields which are indicated as "Optional data" can help us solve your claim in a shorter time. THANKS FOR YOUR COOPERATION



CREDIT APPLICATION FORM

Customer Name: _____

Federal ID #: _____ Duns & Bradstreet #: _____

Shipping or Delivery Address: _____

City: _____ State: _____ Zip: _____

Billing Address (if different): _____

City: _____ State: _____ Zip: _____

Phone(s): _____ Fax: _____

E-Mail(s): _____

Business Under Present Ownership Since: _____

Name of Owner(s), Partners, Officers:

Name _____ Title _____

Name _____ Title _____

Contact Names:

Parts / Orders: _____ Phone _____

Accounts Payable: _____ Phone _____

Bank References:

Bank Name	Contact Person	Phone	Account	City, State
-----------	----------------	-------	---------	-------------

Business Credit References:

Company Name	Contact Person	Phone	Fax	City, State
--------------	----------------	-------	-----	-------------

Financial Statement Attached: Yes _____ No _____

Signature _____ Date _____

Print Name _____ Title _____

Please, send the completed form to our Customer Service Department at info.na@mtgcorp.com